

Recombinant Mouse Beta Defensin-1 (rm BD-1)

Synonyms: Defensin beta 1 (DEFB1), HBD1, HBP1

Introduction: The Defensin family are highly similar in their protein sequence and are microbicidal & cytotoxic peptides made by neutrophils. Beta Defensin-1 is an antimicrobial peptide having the resistance of epithelial surfaces to microbial colonization. Beta Defensin-1 has close proximity to Defensin Alpha-1 and has been implicated in the pathogenesis of cystic fibrosis. Skin of patients having atopic dermatitis, patients and mycosis fungoides (non-lesional and lesional) show lower human Beta Defensin-1 mRNA expression and higher human Beta Defensin-2 and human Beta Defensin-3 mRNA expression. Beta Defensin is highly expressed by epithelial cells. Beta-Defensin-1 may play a role in the pathogenesis of severe sepsis.

Description: Recombinant mouse Beta Defensin-1 produced in E.Coli is a single, non-glycosylated polypeptide chain containing 37 amino acids and having a molecular mass of 4.1 kDa. The BD-1 is purified by proprietary chromatographic techniques.

Source: *Escherichia Coli*

Physical Appearance: Sterile filtered white lyophilized (freeze-dried) powder..

Formulation: Lyophilized from a 0.2µm filtered solution in PBS, pH-7.4.
The sample size of 1µg contains Trehalose 5% (w/vol) for better recovery

Solubility: It is recommended to reconstitute the lyophilized rm BD-1 in sterile H2O not less than 100 µg/ml, which can then be further diluted to other aqueous solutions.

Stability: Lyophilized rm BD-1 although stable at room temperature for 3 weeks, should be stored desiccated below -18° C. Upon reconstitution rm BD-1 should be stored at 4° C between 2-7 days and for future use below -18° C. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Please prevent freeze-thaw cycles.

Purity: Greater than 97.0% as determined by (a) Analysis by RP-HPLC and (b) Analysis by SDS-PAGE.

Amino Acid Sequence: DQYKCLQHGG FCLRSSCP SN TKLQGTCKPD KPNCKKS

Biological Activity: Determined by its ability to chemoattract CD34+ dendritic cells using a concentration range of 0.1 - 1 µg/ml.

This material is offered for research only. Not for use in human. For in vitro use only. ImmunoTools will not be held responsible for patent infringement or other violations that may occur with the use of our products.

<i>small</i>	5 µg	Cat.N°	12344030
<i>medium</i>	20 µg	Cat.N°	12344034

ImmunoTools Excellent Quality - Advantageously priced

Gladiolenweg 2; 26169 Friesoythe; Germany
phone:+49-(0)4491-400997, fax:+49-(0)4491-400998, info@immunotools.com
www.immunotools.com