

Recombinant Human TNF Ligand Receptor Superfamily Member 12A (rh TNFRSF12A / CD266)

Synonyms: TweakR, TWEAK-Receptor, Fibroblast Growth Factor-inducible immediate-early response protein 14, FGF-inducible 14, type I transmembrane protein Fn14

Introduction: The gene for TNFRSF12A was initially recognized as a fibroblast growth factor inducible immediate early response gene Fn14 in mouse NIH 3T3 fibroblasts. Human TNFRSF12A cDNA encodes a 129 amino acid residue type I transmembrane protein with a 27 aa signal peptide, a 53 aa extracellular domain, a 21 aa transmembrane domain and a 28 aa cytoplasmic domain. Human and mouse TNFRSF12A hold 82% aa sequence identity. TNFRSF12 is the tiniest member of the TNF receptor superfamily and has only one cysteine rich region in its extracellular domain. The TNFRSF12A cytoplasmic domain holds one TRAF binding motif which binds TRAFs 1, 2, and 3. TNFRSF12A binds its ligand TWEAK/TNFSF12A with high affinity to initiate a signal transduction cascade which subject to the cell type, causes different cellular responses such as cell death, cell proliferation, and angiogenesis.

Description: Recombinant human TNFR12A produced in E.Coli is a single, non-glycosylated, polypeptide chain containing 53 amino acids and having a molecular mass of 5.6 KDa. The TNFRSF12A is purified by proprietary chromatographic techniques.

Source: *Escherichia coli*

Physical Appearance: Sterile filtered white lyophilized (freeze-dried) powder.

Formulation: Lyophilized from a 0.2µm filtered concentrated solution in PBS, pH 7.4. The aliquots/samples of 1µg contain Trehalose 5% (w/vol) for better recovery

Solubility: It is recommended to reconstitute the lyophilized rh TNFRSF12A in sterile H2O not less than 100 µg/ml, which can then be further diluted to other aqueous solutions.

Stability: Lyophilized rh TNFRSF12A although stable at room temperature for 3 weeks, should be stored desiccated below -18° C. Upon reconstitution rh TNFRSF12A should be stored at 4° C between 2-7 days and for future use below -18° C. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Please prevent freeze-thaw cycles.

Purity: Greater than 97.0% as determined by RP-HPLC and by SDS-PAGE.

Amino Acid Sequence: EQAPGTAPCS RGSSWSADLD KCMDCASCR RPHSDFCLGC AAAPPAPFRL LWP.

Biological Activity: The TNFRSF12A biological activity is determined by its ability to inhibit TWEAK-induced weak cell death of HT29 cells. The expected ED50 for this effect is 1.0-5.0µg/ml in the presence of 1µg/ml rh TWEAK.

This material is offered for research only. Not for use in human. For in vitro use only. ImmunoTools will not be held responsible for patent infringement or other violations that may occur with the use of our products.

<i>small</i>	5 µg	Cat.N°	11344850
<i>medium</i>	25 µg	Cat.N°	11344854

ImmunoTools Excellent Quality - Advantageously priced

Gladiolenweg 2; 26169 Friesoythe; Germany
phone:+49-(0)4491-400997, fax:+49-(0)4491-400998, info@immunotools.com
www.immunotools.com