anti-human CD72

Monoclonal Antibody 3F3 to CD72 (Human)

Cat-No: 21270721 100 μg in 100 μl

Clone: 3F3

Specificity: The antibody 3F3 reacts with CD72, a 39-43 kDa type II membrane glycoprotein (C-type lectin family). CD72 is a pan-B cell marker expressed throughout the B lymphocytes differentiation with the exception of plasma cells; it is also present on follicular dendritic cells.

HLDA V; WS Code B CD72.5 HLDA VI; WS Code B CD72.1 HLDA VI; WS Code 6 BP 84

Isotype subclass: Mouse IgG2b

Purity: > 95% (by SDS-PAGE)

Form: Purified from ascites by DEAE-chromatography and precipitation methods.

Physical state: Liquid

Buffer/Additives/Preservative: PBS, pH 7.2, containing 0.09% sodium azide.

Expiration date: The reagent is stable until the expiry date stated on the vial label.

Storage conditions: Store at 4 °C. For long-term storage aliquot and store at -20°C. Avoid freeze/thaw cycles.

Application: Application: Flow Cytometry, Immunoprecipitation

Background: CD72 is a transmembrane glycoprotein expressed as a homodimer especially in B cells, but also in other antigen presenting cells such as dendritic cells and macrophages. Through one of its immunoreceptor tyrosine-based inhibitory motives (ITIMs), CD72 interacts with tyrosine phosphatase SHP-1, thereby suppressing B cell responsiveness. Binding of CD72 with its ligand CD100 (Sema4D) prevents BCR association and phosphorylation of CD72 and results in dissociation of SHP-1 from CD72, thus enables B cell activation.

References:

- *Kumanogoh A and others: 2000 Nov;13(5):621-31.
- *Kumanogoh A, Kikutani H: 2001 Dec;22(12):670-6.
- *Kumanogoh A and others: 2005 Oct;17(10):1277-82.
- *Mizrahi S and others: 2007 Sep 5;2(9):e818.

Warning: Sodium azide is harmful if swallowed (R22). Keep out of reach of children (S2). Keep away from food, drink and animal feeding stuff (S13). Wear suitable protective clothing (S36). If swallowed, seek medical advice immediately and show this container or label (S46). Contact with acids liberates very toxic gas (R32). Azide compounds should be flushed with large volumes of water during disposal to avoid deposits in lead or copper plumbing where explosive conditions can develop.

This material is offered for **research use only**. Not for use in human. For in vitro use only. ImmunoTools will not be held responsible for patent infringement or other violations that may occur with the use of our products.