

# Antibodies against rat antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>CD2</b>	MRC OX-34	Mouse IgG2a	PE	FCM	500 µl 2 ml	<a href="#">23150024</a> 23150024X2	99 199
				purified	FCM, IHC, IP	100 µg 300 µg	<a href="#">23150041</a> 23150041X2
<b>CD4</b>	W3/25	Mouse IgG1	FITC	FCM	500 µl 2 ml	<a href="#">23150043</a> 23150043X2	99 199
			PE	FCM	500 µl 2 ml	<a href="#">23150044</a> 23150044X2	99 199
<b>CD5</b>	MRC OX-19	Mouse IgG1	FITC	FCM	500 µl 2 ml	<a href="#">23150053</a> 23150053X2	99 199
				purified	FCM, IHC	100 µg 300 µg	<a href="#">23150081</a> 23150081X2
<b>CD8a</b>	MRC OX-8	Mouse IgG1	FITC	FCM	500 µl 2 ml	<a href="#">23150083</a> 23150083X2	99 199
			PE	FCM	500 µl 2 ml	<a href="#">23150084</a> 23150084X2	99 199
				purified	FCM, WB, IP	100 µg 300 µg	<a href="#">23159081</a> 23159081X2
<b>CD8b</b>	3,4,1	Mouse IgG1	FITC	FCM	500 µl 2 ml	<a href="#">23159083</a> 23159083X2	99 199
			PE	FCM	500 µl 2 ml	<a href="#">23159084</a> 23159084X2	99 199
<b>CD11a</b>	WT.1	Mouse IgG2a	FITC	FCM	500 µl 2 ml	<a href="#">23150113</a> 23150113X2	99 199
				purified	FCM, IHC, IP	100 µg 300 µg	<a href="#">23159111</a> 23159111X2
<b>CD11b/c</b>	MRC OX-42	Mouse IgG2a	FITC	FCM	500 µl 2 ml	<a href="#">23159113</a> 23159113X2	99 199
			PE	FCM	500 µl 2 ml	<a href="#">23159114</a> 23159114X2	99 199
<b>CD25</b>	MRC OX-39	Mouse IgG1	FITC	FCM	500 µl 2 ml	<a href="#">23150253</a> 23150253X2	99 199
<b>CD43</b>	W3/13	Mouse IgG1	FITC	FCM	500 µl 2 ml	<a href="#">23150433</a> 23150433X2	99 199
<b>CD44</b>	MRC OX-49	Mouse IgG1	FITC	FCM	500 µl 2 ml	<a href="#">23150443</a> 23150443X2	99 199
<b>CD45</b>	MRC OX-30	Mouse IgG2a	FITC	FCM	500 µl 2 ml	<a href="#">23150453</a> 23150453X2	99 199

## Antibodies against rat antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€	
<b>CD45 RA/B</b>	MRC OX-33	Mouse IgG1		purified	FCM, IHC(p)	100 µg	<a href="#">23158451</a>	99
						300 µg	23158451X2	199
			FITC	FCM	500 µl	<a href="#">23158453</a>	99	
					2 ml	23158453X2	199	
				PE	FCM	500 µl	<a href="#">23158454</a>	99
						2 ml	23158454X2	199
<b>CD45RC</b>	MRC OX-22	Mouse IgG1	PE	FCM	500 µl	<a href="#">23157454</a>	99	
					2 ml	23157454X2	199	
<b>CD48</b>	MRC OX-45	Mouse IgG1		purified	FCM	100 µg	<a href="#">23150481</a>	99
						300 µg	23150481X2	199
			FITC	FCM	500 µl	<a href="#">23150483</a>	99	
					2 ml	23150483X2	199	
				PE	FCM	500 µl	<a href="#">23150484</a>	99
						2 ml	23150484X2	199
<b>CD54</b>	MEM-111	Mouse IgG2a	purified	FCM, IP, WB	100 µg	<a href="#">21270541</a>	99	
					300 µg	21270541X2	219	
<b>CD62L</b>	MRC OX-85	Mouse IgG1	PE	FCM	500 µl	<a href="#">23159624</a>	99	
					2 ml	23159624X2	199	
<b>CD71</b>	MRC OX-26	Mouse IgG2a	FITC	FCM	500 µl	<a href="#">23150713</a>	99	
					2 ml	23150713X2	199	
<b>CD81</b>	Eat2	Hamster IgG		purified	func.application	100 µg	<a href="#">22150810</a>	99
						300 µg	22150810X2	199
				purified	FCM	100 µg	<a href="#">22150811</a>	99
						300 µg	22150811X2	199
			FITC	FCM	500 µl	<a href="#">22150813</a>	99	
					2 ml	22150813X2	199	
	PE	FCM	500 µl	<a href="#">22150814</a>	99			
			2 ml	22150814X2	199			
<b>CD90 (Thy 1.1)</b>	MRC OX-7	Mouse IgG1		purified	FCM, IHC(f)	100 µg	<a href="#">22150901</a>	99
						300 µg	22150901X2	199
			FITC	FCM	500 µl	<a href="#">22150903</a>	99	
					2 ml	22150903X2	199	
				PE	FCM	500 µl	<a href="#">22150904</a>	99
			2 ml	22150904X2	199			
<b>CD152</b>	WKH 203	Mouse IgG1		purified	FCM, IHC	100 µg	<a href="#">23151521</a>	99
						300 µg	23151521X2	199
			FITC	FCM	500 µl	<a href="#">23151523</a>	99	
					2 ml	23151523X2	199	

## Antibodies against rat antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>CD161 (NK-cells)</b>	10 – 78	Mouse IgG1	purified	func.application	100 µg	<a href="#">23151610</a>	89
					300 µg	23151610X2	179
			purified	FCM	100 µg	<a href="#">23151611</a>	89
					300 µg	23151611X2	179
			FITC	FCM	500 µl	<a href="#">23151613</a>	79
					2 ml	23151613X2	159
			PE	FCM	500 µl	<a href="#">23151614</a>	79
					2 ml	23151614X2	159
<b>CD172a</b>	MRC OX-41	Mouse IgG2a	FITC	FCM	500 µl	<a href="#">23151723</a>	99
					2 ml	23151723X2	199
<b>CD200</b>	MRC OX-2	Mouse IgG1	FITC	FCM	500 µl	<a href="#">23152003</a>	99
					2 ml	23152003X2	199
<b>Dendritic Cells</b>	MRC OX-62	Mouse IgG1	FITC	FCM	500 µl	<a href="#">23156013</a>	99
					2 ml	2315601X2	199
<b>Endothelium</b>	MRC OX-43	Mouse IgG1	PE	FCM	500 µl	<a href="#">23156044</a>	99
					2 ml	23156044X2	199
<b>Igkappa chain</b>	MRC OX-12	Mouse IgG2a	FITC	FCM	500 µl	<a href="#">23156003</a>	99
					2 ml	23156003X2	199
<b>NK-cells (CD161)</b>	10 – 78	Mouse IgG1	purified	func.application	100 µg	<a href="#">23151610</a>	89
					300 µg	23151610X2	179
			purified	FCM	100 µg	<a href="#">23151611</a>	89
					300 µg	23151611X2	179
			FITC	FCM	500 µl	<a href="#">23151613</a>	79
					2 ml	23151613X2	159
			PE	FCM	500 µl	<a href="#">23151614</a>	79
					2 ml	23151614X2	159
<b>T-Cells</b>	MRC OX-52	Mouse IgG2a	FITC	FCM	500 µl	<a href="#">23156023</a>	99
					2 ml	23156023X2	199
<b>α/β TCR</b>	R73	Mouse IgG1	FITC	FCM	500 µl	<a href="#">23155213</a>	99
					2 ml	23155213X2	199
<b>γ/δ TCR</b>	V65	Mouse IgG1	FITC	FCM	500 µl	<a href="#">23155223</a>	99
					2 ml	23155223X2	199
<b>VEGF-C</b>	#9/G10	IgG2a	purified	ELISA, WB	0.025 mg	<a href="#">2170461P</a>	59
<b>VEGF-C</b>	#107	IgG2a	purified	ELISA, WB	0.025 mg	<a href="#">2170462P</a>	59
<b>VEGF-C</b>	#9E7	IgG2a	purified	IF, IHC	0.025 mg	<a href="#">2170463P</a>	59
<b>VEGF-C</b>	#107/F10	IgG2a	purified	ELISA, WB	0.025 mg	<a href="#">2170464P</a>	59

# Antibodies against rat antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
-------------	-------	---------	--------	-------------	-----	--------	---

## Antibodies against human CDantigens:

CD1a, CD2, C3/C3b/iC3b, CD3, CD4, CD5, CD6, CD7, CD8, CD9, CD10, CD11a, CD11b, CD11c, CD13, CD14, CD15, CD16, CD16b, CD17, CD18, CD19, CD20, CD21, CD22, CD23, CD24, CD25, CD26, CD27, CD28, CD29, CD30, CD31, CD32, CD33, CD34, CD35, CD36, CD37, CD38, CD40, CD41, CD41a, CD41b, CD42b, CD43, CD44, CD45, CD45RA, CD45RB, CD45RO, CD46, CD47, CD48, CD49d, CD49e, CD49f, CD50, CD51, CD52, CD53, CD54, CD55, CD56, CD57, CD58, CD59, CD61, CD62E, CD62L, CD62P, CD63, CD64, CD66ade (CEACAM1/3/5), CD66adecb (CEACAM1/3/5/6/8), CD66b (CEACAM8), CD66c (CEACAM6), CD66de (CEACAM3/5), CD66e (CEACAM5), CD66eb (CEACAM5/8), CD66ecb (CEACAM5/6/8), CD69, CD70, CD71, CD72, CD73, CD74, CD79a, CD80, CD81, CD86, CD90, CD95, CD97, CD98, CD99, CD99R, CD101, CD105, CD106, CD107a, CD108, CD116, CD117, Cd123, CD127, CDw131, CD137, CD138, CD139, CD147/Emmprin, CD162, CD177, CD222, CD235a, CD235ab, CD269, CD279, CD314, CD319

## Antibodies against human antigens:

Albumin, ANCA, BDNF, beta III-Tubulin, Calprotectin (MRP814), Cox-1, Emmprin/CD147, Eotaxin/CCL11, Eotaxin-3/CCL26, Factor H, FGF-b/FGF-2, Follicular Dendritic Cells, FoxP3, Granzyme K, HbsAG, HLA-ABC, HLA-Class I, panHLA-Class II, sHLA-G, HLA-DR, HLA-DR+DP, IFN alpha, IFNgamma, IGF-1, IgE, IgG, IgL, IgM, IL-1RA/IL1F3, IL-2, IL-4, IL-6, IL-8/CXCL8, IL-10, IL-12p40, IL-15, IL-18, IL-25/IL-17E, Kappa chain, KRT18/Cytokeratin18, Lactoferrin, Lambda chain, MPB, MCP-1/CCL2, MCP-2/CCL8, MCP-3/CCL7, MCP-4/CCL13, MDC/CCL22, MIP-1a/CCL-3, MIP-3a/CCL20, MIP-3b/CCL19, MPO, NGF-beta, NT4, NTAL, p53, hu-PrP, Rantes/CCL5, anti-Syk, TCRab, TCRgd, TECK/CCL25, TGF-beta1, TNF-alpha, TNFR/CD120a, TSLP, TSLPR, tTG, VEGF-A, VEGF-C, VEGFR-1/Flt-1, VEGFR-2/KDR, VEGFR-3/Flt-4

## Isotype Controls:

mouse IgG1 Control, mouse IgG2a Control, mouse IgG2b Control, mouse IgG3 Control, mouse IgM Control, rat IgG2b Control

## IT-Box-systems:

several IT-Boxes with fluorescence conjugated antibodies each vial containing 100µl

## Functional antibodies

## Secondary antibodies

## Apoptose

## Streptavidine

## Antibodies against mouse CDantigens and antigens

C3/C3b/iC3b, CD3, CD3e, CD3z, CD4, CD5, CD8, CD8a, CD9, CD11a, CD11b, CD18, CD19, CD25, CD28, CD34, CD35/21, CD40L, CD44, CD45, CD45R, CD45RB, CD45RC, CD48, CD49d, CD49f, CD54 (ICAM) CD55(DAF), CD59, CD62L, CD70, CD80 (B7-1), CD81(TAPA-1), CD86, CD90(THY1.1), CD117, CD134, CD134L, CD154, CD161, dCD247, CD252, B7-1, mCR1/2, Erythroid Cell, FoxP3, GM-CSF, Gr-1, IFNgamma, IL-2, IL-2R, IL-6, IL-12p40, MHCII A-E, NK-cells, TCR α/β, TCR γ/δ, VEGF-C, VLA-4

[HOME](#)

# Antibodies against rat antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
-------------	-------	---------	--------	-------------	-----	--------	---

## [Antibodies against bovine / porcine CDantigens](#)

porcine: CD20, CD29, CD47, CD58, CD105, Calprotectin (MRP8/14)

bovine: PrP, recombinant PrP, CD20, CD21, CD46, CD54

## [Antibodies against equine antigens](#)

IL-3, IL-17

## [Special offers](#)