

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€	
CD1a	HI149	IgG1	purified	FCM, IF,IHC	100 µg	21270011	79	
					300 µg	21270011X2	159	
			FITC	FCM	500 µl	21270013	69	
					2 ml	21270013X2	139	
			PE	FCM	500 µl	21270014	69	
					2 ml	21270014X2	139	
			APC	FCM	500 µl	21270016	79	
				2 ml	21270016X2	159		
CD2	MEM-65	IgG1	purified	FCM, IP	100 µg	21270021	99	
					300 µg	21270021X2	219	
			Biotin	FCM	50 µg	21270022	79	
					150 µg	21270022X2	159	
			PE	FCM	500 µl	21270024	99	
			2 ml	21270024X2	219			
			Dy647	FCM	500 µl	21270028	99	
					2 ml	21270028X2	199	
	CD2	LT2	IgG2a	purified	FCM, IP	100 µg	21380021	79
						300 µg	21380021X2	159
FITC				FCM	500 µl	21380023	69	
					2ml	21380023X2	139	
PE				FCM	500 µl	21380024	69	
				2ml	21380024X2	139		
		APC	FCM	500 µl	21380026	69		
				2 ml	21380026X2	139		
CD3	MEM-57	IgG2a	purified	func. application	100 µg	21270030	99	
					300 µg	21270030X2	219	
			purified	FCM, IP	100 µg	21270031	99	
					300 µg	21270031X2	219	
			Biotin	FCM, IP	50 µg	21270032	79	
					150 µg	21270032X2	159	
		FITC	FCM	500 µl	21270033	99		
				2 ml	21270033X2	199		
		PE	FCM	500 µl	21270034	79		
				2 ml	21270034X2	159		
		APC	FCM	500 µl	21270036	99		
				2 ml	21270036X2	199		

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
			purified	func.application	100 µg	21620030	79
					300 µg	21620030X2	159
			purified	FCM, IP, IHC	100 µg	21620031	79
					300 µg	21620031X2	159
			FITC	FCM,	500 µl	21620033	69
	UCHT-1	IgG1			2 ml	21620033X2	139
			PE	FCM	500 µl	21620034	69
					2 ml	21620034X2	139
			PerCP	FCM	500 µl	21620035	89
					2 ml	21620035X2	179
			APC	FCM	500 µl	21620036	69
					2 ml	21620036X2	139
			purified	FCM, IHC(f)	100 µg	21810031	79
					300 µg	21810031X2	159
			FITC	FCM	500 µl	21810033	69
	HIT3b	IgG1			2 ml	21810033X2	139
			PE	FCM	500 µl	21810034	79
					2 ml	21810034X2	159
			APC	FCM	500 µl	21810036	79
					2 ml	21810036X2	159
			purified	func.application	100 µg	21850030	79
					300 µg	21850030X2	159
			purified	FCM	100 µg	21850031	79
					300 µg	21850031X2	159
			FITC	FCM	500 µl	21850033	69
	OKT-3	IgG2a			2 ml	21850033X2	139
			PE	FCM	500 µl	21850034	69
					2 ml	21850034X2	139
			APC	FCM	500 µl	21850036	69
					2 ml	21850036X2	139
C3/C3b/iC3b	10C7	IgG1	FITC	FCM	500 µl	21157033	99
	6C9	IgG1	FITC	FCM	500 µl	21158033	99
CD4	MEM-241	IgG1	purified	func.application	100 µg	21270040	99
					300 µg	21270040X2	199
			purified	FCM, WB	100 µg	21270041	99
					300 µg	21270041X2	199
			Biotin	FCM, WB	50 µg	21270042	79
					150µg	21270042X2	159
			FITC	FCM	500 µl	21270043	79
					2 ml	21270043X2	159
			PE	FCM	500 µl	21270044	69
					2 ml	21270044X2	139
			APC	FCM	500 µl	21270046	79
					2 ml	21270046X2	159
			Dy647	FCM	500 µl	21270048	99
					2 ml	2170048X2	199

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
			purified	func.application	100 µg	21278040	79
					300µg	21278040X2	159
			purified	FCM	100 µg	21278041	79
					300 mg	21278041X2	159
			FITC	FCM	500 µl	21278043	69
					2 ml	21278043X2	139
	EDU-2	IgG2a	PE	FCM	500 µl	21278044	69
					2 ml	21278044X2	139
			PerCP	FCM	500 µl	21278045	89
					2 ml	21278045X2	179
			APC	FCM	500 µl	21278046	69
					2 ml	21278046X2	139
			purified	func.application	100 µg	21279040	99
					300 µg	21279040X2	219
	MEM-115	IgG2a	purified	FCM, IP	100 µg	21279041	99
					300 µg	21279041X2	219
			purified	FCM	100 µg	21810041	79
					300 µg	21810041X2	159
			FITC	FCM	500 µl	21810043	69
					2 ml	21810043X2	139
	HIT4a	IgG2b	PE	FCM	500 µl	21810044	69
					2 ml	21810044X2	139
			APC	FCM	500 µl	21810046	69
					2 ml	21810046X2	139
			purified	FCM	100 µg	21819041	79
					300 µg	21819041X2	159
	HIT4c	IgG2b	FITC	FCM	500 µl	21819043	69
					2 ml	21819043X2	139
			purified	func.application	100 µg	21850040	79
					300 µg	21850040X2	159
			purified	FCM, IP	100 µg	21850041	79
					300 µg	21850041X2	159
			FITC	FCM	500 µl	21850043	69
					2 ml	21850043X2	139
	OKT-4	IgG2b	PE	FCM	500 µl	21850044	69
					2 ml	21850044X2	139
			APC	FCM	500 µl	21850046	69
					2 ml	21850046X2	139
CD5	MEM-32	IgG1	purified	FCM, IP, WB	100 µg	21270051	99
					300 µg	21270051X2	219
			Biotin	FCM, IP, WB	50 µg	21270052	79
					150 µg	21270052X2	159
			FITC	FCM	500 µl	21270053	99
					2 ml	21270053X2	199
			PE	FCM	500 µl	21270054	99
					2 ml	21270054X2	199
	CRIS1	IgG2a	APC	FCM	500 µl	21279056	119
					2 ml	21279056X2	229

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
	LT1	IgG1	purified	FCM, IP	100 µg	21380051	79
					300 µg	21380051X2	159
			FITC	FCM	500 µl	21380053	69
					2 ml	21380053X2	139
			PE	FCM	500 µl	21380054	69
					2 ml	21380054X2	139
			APC	FCM	500 µl	21380056	69
					2 ml	21380056X2	139
	HISM2	IgG1	purified	FCM	100 µg	21810051	79
					300 µg	21810051X2	159
			FITC	FCM	500 µl	21810053	69
					2 ml	21810053X2	139
			PE	FCM	500 µl	21810054	69
					2 ml	21810054X2	139
			APC	FCM	500 µl	21810056	69
				2 ml	21810056X2	139	
CD6	MEM-98	IgG1	purified	FCM, IP, WB	100 µg	21270061	99
					300 µg	21270061X2	219
			FITC	FCM	500 µl	21270063	99
					2 ml	21270063X2	199
	HI210	IgG1	purified	FCM	100 µg	21810061	79
					300 µg	21810061X2	159
			FITC	FCM	500 µl	21810063	69
					2 ml	21810063X2	139
			PE	FCM	500 µl	21810064	69
					2 ml	21810064X2	139
			APC	FCM	500 µl	21810066	69
					2 ml	21810066X2	139
	MEM-186	IgG1	purified	FCM, IP, WB	100 µg	21270071	99
					300 µg	21270071X2	219
			FITC	FCM	500 µl	21270073	99
				2 ml	21270073X2	199	
PE			FCM	500 µl	21270074	99	
				2 ml	21270074X2	199	
		APC	FCM	500 µl	21270076	79	
				2 ml	21270076X2	159	
CD7	LT7	IgG2a	purified	FCM, IP	100 µg	21380071	79
					300 µg	21380071X2	159
			FITC	FCM	500 µl	21380073	69
					2 ml	21380073X2	139
			PE	FCM	500 µl	21380074	69
					2 ml	21380074X2	139
	HIT7	IgG1	purified	FCM	100 µg	21810071	79
					300 µg	21810071X2	159
			FITC	FCM	500 µl	21810073	69
				2 ml	21810073X2	139	

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€		
CD8	MEM-31	IgG2a	purified	func.application	100 µg	21270080	99		
					300 µg	21270080X2	199		
			purified	FCM, IP	100 µg	21270081	99		
					300 µg	21270081X2	199		
			Biotin	FCM	50 µg	21270082	79		
					150 µg	21270082X2	159		
			FITC	FCM	500 µl	21270083	79		
					2 ml	21270083X2	159		
			PE	FCM	500 µl	21270084	69		
					2 ml	21270084X2	139		
			APC	FCM	500 µl	21270086	79		
					2 ml	21270086X2	159		
			PE/Dy647	FCM	500 µl	21270087	99		
					2 ml	21270087X2	219		
			MEM-87	IgG1	purified	FCM, IP	100 µg	21279081	99
					300 µg	21279081X2	199		
	purified	func.application			100 µg	21620080	79		
					300 µg	21620080X2	159		
	purified	FCM			100 µg	21620081	79		
					300 µg	21620081X2	159		
	FITC	FCM			500 µl	21620083	69		
					2 ml	21620083X2	139		
	PE	FCM			500 µl	21620084	69		
					2 ml	21620084X2	139		
	PerCP	FCM			500 µ	21620085	89		
					2 ml	21620085X2	179		
	APC	FCM			500 µl	21620086	69		
					2 ml	21620086X2	139		
	UCHT-4	IgG2a			purified	FCM, IHC(f/p)	100 µg	21810081	79
					300 µg	21810081X2	159		
FITC			FCM	500 µl	21810083	69			
				2 ml	21810083X2	139			
PE			FCM	500 µl	21810084	69			
				2 ml	21810084X2	139			
PerCP			FCM	500 µl	21810085	89			
				2 ml	21810085X2	179			
APC			FCM	500 µl	21810086	69			
				2 ml	21810086X2	139			
HIT8a			IgG1	purified	FCM, IHC(f/p)	100 µg	21810081	79	
						300 µg	21810081X2	159	
				FITC	FCM	500 µl	21810083	69	
						2 ml	21810083X2	139	
				PE	FCM	500 µl	21810084	69	
				2 ml	21810084X2	139			
	PerCP	FCM		500 µl	21810085	89			
				2 ml	21810085X2	179			
	APC	FCM		500 µl	21810086	69			
				2 ml	21810086X2	139			
	CD9	MEM-61		IgG1	purified	func.application	100 µg	21270090	99
							300 µg	21270090X2	219
					purified	FCM, IP, WB	100 µg	21270091	99
							300 µg	21270091X2	219
					FITC	FCM	500 µl	21270093	99
					2 ml	21270093X2	199		
PE			FCM		500 µl	21270094	99		
					2 ml	21270094X2	199		
APC			FCM		500 µl	21270096	99		
					2 ml	21270096X2	199		

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€			
	HI9a	IgG1	purified	FCM, IHC(f)	100 µg	21810091	79			
					300 µg	21810091X2	159			
			Biotin	FCM, IHC(f)	50 µg	21810092	79			
					150 µg	21810092X2	159			
			FITC	FCM	500 µl	21810093	69			
					2 ml	21810093X2	139			
			PE	FCM	500 µl	21810094	69			
					2 ml	21810094X2	139			
			APC	FCM	500 µl	21810096	69			
					2 ml	21810096X2	139			
	MEM-78	IgG1	purified	FCM, IP, WB	100 µg	21270101	99			
					300 µg	21270101X2	219			
			Biotin	FCM, IP	50 µg	21270102	79			
					150 µg	21270102X2	159			
			FITC	FCM	500 µl	21270103	99			
					2 ml	21270103X2	199			
			PE/Dy590	FCM	500 µl	21270107.5	99			
					2 ml	21270107.5X2	219			
			CD10	LT10	IgG1	purified	FCM	100 µg	21279101	79
								300 µg	21279101X2	159
FITC	FCM	500 µl				21279103	69			
		2 ml				21279103X2	139			
PE	FCM	500 µl				21279104	79			
		2 ml				21279104X2	159			
APC	FCM	500 µl				21279106	79			
		2 ml				21279106X2	159			
	HI10a	IgG1				purified	FCM, IHC(f)	100 µg	21810101	79
								300 µg	21810101X2	159
			FITC	FCM	500 µl	21810103	69			
					2 ml	21810103X2	139			
			PE	FCM	500 µl	21810104	69			
					2 ml	21810104X2	139			
			APC	FCM	500 µl	21810106	69			
					2 ml	21810106X2	139			
			CD11a	MEM-25	IgG1	purified	func.application	100 µg	21270110	99
								300 µg	21270110X2	219
purified	FCM, IP	100 µg				21270111	99			
		300 µg				21270111X2	219			
Biotin	FCM, IP	50 µg				21270112	79			
		150 µg				21270112X2	159			
FITC	FCM	500 µl				21270113	79			
		2 ml				21270113X2	159			
PE	FCM	500 µl				21270114	79			
		2 ml				21270114X2	159			
		APC	FCM	500 µl	21270116	79				
		2 ml	21270116X2	159						
	DE4	IgG2a	purified	FCM, IP	100 µg	21380111	79			
					300 µg	21380111X2	159			

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€			
	HI111	IgG1	purified	FCM, IF, IHC(f)	100 µg	21810111	79			
					300 µg	21810111X2	159			
			FITC	FCM	500 µl	21810113	69			
					2 ml	21810113X2	139			
			PE	FCM	500 µl	21810114	69			
					2 ml	21810114X2	139			
		APC	FCM	500 µl	21810116	69				
				2 ml	21810116X2	139				
	MEM-174	IgG2a	purified	func.application	100 µg	21279110	99			
					300 µg	21279110X2	219			
			purified	FCM, IP	100 µg	21279111	99			
					300 µg	21279111X2	219			
			Biotin	FCM, IP	50 µg	21279112	79			
					150 µg	21279112X2	159			
			FITC	FCM	500 µl	21279113	79			
					2 ml	21279113X2	159			
			PE	FCM	500 µl	21279114	79			
					2 ml	21279114X2	159			
			APC	FCM	500 µl	21279116	79			
					2 ml	21279116X2	159			
CD11b	LT11	IgG1	purified	FCM	100 µg	21389111	79			
					300 µg	21389111X2	159			
			FITC	FCM	500 µl	21389113	69			
					2 ml	21389113X2	139			
			APC	FCM	500 µl	21389116	69			
					2 ml	21389116X2	139			
			CD11b	HI11b	IgG2b	purified	FCM, IHC(f/p)	100 µg	21819111	79
								300 µg	21819111X2	159
FITC	FCM	500 µl				21819113	69			
		2 ml				21819113X2	139			
PE	FCM	500 µl				21819114	69			
		2 ml				21819114X2	139			
PerCP	FCM	500 µl				21819115	89			
		2 ml				21819115X2	179			
APC	FCM	500 µl	21819116	69						
		2 ml	21819116X2	139						
CD11c	BU15	IgG1	purified	func.application	100 µg	21487110	99			
					300 µg	21487110X2	219			
			purified	FCM, IP, IHC(f)	100 µg	21487111	99			
					300 µg	21487111X2	219			
			FITC	FCM	500 µl	21487113	79			
					2 ml	21487113X2	159			
			PE	FCM	500 µl	21487114	79			
					2 ml	21487114X2	159			
APC	FCM	500 µl	21487116	79						
		2 ml	21487116X2	159						

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€			
CD13	WM15	IgG1	purified	FCM, IP, IHC(f)	100 µg	21270131	99			
					300 µg	21270131X2	199			
			FITC	FCM	500 µl	21270133	99			
					2 ml	21270133X2	219			
			PE	FCM	500 µl	21270134	99			
					2 ml	21270134X2	219			
			APC	FCM	500 µl	21270136	99			
					2 ml	21270136X2	219			
			CD14	MEM-18	IgG1	purified	func.application	100 µg	21270140	99
								300 µg	21270140X2	219
purified	FCM, IP, WB, ELISA	100 µg				21270141	99			
		300 µg				21270141X2	219			
FITC	FCM	500 µl				21270143	99			
		2 ml				21270143X2	199			
		PE		FCM	500 µl	21270144	99			
					2 ml	21270144X2	199			
		APC		FCM	500 µl	21270146	99			
					2 ml	21270146X2	199			
MEM-15	IgG1	purified		func.application	100 µg	21279140	99			
					300 µg	21279140X2	219			
		purified		FCM, IP	100 µg	21279141	99			
					300 µg	21279141X2	219			
		FITC		FCM	500 µl	21279143	99			
					2 ml	21279143X2	199			
		PE		FCM	500 µl	21279144	99			
					2 ml	21279144X2	199			
		APC	FCM	500 µl	21279146	99				
				2 ml	21279146X2	199				
		PE/Dy590	FCM	500 µl	21279147.5	99				
				2 ml	21279147.5X2	219				
18D11	IgG1	purified	func.application	100 µg	21620140	79				
				300 µg	21620140X2	159				
		purified	FCM, IF, IHC(f;p)	100 µg	21620141	79				
				300 µg	21620141X2	159				
		FITC	FCM	500 µl	21620143	69				
				2 ml	21620143X2	139				
		PE	FCM	500 µl	21620144	69				
				2 ml	21620144X2	139				
		PerCP	FCM	500 µl	21620145	89				
				2 ml	21620145X2	179				
		APC	FCM	500 µl	21620146	69				
				2 ml	21620146X2	139				
CD15	MEM-158	IgM	purified	FCM, IP	100 µg	21270151	99			
					300 µg	21270151X2	219			
			FITC	FCM	500 µl	21270153	69			
					2 ml	21270153X2	139			
			PE	FCM	500 µl	21270154	69			
					2 ml	21270154X2	139			
			APC	FCM	500 µl	21270156	69			
				2 ml	21270156X2	139				

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€			
	HI98	IgM	purified	FCM, IHC(f/p)	100 µg	21810151	79			
					300 µg	21810151X2	159			
			FITC	FCM	500 µl	21810153	69			
					2 ml	21810153X2	139			
			PE	FCM	500 µl	21810154	69			
					2 ml	21810154X2	139			
			APC	FCM	500 µl	21810156	69			
					2 ml	21810156X2	139			
				3G8	IgG1	FITC	FCM	500 µl	21278163	99
								2 ml	21278163X2	219
PE	FCM	500 µl				21278164	99			
		2 ml				21278164X2	219			
APC	FCM	500 µl				21278166	99			
		2 ml				21278166X2	219			
CD16	LNK16	IgG1				purified	FCM, IHC	100 µg	21279161	69
								300 µg	21279161X2	139
						FITC	FCM	500 µl	21279163	69
								2 ml	21279163X2	139
			APC	FCM	500 µl	21279166	69			
					2 ml	21279166X2	139			
			PE/Dy647	FCM	500 µl	21279167	99			
					2 ml	21279167X2	219			
				HI16a	IgG1	purified	FCM, IHC(f)	100 µg	21810161	79
								300 µg	21810161X2	159
FITC	FCM	500 µl				21810163	69			
		2 ml				21810163X2	139			
APC	FCM	500 µl				21810166	79			
		2 ml				21810163X2	159			
CD16b	MEM-154	IgG1				purified	FCM, IP, WB	100 µg	21270161	99
								300 µg	21270161X2	219
						PE	FCM	500 µl	21270164	99
								2 ml	21270164X2	199
	MEM-74	IgM	purified	FCM	100 µg	21270171	99			
					300 µg	21270171X2	219			
			CD17	HIP10	IgM	purified	FCM	100 µg	21810171	79
								300 µg	21810171X2	159
FITC	FCM	500 µl				21810173	69			
		2 ml				21810173X2	139			
CD18	MEM-48	IgG1	purified	func. application	100 µg	21270180	99			
					300 µg	21270180X2	219			
			purified	FCM, IF, IHC, IP, WB	100 µg	21270181	99			
					300 µg	21270181X2	219			
			Biotin	FCM, IF, IHC, IP, WB	50 µg	21270182	79			
					150 µg	21270182X2	159			
			FITC	FCM	500 µl	21270183	99			
					2 ml	21270183X2	199			
			PE	FCM	500 µl	21270184	89			
					2 ml	21270184X2	179			

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€	
CD19	MEM-148	IgG1	purified	func.application	100 µg	21279180	99	
					300 µg	21279180X2	219	
			purified	FCM, IP, WB	100 µg	21279181	99	
					300 µg	21279181X2	219	
			APC	FCM	500 µl	21279186	99	
					2 ml	21279186X2	199	
	HI18a	IgG1	purified	FCM	100 µg	21810181	79	
					300 µg	21810181X2	159	
			FITC	FCM	500 µl	21810183	79	
					2 ml	21810183X2	159	
	CD19	LT19	IgG1	purified	FCM, IP	100 µg	21270191	79
						300 µg	21270191X2	159
				Biotin	FCM, IP	50 µg	21270192	79
						150 µg	21270192X2	159
				FITC	FCM	500 µl	21270193	69
						2 ml	21270193X2	139
				PE	FCM	500 µl	21270194	69
						2 ml	21270194X2	139
APC				FCM	500 µl	21270196	69	
					2 ml	21270196X2	139	
CD19	HI19a	IgG1	purified	FCM, IHC(f)	100 µg	21810191	79	
					300 µg	21810191X2	159	
			FITC	FCM	500 µl	21810193	69	
					2 ml	21810193X2	139	
			PE	FCM	500 µl	21810194	69	
					2 ml	21810194X2	139	
CD20	MEM-97	IgG1	purified	func.application	100 µg	21270200	99	
					300 µg	21270200X2	219	
			purified	FCM, IP	100 µg	21270201	99	
					300 µg	21270201X2		
	LT20	IgG2a	purified	FCM	100 µg	21279201	79	
					300 µg	21279201X2	159	
			Biotin	FCM	50 µg	21279202	79	
					150 µg	21279202X2	159	
			FITC	FCM	500 µl	21279203	69	
					2 ml	21279203X2	139	
			PE	FCM	500 µl	21279204	69	
					2 ml	21279204X2	139	
			PerCP	FCM	500 µl	21279205	89	
					2 ml	21279205X2	179	
			APC	FCM	500 µl	21279206	69	
					2 ml	21279206X2	139	
			PE/Dy647	FCM	500 µl	21279207	99	
					2 ml	21279207X2	219	
PE/Dy747	FCM	500 µl	21279207.7	99				
		2 ml	21279207.7X2	219				

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€	
CD21	HI47	IgG3	purified	FCM	100 µg	21810201	79	
					300 µg	21810201X2	159	
		FITC	FCM	500 µl	21810203	69		
				2 ml	21810203X2	139		
	HI20a	IgG2a	purified	FCM	100 µg	21819201	79	
					300 µg	21819201X2	159	
	CD21	LT21	IgG1	purified	FCM	100 µg	21270211	79
						300 µg	21270211X2	159
				FITC	FCM	500 µl	21270213	69
					2 ml	21270213X2	139	
			PE	FCM	500 µl	21270214	69	
					2 ml	21270214X2	139	
APC		FCM	500 µl	21270216	69			
			2 ml	21270216X2	139			
HI21a	IgG2a	purified	FCM, IHC(p)	100 µg	21810211	79		
				300 µg	21810211X2	159		
		PE	FCM	500 µl	21810214	79		
				2 ml	21810214X2	159		
CD22	MEM-01	IgG1	purified	FCM, IP, WB	100 µg	21270221	99	
					300 µg	21270221X2	199	
			Biotin	FCM, IP, WB	50 µg	21270222	79	
					150 g	21270222X2	159	
			FITC	FCM	500 µl	21270223	79	
				2 ml	21270223X2	159		
		PE	FCM	500 µl	21270224	89		
				2 ml	21270224X2	179		
		APC	FCM	500 µl	21270226	99		
				2 ml	21270226X2	199		
	LT22	IgG2a	purified	FCM, IP	100 µg	21380221	79	
					300 µg	21380221X2	159	
HIB22	IgG1	purified	FCM, IHC(f)	100 µg	21810221	79		
				300 µg	21810221X2	159		
		FITC	FCM	500 µl	21810223	69		
				2 ml	21810223X2	139		
		PE	FCM	500 µl	21810224	79		
				2 ml	21810224X2	159		
APC	FCM	500 µl	21810226	69				
		2 ml	21810226X2	139				
CD23	LT23	IgG1	purified	FCM	100 µg	21380231	79	
					300 µg	21380231X2	159	
	LT4F1	IgG1	purified	FCM	100 µg	21270231	79	
					300 µg	21270231X2	159	

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€	
CD24	SN3	IgG1	purified	FCM, IHC(f)	100 µg	21270241	119	
					300 µg	21270241X2	239	
			FITC	FCM	500 µl	21270243	99	
					2 ml	21270243X2	219	
			PE	FCM	500 µl	21270244	99	
			2 m	21270244X2	219			
			APC	FCM	500 µl	21270246	99	
					2 m	21270246X2	219	
		HI45	IgG1	purified	FCM, IHC(f)	100 µg	21810241	79
						300 µg	21810241X2	159
CD25	MEM-140	IgM	purified	FCM, IP	100 µg	21279251	99	
					300 µg	21279251X2	219	
				purified	FCM	100 µg	21270251	99
						300 µg	21270251X2	219
				Biotin	FCM	50 µg	21270252	79
						150 µg	21270252X2	159
				FITC	FCM	500 µl	21270253	79
						2 ml	21270253X2	159
		MEM-181	IgG1	PE	FCM	500 µl	21270254	69
						2 ml	21270254X2	139
				APC	FCM	500 µl	21270256	79
						2 ml	21270256X2	159
				PE/Dy647	FCM	500 µl	21270257	99
						2 ml	21270257X2	219
				Dy647	FCM	500 µl	21270258	99
						2 ml	21270258X2	199
				purified	FCM, IHC(f/p)	100 µg	21810251	79
						300 µg	21810251X2	159
				FITC	FCM	500 µl	21810253	69
					2 ml	21810253X2	139	
	HI25a	IgG1	PE	FCM	500 µl	21810254	69	
					2 ml	21810254X2	139	
			APC	FCM	500 µl	21810256	69	
					2 ml	21810256X2	139	
CD27	LT27	IgG2a	purified	FCM	100 µg	21270271	79	
					300 µg	21270271X2	159	
			FITC	FCM	500 µl	21270273	69	
					2 ml	21270273X2	139	
			PE	FCM	500 µl	21270274	69	
					2 m	21270274X2	139	
			APC	FCM	500 µl	21270276	69	
					2 m	21270276X2	139	
		PE/Dy590	FCM	500 µl	21270277.5	99		
				2 m	21270277.5X2	199		
CD28	CD28.2	IgG1	purified	func.application	100 µg	21270280	119	
					300 µg	21270280X2	239	
			purified	FCM, IHC(f), IP, WB	100 µg	21270281	119	
					300 µg	21270281X2	239	

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€		
CD29	MEM-101A	IgG1	purified	FCM, IP, WB	100 µg	21270291	99		
					300 µg	21270291X2	219		
			FITC	FCM	500 µl	21270293	79		
					2 ml	21270293X2	159		
			PE	FCM	500 µl	21270294	99		
					2 ml	21270294X2	199		
			APC	FCM	500 µl	21270296	99		
					2 ml	21270296X2	199		
	CD29	TR19	IgG2a	purified	FCM, IF	100 µg	21380291	79	
						300 µg	21380291X2	129	
HI29a		IgG1			purified	FCM	100 µg	21810291	79
							300 µg	21810291X2	159
			FITC	FCM	500 µl	21810293	79		
					2 ml	21810293X2	159		
		APC	FCM	500 µl	21810296	69			
				2 ml	21810296X2	139			
CD30	MEM-268	IgG	purified	FCM	100 µg	21270301	99		
					300 µg	21270301X2	219		
CD31	MEM-05	IgG1	purified	FCM, WB	100 µg	21270311	99		
					300 µg	21270311X2	219		
			FITC	FCM	500 µl	21270313	99		
					2 ml	21270313X2	199		
			PE	FCM	500 µl	21270314	99		
					2 ml	21270314X2	199		
			APC	FCM	500 µl	21270316	79		
					2 ml	21270316X2	159		
			PE/Dy590	FCM	500 µl	21270317.5	99		
					2 ml	21270317.5X2	219		
CD31	TR17	IgG1	purified	FCM, WB	100 µg	21380311	79		
					300 µg	21380311X2	159		
CD33	HIM3-4	IgG1	purified	FCM	100 µg	21270331	79		
					300 µg	21270331X2	159		
			FITC	FCM	500 µl	21270333	69		
					2 ml	21270333X2	139		
			PE	FCM	500 µl	21270334	69		
					2 ml	21270334X2	139		
			APC	FCM	500 µl	21270336	69		
				2 ml	21270336X2	139			
CD33	HI33a	IgG2a	purified	FCM	100 µg	21810331	79		
					300 µg	21810331X2	159		

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD34	4H11[APG]	IgG1	purified	func.application	100 µg	21270340	99
					300 µg	21270340X2	219
			purified	FCM, WB, IHC(p)	100 µg	21270341	99
					300 µg	21270341X2	219
			Biotin	FCM	50 µg	21270342	79
					150 µg	21270342X2	159
			FITC	FCM	500 µl	21270343	99
					2 ml	21270343X2	219
			PE	FCM	500 µl	21270344	99
					2 ml	21270344X2	219
			APC	FCM	500 µl	21270346	99
					2 ml	21270346X2	219
PE/Dy647	FCM	500 µl	21270347	99			
		2 ml	21270347X2	219			
CD35	UJ11	IgG1	purified	FCM, IHC, IP, IF, ELISA	100 µg	21220351	79
					300 µg	21220351X2	159
			FITC	FCM	500 µl	21220353	69
					2 ml	21220353X2	139
CD36	TR9	IgG1	purified	FCM	100 µg	21270361	79
					300 µg	21270361X2	159
			FITC	FCM	500 µl	21270363	69
					2 ml	21270363X2	139
			PE	FCM	500 µl	21270364	69
					2 ml	21270364X2	139
APC	FCM	500 µl	21270366	69			
		2 ml	21270366X2	139			
CD37	HH1	IgG1	purified	func.application	100 µg	21620370	79
					300 µg	21620370X2	159
			purified	FCM	100 µg	21620371	79
					300 µg	21620371X2	129
			FITC	FCM	500 µl	21620373	69
					2 ml	21620373X2	139
			PE	FCM	500 µl	21620374	69
					2 ml	21620374X2	139
APC	FCM	500 µl	21620376	69			
		2 ml	21620376X2	139			
CD38	HIT2	IgG1	purified	FCM, IHC (f/p), WB	100 µg	21270381	79
					300 µg	21270381X2	129
			FITC	FCM	500 µl	21270383	69
					2 ml	21270383X2	139
			PE	FCM	500 µl	21270384	69
					2 ml	21270384X2	139
			APC	FCM	500 µl	21270386	69
					2 ml	21270386X2	139
			PE/Dy647	FCM	500 µl	21270387	99
					2 ml	21270387X2	219
PE/Dy747	FCM	500 µl	21270387.7	99			
		2 ml	21270387.7X2	219			
HI157	IgG2a	purified	FCM, IHC(f)	100 µg	21810381	79	
				300 µg	21810381X2	159	

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD40	HI40a	IgG1	purified	FCM	100 µg	21270401	79
					300 µg	21270401X2	159
			FITC	FCM	500 µl	21270403	69
					2 ml	21270403X2	139
			PE	FCM	500 µl	21270404	69
					2 ml	21270404X2	139
			APC	FCM	500 µl	21270406	69
		2 ml	21270406X2	139			
CD41	MEM-06	IgG1	purified	FCM	100 µg	21270411	99
					300 µg	21270411X2	219
			FITC	FCM	500 µl	21270413	99
					2 ml	21270413X2	199
			PE	FCM	500 µl	21270414	99
					2 ml	21270413X2	199
			APC	FCM	500 µl	21270416	99
		2 ml	21270416X2	199			
CD41	TR8	IgG1	purified	FCM	100 µg	21380411	79
					300 µg	21380411X2	159
			FITC	FCM	500 µl	21380413	69
					2 ml	21380413X2	139
			PE	FCM	500 µl	21380414	69
					2 ml	21380414X2	139
			APC	FCM	500 µl	21380416	69
		2 ml	21380416X2	139			
	HIP7	IgG2a	purified	FCM	100 µg	21818411	79
					300 µg	21810411X2	159
CD41a	6C9	IgG1	purified	FCM, IF	100 µg	21330411	89
			purified	FCM, IHC(f)	100 µg	21810411	79
					300 µg	21810411X2	159
			FITC	FCM	500 µl	21810413	69
					2 ml	21810413X2	139
			HIP8	IgG1	PE	FCM	500 µl
		2 ml	21810414X2	139			
		APC	FCM	500 µl	21810416	69	
				2 ml	21810416X2	139	
CD42b	HIP1	IgG1	purified	FCM, IF, IHC	100 µg	21270421	79
					300 µg	21270421X2	159
			FITC	FCM	500 µl	21270423	69
					2 ml	21270423X2	139
			PE	FCM	500 µl	21270424	79
					2 ml	21270424X2	159
			PerCP	FCM	500 µl	21270425	89
		2 ml	21270425X2	179			
		APC	FCM	500 µl	21270426	69	
				2 ml	21270426X2	139	

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€		
CD43	MEM-59	IgG1	purified	func.application	100 µg	21270430	99		
					300 µg	21270430X2	219		
			purified	FCM, IF,IHC, IP, WB	100 µg	21270431	99		
					300 µg	21270431X2	219		
			FITC	FCM	500 µl	21270433	99		
					2 ml	21270433X2	199		
			PE	FCM	500 µl	21270434	99		
					2 ml	21270434X2	199		
			APC	FCM	500 µl	21270436	99		
					2 ml	21270436X2	199		
			HI161	IgG1	purified	FCM, IHC(f/p)	100 µg	21810431	79
							300 µg	21810431X2	159
					FITC	FCM	500 µl	21810433	79
							2 ml	21810433X2	159
PE	FCM	500 µl			21810434	79			
		2 ml			21810434X2	159			
CD44	MEM-85	IgG2b	purified	func.application	100 µg	21270440	99		
					300 µg	21270440X2	219		
			purified	FCM, IP, ELISA	100 µg	21270441	99		
					300 µg	21270441X2	219		
			FITC	FCM	500 µl	21270443	79		
					2 ml	21270443X2	159		
			PE	FCM	500 µl	21270444	79		
					2 ml	21270444X2	159		
			APC	FCM	500 µl	21270446	79		
					2 ml	21270446X2	159		
			HE7	IgG2b	purified	FCM, WB, IP, IF, ELISA	100 µg	21380441	79
							300 µg	21380441X2	159
			HI44a	IgG2a	purified	FCM, IHC(f)	100 µg	21810441	79
							300 µg	21810441X2	159
FITC	FCM	500 µl			21810443	69			
		2 ml			21810443X2	139			
IM7	Rat IgG2b	purified	func.application	100 µg	21850440	79			
				300 µg	21850440X2	159			
		purified	FCM	100 µg	21850441	79			
				300 µg	21850441X2	159			
		FITC	FCM	500 µl	21850443	69			
				2 ml	21850443X2	139			
		PE	FCM	500 µl	21850444	69			
				2 ml	21850444X2	139			
APC	FCM	500 µl	21850446	69					
		2 ml	21850446X2	139					

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€			
CD45	MEM-28	IgG1	purified	func.application	100 µg	21270450	99			
					300 µg	21270450X2	199			
			purified	FCM, IP, WB, IF,IHC	100 µg	21270451	99			
					300 µg	21270451X2	199			
			FITC	FCM, IF, IHC	500 µl	21270453	79			
					2 ml	21270453X2	159			
			PE	FCM, IF	500 µl	21270454	79			
					2 ml	21270454X2	159			
			APC	FCM	500 µl	21270456	89			
					2 ml	21270454X2	179			
			PE/Dy647	FCM	500 µl	21270457	79			
					2 ml	21270457X2	159			
			CD45	LT45	IgG1	purified	FCM, IP	100 µg	21380451	79
								300 µg	21380451X2	159
purified	FCM, ICC, IHC(f/p), IP, WB	100 µg				21810451	79			
		300 µg				21810451X2	159			
FITC	FCM	500 µl				21810453	69			
		2 ml				21810453X2	139			
HI30	IgG1	PE		FCM	500 µl	21810454	69			
					2 ml	21810454X2	139			
		PerCP		FCM	500 µl	21810455	89			
					2 ml	21810455X2	179			
		APC		FCM	500 µl	21810456	69			
					2 ml	21810456X2	139			
CD45RA	MEM-56	IgG2b		purified	FCM, IP, WB, IF,IHC	100 µg	21279451	99		
						300 µg	21279451X2	219		
			Biotin	FCM, IP, WB, IF,IHC	50 µg	21279452	79			
					150 µg	21279452X2	159			
			FITC	FCM	500 µl	21279453	79			
					2 ml	21279453X2	159			
			PE	FCM	500 µl	21279454	79			
					2 ml	21279454X2	159			
			APC	FCM	500 µl	21279456	79			
					2 ml	21279456X2	159			
			PE/Dy647	FCM	500 µl	21279457	99			
					2 ml	21279457X2	219			
			CD45RA	T6D11	IgG2b	purified	FCM, IP	100 µg	21389451	79
								300 µg	21389451X2	159
purified	FCM, IHC(f/p)	100 µg				21819451	79			
		300 µg				21819451X2	159			
FITC	FCM	500 µl				21819453	69			
		2 ml				21819453X2	139			
HI100	IgG2a	PE		FCM	500 µl	21819454	79			
					2 ml	21819454X2	159			
		PerCP		FCM	500 µl	21819455	89			
					2 ml	21819455X2	179			
		APC		FCM	500 µl	21819456	69			
					2 ml	21819456X2	139			

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD45RB	MEM-55	IgG1	purified	FCM, IP, WB, IF,IHC	100 µg	21278451	99
					300 µg	21278451X2	219
			FITC	FCM	500 µl	21278453	99
					2 ml	21278453X2	199
			PE	FCM	500 µl	21278454	99
					2 ml	21278454X2	199
			APC	FCM	500 µl	21278456	99
				2 ml	21278456X2	199	
CD45RO	UCHL1	IgG2a	purified	func.application	100 µg	21336450	99
					300 µg	21336450X2	219
			purified	FCM, IF	100 µg	21336451	99
					300 µg	21336451X2	219
			FITC	FCM, IF	500 µl	21336453	79
				2 ml	21336453X2	159	
CD46	MEM-258	IgG1	purified	func.application	100 µg	21270460	99
			purified	FCM, IP, WB	100 µg	21270461	99
			Biotin	FCM, IP, WB	50 µg	21270462	79
			FITC	FCM	500 µl	21270463	99
			PE	FCM	500 µl	21270464	99
			APC	FCM	500 µl	21270466	99
CD47	MEM-122	IgM	purified	FCM, WB, IF, IHC	100 µg	21270471	99
			FITC	FCM	500 µl	21270473	99
	HIRH47	IgG1	purified	FCM	100 µg	21810471	79
				300 µg	21810471X2	159	
CD48	MEM-102	IgG1	purified	FCM, IP, WB, IF,IHC	100 µg	21270481	99
			FITC	FCM	500 µl	21270483	99
CD49d	BU49	IgG1	purified	FCM, IF, IP	100 µg	21488491	99
					300 µg	21488491X2	219
					100 µg	21858490	79
					300 µg	21858490X2	159
					100 µg	21858491	79
					300 µg	21858491X2	159
					500 µl	21858493	69
CD49f	PS/2	Rat IgG2b	FITC	FCM	2 ml	21858493X2	139
			PE	FCM	500 µl	21858494	69
					2 ml	21858494X2	139
			APC	FCM	500 µl	21858496	69
					2 ml	21858496X2	139
CD49g	NKI-GoH3	IgG2a	purified	FCM, IF	100 µg	21335491	99
CD50	MEM-171	IgG1	purified	FCM, IP	100 µg	21270501	99
					300 µg	21270501X2	219
			FITC	FCM	500 µl	21270503	99
					2 ml	21270503X2	199
			PE	FCM	500 µl	21270504	99
					2 ml	21270504X2	199
			APC	FCM	500 µl	21270506	99
				2 ml	21270506X2	199	

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€			
CD52	HI186	IgG2b	purified	FCM, IP	100 µg	21270521	79			
					300 µg	21270521X2	159			
			FITC	FCM	500 µl	21270523	69			
					2 ml	21270523X2	139			
			PE	FCM	500 µl	21270524	89			
					2 ml	21270524X2	179			
			APC	FCM	500 µl	21270526	69			
					2 ml	21270526X2	139			
CD53	MEM-53	IgG1	purified	FCM, IP, WB, IF, IHC	100 µg	21270531	99			
					300 µg	21270531X2	219			
			FITC	FCM	500 µl	21270533	99			
					2 ml	21270533X2	199			
					purified	FCM, IHC(f/p)	100 µg	21810531	79	
							300 µg	21810531X2	159	
	HI29	IgG1	FITC	FCM	500 µl	21810533	69			
				2 ml	21810533X2	139				
				APC	FCM	500 µl	21810536	69		
						2 ml	21810536X2	139		
	HI36	IgG3	purified	FCM, IHC(f)	100 µg	21819531	79			
						300 µg	21819531X2	159		
CD54	MEM-111	IgG2a	purified	FCM, IP, WB, ELISA	100 µg	21270541	99			
					300 µg	21270541X2	219			
		1H4	IgG2b	purified	FCM, WB, IHC(f,p)	100 µg	21279541	99		
					300 µg	21279541X2	199			
	FITC			FCM	500 µl	21279543	79			
					2 ml	21279543X2	159			
					PE	FCM	500 µl	21279544	99	
							2 ml	21279544X2	199	
		APC	FCM	500 µl	21279546	99				
				2 ml	21279546X2	199				
			PE/Dy647	FCM	500µl	21279547	99			
					2 ml	21279547X2	219			
CD55	MEM-118	IgM	purified	FCM, IP	100 µl	21270551	99			
					300 µl	21270551X2	219			
			FITC	FCM	500 µl	21270553	99			
					2 ml	21270553X2	199			
				HI55a	IgG2a	purified	FCM	100 µg	21810551	79
							300 µl	21810551X2	159	
FITC	FCM	500 µl	21810553			69				
		2 ml	21810553X2			139				
		PE	FCM	500 µl	21810554	69				
				2 ml	21810554X2	139				
			APC	FCM	500 µl	21810556	69			
					2 ml	21810556X2	139			

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€	
CD56	MEM-188	IgG2a	purified	FCM, IP, WB, IF, IHC	100 µg	21270561	99	
					300 µg	21270561X2	219	
			FITC	FCM	500 µl	21270563	99	
					2 ml	21270563X2	199	
			PE	FCM	500 µl	21270564	79	
					2 ml	21270564X2	159	
			APC	FCM	500 µl	21270566	99	
					2 ml	21270566X2	199	
		LT56	IgG2a	PE	FCM	500 µl	21380564	79
					2 ml	21380564X2	159	
	APC			FCM	500 µl	21380566	79	
					2 ml	21380566X2	159	
		B-A19	IgG1	purified	FCM	100 µg	21810561	79
					300 µg	21810561X2	159	
	FITC			FCM	500 µl	21810563	79	
					2 ml	21810563X2	159	
	PE			FCM	500 µl	21810564	69	
					2 ml	21810564X2	139	
		APC	FCM	500 µl	21810566	69		
				2 ml	21810566X2	139		
CD57	HI57a	IgM	purified	FCM	100 µg	21810571	79	
					300 µg	21810571X2	159	
			FITC	FCM	500 µl	21810573	69	
					2 ml	21810573X2	139	
			PE	FCM	500 µl	21810574	69	
				2 ml	21810574X2	139		
CD58	MEM-63	IgG1	purified	func.application	100 µg	21270580	99	
					300 µg	21270580X2	219	
			purified	FCM, IP, WB	100 µg	21270581	99	
					300 µg	21270581X2	219	
			FITC	FCM	500 µl	21270583	99	
					2 ml	21270583X2	199	
			PE	FCM	500 µl	21270584	99	
					2 ml	21270584X2	219	
	HI58a	IgG1	purified	FCM, IF	100 µg	21810581	79	
				300 µg	21810581X2	159		
FITC			FCM	500 µl	21810583	69		
				2 ml	21810583X2	139		
CD59	MEM-43	IgG2a	purified	func.application	100 µg	21270590	99	
					300 µg	21270590X2	219	
			purified	FCM, IP, WB	100 µg	21270591	99	
					100 µg	21270591X2	219	
			Biotin	FCM, IP	50 µg	21270592	79	
					150 µg	21270592X2	159	
			FITC	FCM	500 µl	21270593	99	
					2 ml	21270593X2	199	
			PE	FCM	500 µl	21270594	99	
					2 ml	21270594X2	199	
		APC	FCM	500 µl	21270596	99		
				2 ml	21270596X2	199		

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€	
	MEM-43/5	IgG2b	purified	FCM, IP, WB	100 µg 300 µg	21279591 21279591X2	99 219	
CD61	C17	IgG1	FITC	FCM	500 µl 2 ml	21330613 21330613X2	79 159	
			PE	FCM	500 µl 2 ml	21330614 21330614X2	79 159	
			APC	FCM	500 µl 2 ml	21330616 21330616X2	79 159	
CD62E	HCD62E	IgG1	purified	func.application	100 µg 300 µg	21348620 21348620X2	99 219	
			purified	FCM, IF	100 µg 300 µg	21348621 21348621X2	99 219	
	HI62E	IgG2a	purified	FCM	100 µg 300 µg	21818621 21818621X2	79 159	
CD62L	LT-TD180	IgG1	purified	FCM	100µg 300 µg	21279621 21279621X2	79 159	
			FITC	FCM	500 µl 2 ml	21279623 21279623X2	69 139	
			PE	FCM	500 µl 2 ml	21279624 21279624X2	69 139	
			APC	FCM	500 µl 2 ml	21279626 21279626X2	69 139	
	HI62L	IgG1	purified	FCM	100 µg 300 µg	21819621 21819621X2	79 159	
			FITC	FCM	500 µl 2 ml	21819623 21819623X2	79 159	
			PE	FCM	500 µl 2 ml	21819624 21819624X2	69 139	
			APC	FCM	500 µl 2 ml	21819626 21819626X2	69 139	
CD62P	HI62P	IgG1	purified	FCM, WB	100 µg 300 µg	21270621 21270621X2	79 159	
			FITC	FCM	500 µl 2 ml	21270623 21270623X2	69 139	
			PE	FCM	500 µl 2 ml	21270624 21270624X2	69 139	
			APC	FCM	500 µl 2 ml	21270626 21270626X2	69 139	
CD63	MEM-259	IgG1	purified	FCM, IP, WB	100 µg 300 µg	21270631 21270631X2	99 219	
			FITC	FCM, IP, WB	500 µl 2 ml	21270633 21270633X2	99 199	
			PE	FCM	500 µl 2 ml	21270634 21270634X2	99 199	
			APC	FCM	500 µl 2 ml	21270636 21270636X2	99 199	

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
	EC33	IgG1	purified	FCM	100 µg 300 µg	21380631 21380631X2	79 159
CD64	10.1	IgG1kappa	purified	FCM, ICC, IHC (f/p), WB	100 µg 300 µg	21270641 21270641X2	99 199
CD66ade CEACAM1/3/5	18/20	IgG1kappa	purified	FCM, ELISA, IP, WB, IHC(f/p), ICC	100 µg 300 µg	21605661 21605661X2	89 179
			FITC	FCM	500 µl	21605663	79
			PE	FCM	2 ml	21605663X2	159
			APC	FCM	500 µl	21605664	79
					2 ml	21605664X2	159
					500 µl	21605666	79
					2 ml	21605666X2	159
CD66adecb CEACAM 1/3/5/6/8	6G5j	IgG1kappa	purified	FCM, ELISA, IP, WB, IHC(f/p), ICC	100 µg 300 µg	21600661 21600661X2	89 179
			FITC	FCM	500 µl	21600663	79
			PE	FCM	2 ml	21600663X2	159
			APC	FCM	500 µl	21600664	79
					2 ml	21600664X2	159
					500 µl	21600666	79
					2 ml	21600666X2	159
	B13.9	IgG1	purified	FCM, IF	100 µg	21339661	99
CD66b CEACAM8	6/40c	IgG1kappa	purified	FCM, ELISA, IP, WB, IHC(f/p), ICC	100 µg 300 µg	21609661 21609661X2	89 179
			FITC	FCM	500 µl	21609663	79
			PE	FCM	2 ml	21609663X2	159
			APC	FCM	500 µl	21609664	79
					2 ml	21609664X2	159
					500 µl	21609666	79
					2ml	21609666X2	159
CD66c CEACAM6	1H7-4B	IgG1kappa	purified	FCM, ELISA, IP, WB, IHC(f/p), ICC	100 µg 300 µg	21606661 21606661X2	89 179
			FITC	FCM	500 µl	21606663	79
			PE	FCM	2 ml	21606663X2	159
			APC	FCM	500 µl	21606664	79
					2 ml	21606664X2	159
					500 µl	21606666	79
					2 ml	21606666X2	159
CD66de CEACAM3/5	clone308/3-3	IgG1kappa	purified	FCM, ELISA, IP, WB, IHC(f/p), ICC	100 µg 300 µg	21602661 21602661X2	89 179
			FITC	FCM	500 µl	21602663	79
			PE	FCM	2 ml	21602663X2	159
			APC	FCM	500 µl	21602664	79
					2 ml	21602664X2	159
					500 µl	21602666	79
					2 ml	21602666X2	159

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD66e CEACAM5	3E10-3	IgG1kappa	purified	FCM, ELISA, IP, WB, IHC(f/p), ICC	100 µg	21603661	89
					300 µg	21603661X2	179
			FITC	FCM	500 µl	21603663	79
					2 ml	21603663X2	159
			PE	FCM	500 µl	21603664	79
					2 ml	21603664X2	159
		APC	FCM	500 µl	21603666	79	
				2 ml	21603666X2	159	
CD66eb CEACAM5/8	5C8C4	IgG1kappa	purified	FCM, ELISA, IP, WB, IHC(f/p), ICC	100 µg	21608661	89
					300 µg	21608661X2	179
			FITC	FCM	500 µl	21608663	79
					2 ml	21608663X2	159
			PE	FCM	500 µl	21608664	79
					2 ml	21608664X2	159
		APC	FCM	500 µl	21608666	79	
				2 ml	21608666X2	159	
CD66ecb CEACAM5/6/8	ivi 4/27	IgG1kappa	purified	FCM, ELISA, IP, WB, IHC(f/p), ICC	100 µg	21604661	89
					300 µg	21604661X2	179
			FITC	FCM	500 µl	21604663	79
					2 ml	21604663X2	159
			PE	FCM	500 µl	21604664	79
					2 ml	21604664X2	159
		APC	FCM	500 µl	21604666	79	
				2 ml	21604666X2	159	
CD68	Y1/82A	IgG2c	PE	FCM	500 µl	21270684	99
					2 ml	21270684X2	219
	IT2H11	IgG1	purified	FCM, IHC	100 µg	21450691	79
					300 µg	21450691X2	159
CD69	FN50	IgG1kappa	purified	func.application	100 µg	21620690	79
					300 µg	21620690X2	159
			purified	FCM	100 µg	21620691	79
					300 µg	21620691X2	159
			FITC	FCM	500 µl	21620693	69
					2 ml	21620693X2	139
			PE	FCM	500 µl	21620694	69
					2 ml	21620694X2	139
			APC	FCM	500 µl	21620696	69
		2 ml	21620696X2	139			
		Dy647	FCM	500 µl	21620698	69	
				2 ml	21620698X2	139	
CD71	MEM-75	IgG1	purified	FCM, IP	100 µg	21270711	99
					300 µg	21270711X2	219
			FITC	FCM	500 µl	21270713	99
					2 ml	21270713X2	199
			PE	FCM	500 µl	21270714	99
					2 ml	21270714X2	199
			APC	FCM	500 µl	21270716	99
		2 ml	21270716X2	199			
		PE/Dy647	FCM	500 µl	21270717	99	
				2 ml	21270717X2	219	

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€	
CD72	LT71	IgG2a	purified	FCM	100 µg	21380711	79	
					300 µg	21380711X2	159	
	HI166	IgG1	purified	FCM, IHC(f)	100 µg	21810711	79	
					300 µg	21810711X2	159	
			FITC	FCM	500 µl	21810713	69	
					2 ml	21810713X2	139	
			PE	FCM	500 µl	21810714	69	
					2 ml	21810714X2	139	
	APC	FCM	500 µl	21810716	69			
			2 ml	21810716X2	139			
	CD73	3F3	IgG2b	purified	FCM, IP	100 µg	21270721	79
						300 µg	21270721X2	159
FITC			FCM	500 µl	21270723	69		
				2 ml	21270723X2	139		
PE			FCM	500 µl	21270724	69		
				2 ml	21270724X2	139		
CD74	BU40	IgG2a	purified	FCM, IP, IF/IHC(f)	100 µg	21480721	99	
					300 µg	21480721X2	199	
		FITC	FCM	500 µl	21480723	79		
				2 ml	21480723X2	159		
		AD2	IgG1	FITC	FCM	500 µl	21270733	99
						2 ml	21270733X2	219
PE	FCM	500 µl	21270734	99				
		2 ml	21270734X2	219				
CD79a	LN2	IgG1	FITC	FCM	500 µl	21270743	99	
					2 ml	21270743X2	219	
					BU45	IgG1	FITC	FCM
2 ml	21480743X2	159						
CD80	MEM-233	IgG1	purified	FCM, IHC(f/p)	100 µg	21270791	109	
					300 µg	21270791X2	219	
			purified	func.application	100 µg	21270800	99	
					300 µg	21270800X2	219	
			purified	FCM, IP, WB	100 µg	21270801	99	
					300 µg	21270801X2	219	
			FITC	FCM	500 µl	21270803	79	
					2 ml	21270803X2	159	
			PE	FCM	500 µl	21270804	69	
					2 ml	21270804X2	139	
			APC	FCM	500 µl	21270806	89	
					2 ml	21270806X2	179	
CD81	M38	IgG1	purified	FCM, IHC (p), IP	100 µg	21270811	119	
					300 µg	21270811X2	239	

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD86	BU63	IgG1	purified	func.application	100 µg	21480860	99
					300 µg	21480860X2	219
			purified	FCM,IP, IHC(f), WB	100 µg	21480861	99
					300 µg	21480861X2	219
			FITC	FCM	500 µl	21480863	79
					2 ml	21480863X2	159
			APC	FCM	500 µl	21480866	69
		2 ml	21480866X2	139			
CD90	'5E10	IgG1	APC	FCM	500 µl	21270906	99
					2 ml	21270906X2	219
CD95	LT95	IgG1	purified	FCM	100 µg	21278951	79
					300 µg	21278951X3	159
			FITC	FCM	500 µl	21278953	69
					2 ml	21278953X2	139
			PE	FCM	500 µl	21278954	79
					2 ml	21278954X2	159
			APC	FCM	500 µl	21278956	69
		2 ml	21278956X2	139			
	FAS18	IgG2a	purified	FCM, IF	100 µg	21330951	99
	FAS19	IgG1	FITC	FCM, IF	500 µl	21338953	99
CD97	MEM-180	IgG1	purified	FCM, IP	100 µg	21270971	99
					300 µg	21270971X2	219
			FITC	FCM	500 µl	21270973	99
					2 ml	21270973X2	199
CD98	MEM-108	IgG1	purified	func.application	100 µg	21270980	99
					300 µg	21270980X2	219
			purified	FCM, IP	100 µg	21270981	99
					300 µg	21270981X2	219
			FITC	FCM	500 µl	21270983	99
		2 ml	21270983X2	199			
CD99	HI156	IgG2a	purified	FCM, IHC(f/p)	100 µg	21810991	79
					300 µg	21810991X2	159
CD99R	MEM-131	IgM	purified	FCM, IP, WB	100 µg	21270991	99
					300 µg	21270991X2	219
			FITC	FCM	500 µl	21270993	99
					2 ml	21270993X2	199
CD101	BB27	IgG1	purified	FCM, IHC(f), IP, WB	100 µg	21271011	129

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€	
CD105	MEM-226	IgG2a	purified	FCM, IP, WB	100 µg	21271051	99	
					300 µg	21271051X2	219	
			FITC	FCM	500 µl	21271053	99	
					2 ml	21271053X2	199	
			PE	FCM	500 µl	21271054	99	
					2 ml	21271054X2	199	
			APC	FCM	500 µl	21271056	99	
					2 ml	21271056X2	199	
			Dy647	FCM	500 µl	21271058	99	
					2 ml	21271058X2	199	
	MEM-229	IgG2a	purified	FCM, WB	100 µg	26271051	99	
					300 µg	26271051X2	219	
CD106	STA	IgG1kappa	purified	FCM, IF, IHC, IP, ELISA	100 µg	21121061	109	
					300 µg	21121061X2	229	
CD107a	H4A3	IgG1	purified	FCM, ICC, IHC(p), WB	100 µg	21271071	129	
CD108	MEM-150	IgM	purified	FCM, IP, WB	100 µg	21271081	99	
				300 µg	21271081X2	219		
FITC			FCM	500 µl	21271083	89		
					2 ml	21271083X2	179	
CD116	4H1	IgG1kappa	purified	FCM, IP, WB, IF, IHC	100 µg	21121161	99	
					300 µg	21121161X2	219	
CD117	104D2	IgG1kappa	purified	FCM, IP, IHC (f), ICC	100 µg	21271171	99	
				300 µg	21271171X2	199		
				PE	FCM	500 µl	21271174	99
						2 ml	21271174X2	219
CD127	A019D5	IgG1kappa	purified	FCM	100 µg	21811271	99	
					300 µg	21811271X2	199	
CDw131	1C1	IgG1k	purified	FCM, IP, WB	100 µg	21121311	99	
					300 µg	21121311X2	219	
CD137	4B4-1	IgG1	no azide	func.application	100 µg	21271370	119	
			purified	ELISA, IP, FCM	100 µg	21271371	119	
CD138	B-A38	IgG1	FITC	FCM	500 µl	21271383	99	
					2 ml	21271383X2	199	
CD139	BU30	IgG1	purified	FCM, IF, IHC(f), IP	100 µg	21481391	99	
					300 µg	21481391X2	199	
			FITC	FCM	500 µl	21481393	79	
					2 ml	21481393X2	159	

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€			
CD147	MEM-M6/1	IgG1	purified	FCM, IP, WB	100 µg	21271471	99			
					300 µg	21271471X2	219			
			FITC	FCM	500 µl	21271473	99			
					2 ml	21271473X2	199			
			PE	FCM	500 µl	21271474	99			
					2 ml	21271474X2	199			
			APC	FCM	500 µl	21271476	99			
					2 ml	21271476X2	199			
		IT10C5	IgG	purified	WB, ELISA	100 µl	21451471	69		
						300 µg	21451471X2	139		
CD162	TC2	IgG1	purified	func.application	100 µg	21271620	79			
					300 µg	21271620X2	159			
			purified	FCM	100 µg	21271621	79			
					300 µg	21271621X2	159			
			CD163	GHI/61	IgG1	purified	FCM, IHC(f), IP, WP	100 µg	21271631	129
						CD177	MEM-166	IgG1	purified	FCM, IP, WB
		300 µg							21271771X2	199
FITC	FCM	500 µl							21271773	99
		2 ml							21271773X2	199
PE	FCM	500 µl							21271774	89
		2 ml	21271774X2	179						
CD222	MEM-238	IgG1	purified	FCM, WB	100 µg	21272221	99			
					300 µg	21272221X2	219			
			PE	FCM	500 µl	21272224	99			
					2 ml	21272224X2	219			
CD235a	AME-1	IgG1	purified	FCM	100 µg	21332351	99			
			FITC	FCM, IF	500 µl	21332353	99			
	HI264	IgG2a	purified	FCM	100 µg	21812351	79			
					300 µg	21812351X2	159			
			FITC	FCM	500 µl	21812353	79			
					2 ml	21812353X2	159			
			PE	FCM	500 µl	21812354	69			
					2 ml	21812354X2	139			
			APC	FCM	500µl	21812356	69			
					2 ml	21812356X2	139			
CD235ab	HIR2	IgG2b	purified	FCM, IHC (f/p)	100 µg	21272351	79			
					300 µg	21272351X2	159			
			FITC	FCM	500 µl	21272353	69			
					2 ml	21272353X2	139			
			PE	FCM	500 µl	21272354	99			
					2 ml	21272354X2	199			

Antibodies against human CD-antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD279	IgG1	IgG1	purified	FCM, IHC (f)	100 g	21272791	129
CD314	1D11	IgG1	APC	FCM	500 µl 2 ml	21273146 21273146X2	99 219
CD319	162.1	IgG2bkappa	purified	FCM	100 µg 300 µg	21813191 21813191X2	99 199

Antibodies against human antigens:

ANCA, BDN, betaIII-Tubulin, Cox-1, dsDNA, Emmpirin, Factor H, Follicular Dendritic Cells, anti-FITC, FoxP3, GM-CSF, Granzyme B, Granzyme K, HLA-ABC, HLA-Class I, HLA-Class II, HLA-DR, HLA-DR+DP, HLA-DP, IFN alpha, IFNgamma, IgE, IgG, IgM, IL-1beta, IL-4, IL-6, IL-7, IL-8/CXCL8, IL-10, IL-12p40, IL-15, IL-18, Kappa chain, Lambda chain, MCP-2/CCL8, MCP-3/CCL7, MIP-1 alpha, MPO, NT4, NTAL, p53, hu-PrP, Syk, TCRab, TNFalpha, TSLP, TSLPR, tTG

Isotype Controls:

mouse IgG1 Control, mouse IgG2a Control, mouse IgG2b Control, mouse IgG3 Control, mouse IgM Control, rat IgG2b Control

IT-Box-systems:

several IT-Boxes with fluorescence conjugated antibodies each vial containing 100µl

Functional antibodies

Secondary antibodies

Apoptose

Streptavidine

Antibodies against mouse CDantigens and antigens

C3/C3b/iC3b, CD3, CD3e, CD3z(CD247), CD4, CD5, CD8, CD8a, CD9, CD11a, CD11b, CD18, CD19, CD25, CD28, CD29, CD34, CD35/21, CD40L, CD44, CD45, CD45R, CD45RB, CD45RC, CD48, CD49d, CD49f, CD54, CD55(DAF), CD59, CD62L, CD70, CD80, CD81(TAPA-1), CD86, CD90(THY1.1), CD117, CD134, CD134L, CD154, CD247(CD3z), CD252, mCR1/2, dsDNA, Erythroid Cell, FoxP3, Gr-1, IFNgamma, IL-2, IL-6, IL-10, IL-12p40, MHCII A-E, NK-cells, TCR α/β, TCR γ/δ

Antibodies against rat CDantigens and antigens

CD2, CD4, CD5, CD8a, CD8b, CD11a, CD11b/c, CD25, CD43, CD44, CD45, CD45RA/B, CD45RC, CD48, CD54, CD62L, CD71, CD90(THY1.1), CD152, CD161(NK-cells), CD172a, CD200, Dendritic Cells, dsDNA, Endothelium, Ig kappa chain, T-cells, TCR α/β, TCR γ/δ

Antibodies against bovine / porcine CDantigens

porcine: CD20, CD21, CD29, CD47, CD58, CD105

bovine: PrP, recombinant PrP, CD20, CD21, CD46, CD54

Antibodies against equine antigens

IL-3, IL-17

Special offers