

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD1a	HI149	IgG1	purified	FCM, IF, IHC	100 µg	<a href="#">21270011</a>	79
					300 µg	21270011X2	159
			FITC	FCM	500 µl	<a href="#">21270013</a>	69
					2 ml	21270013X2	139
			PE	FCM	500 µl	<a href="#">21270014</a>	69
					2 ml	21270014X2	139
			APC	FCM	500 µl	<a href="#">21270016</a>	79
				2 ml	21270016X2	159	
CD2	MEM-65	IgG1	purified	FCM, IP	100 µg	<a href="#">21270021</a>	99
					300 µg	21270021X2	219
			Biotin	FCM	50 µg	<a href="#">21270022</a>	79
					150 µg	21270022X2	159
			PE	FCM	500 µl	<a href="#">21270024</a>	99
					2 ml	21270024X2	219
			Dy647	FCM	500 µl	<a href="#">21270028</a>	99
				2 ml	21270028X2	199	
CD2	LT2	IgG2a	purified	FCM, IP	100 µg	<a href="#">21380021</a>	79
					300 µg	21380021X2	159
			FITC	FCM	500 µl	<a href="#">21380023</a>	69
					2 ml	21380023X2	139
			PE	FCM	500 µl	<a href="#">21380024</a>	69
					2 ml	21380024X2	139
			APC	FCM	500 µl	<a href="#">21380026</a>	69
				2 ml	21380026X2	139	
CD2	HIT11	IgG1	purified	FCM, IHC (f/p)	100 µg	<a href="#">21810021</a>	79
					300 µg	21810021X2	159
			FITC	FCM	500 µl	<a href="#">21810023</a>	69
					2 ml	21810023X2	139
			PE	FCM	500 µl	<a href="#">21810024</a>	79
					2 ml	21810024X2	159
			APC	FCM	500 µl	<a href="#">21810026</a>	79
				2ml	21810026X2	159	
CD3	MEM-57	IgG2a	purified	func.application	100 µg	<a href="#">21270030</a>	99
					300 µg	21270030X2	219
			purified	FCM, IP	100 µg	<a href="#">21270031</a>	99
					300 µg	21270031X2	219
			Biotin	FCM, IP	50 µg	<a href="#">21270032</a>	79
					150 µg	21270032X2	159
			PE	FCM	500 µl	<a href="#">21270034</a>	79
					2 ml	21270034X2	159
			APC	FCM	500 µl	<a href="#">21270036</a>	99
							2 ml

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD3	UCHT-1	IgG1	purified	func.application	100 µg	<a href="#">21620030</a>	79
					300 µg	21620030X2	159
			purified	FCM, IP, IHC	100 µg	<a href="#">21620031</a>	79
					300 µg	21620031X2	159
			FITC	FCM	500 µl	<a href="#">21620033</a>	69
					2 ml	21620033X2	139
			PE	FCM	500 µl	<a href="#">21620034</a>	69
					2 ml	21620034X2	139
			PerCP	FCM	500 µl	<a href="#">21620035</a>	89
					2 ml	21620035X2	179
			APC	FCM	500 µl	<a href="#">21620036</a>	69
					2 ml	21620036X2	139
CD3	HIT3b	IgG1	purified	FCM, IHC (f)	100 µg	<a href="#">21810031</a>	79
					300 µg	21810031X2	159
			FITC	FCM	500 µl	<a href="#">21810033</a>	69
					2 ml	21810033X2	139
			PE	FCM	500 µl	<a href="#">21810034</a>	69
					2 ml	21810034X2	139
			APC	FCM	500 µl	<a href="#">21810036</a>	79
					2 ml	21810036X2	159
CD3	OKT-3	IgG2a	purified	func.application	100 µg	<a href="#">21850030</a>	79
					300 µg	21850030X2	159
			purified	FCM	100 µg	<a href="#">21850031</a>	79
					300 µg	21850031X2	159
			FITC	FCM	500 µl	<a href="#">21850033</a>	69
					2 ml	21850033X2	139
			PE	FCM	500 µl	<a href="#">21850034</a>	69
					2 ml	21850034X2	139
			APC	FCM	500 µl	<a href="#">21850036</a>	69
					2 ml	21850036X2	139
<hr/>							
<b>C3/C3b/iC3b</b>	10C7	IgG1	FITC	FCM	500 µl	<a href="#">21157033</a>	99
<b>C3/C3b/iC3b</b>	6C9	IgG1	purified	FCM	100 µg	<a href="#">21158031</a>	119
					FITC	FCM	500 µl
<hr/>							
CD4	IT4	IgG1k	purified	func.application	100 µg	<a href="#">21459040</a>	59
					300 µg	21459040X2	119
			purified	FCM	100 µg	<a href="#">21459041</a>	59
					300 µg	21459041X2	119
			FITC	FCM	500 µl	<a href="#">21459043</a>	49
					2 ml	21459043X2	99
			PE	FCM	500 µl	<a href="#">21459044</a>	49
					2 ml	21459044X2	99
			PerCP	FCM	500 µl	<a href="#">21459045</a>	59
					2 ml	21459045X2	119
			APC	FCM	500 µl	<a href="#">21459046</a>	49
					2 ml	21459046X2	99

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD4	MEM-241	IgG1	purified	func.application	100 µg	<a href="#">21270040</a>	109
			purified	FCM, WB	100 µg	<a href="#">21270041</a>	109
			Biotin	FCM, WB	50 µg	<a href="#">21270042</a>	89
					150 µg	21270042X2	179
			FITC	FCM	500 µl	<a href="#">21270043</a>	99
					2 ml	21270043X2	199
			PE	FCM	500 µl	<a href="#">21270044</a>	99
					2 ml	21270044X2	199
			PerCP	FCM	500 µl	<a href="#">21270045</a>	99
					2 ml	21270045X2	199
			APC	FCM	500 µl	<a href="#">21270046</a>	99
					2 ml	21270046X2	199
		Dy647	FCM	500 µl	<a href="#">21270048</a>	99	
				2 ml	2170048X2	199	
CD4	EDU-2	IgG2a	purified	func.application	100 µg	<a href="#">21278040</a>	89
					300 µg	21278040X2	179
			purified	FCM	100 µg	<a href="#">21278041</a>	89
					300 µg	21278041X2	179
			FITC	FCM	500 µl	<a href="#">21278043</a>	79
					2 ml	21278043X2	159
			PE	FCM	500 µl	<a href="#">21278044</a>	79
					2 ml	21278044X2	159
PerCP	FCM	500 µl	<a href="#">21278045</a>	89			
		2 ml	21278045X2	179			
APC	FCM	500 µl	<a href="#">21278046</a>	79			
		2 ml	21278046X2	159			
CD4	HIT4a	IgG2b	purified	FCM	100 µg	<a href="#">21810041</a>	89
					300 µg	21810041X2	179
			FITC	FCM	500 µl	<a href="#">21810043</a>	79
					2 ml	21810043X2	159
			PE	FCM	500 µl	<a href="#">21810044</a>	79
					2 ml	21810044X2	159
APC	FCM	500 µl	<a href="#">21810046</a>	79			
		2 ml	21810046X2	159			
CD4	HIT4c	IgG2b	FITC	FCM	500 µl	<a href="#">21819043</a>	79
				2 ml	21819043X2	159	
CD4	OKT-4	IgG2b	purified	func.application	100 µg	<a href="#">21850040</a>	89
					300 µg	21850040X2	179
			purified	FCM, IP	100 µg	<a href="#">21850041</a>	89
					300 µg	21850041X2	179
			FITC	FCM	500 µl	<a href="#">21850043</a>	79
					2 ml	21850043X2	159
			PE	FCM	500 µl	<a href="#">21850044</a>	79
					2 ml	21850044X2	159
APC	FCM	500 µl	<a href="#">21850046</a>	79			
		2 ml	21850046X2	159			

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD5	MEM-32	IgG1	purified	FCM, IP, WB	100 µg	<a href="#">21270051</a>	99
					300 µg	21270051X2	219
			Biotin	FCM, IP, WB	50 µg	<a href="#">21270052</a>	79
					150 µg	21270052X2	159
			FITC	FCM	500 µl	<a href="#">21270053</a>	99
					2 ml	21270053X2	199
			PE	FCM	500 µl	<a href="#">21270054</a>	99
		2 ml	21270054X2	199			
CD5	CRIS1	IgG2a	APC	FCM	500 µl	<a href="#">21279056</a>	119
					2 ml	21279056X2	229
CD5	LT1	IgG1	purified	FCM, IP	100 µg	<a href="#">21380051</a>	79
					300 µg	21380051X2	159
			FITC	FCM	500 µl	<a href="#">21380053</a>	69
					2 ml	21380053X2	139
			PE	FCM	500 µl	<a href="#">21380054</a>	69
					2 ml	21380054X2	139
			PerCP	FCM	500 µl	<a href="#">21380055</a>	79
		2 ml	21380055X2	159			
CD5	HISM2	IgG1	APC	FCM	500 µl	<a href="#">21380056</a>	69
					2 ml	21380056X2	139
			purified	FCM	100 µg	<a href="#">21810051</a>	79
					300 µg	21810051X2	159
			FITC	FCM	500 µl	<a href="#">21810053</a>	69
		2 ml	21810053X2	139			
CD5			PE	FCM	500 µl	<a href="#">21810054</a>	69
					2 ml	21810054X2	139
			APC	FCM	500 µl	<a href="#">21810056</a>	69
					2 ml	21810056X2	139
CD6	MEM-98	IgG1	purified	FCM, IP, WB	100 µg	<a href="#">21270061</a>	99
					300 µg	21270061X2	219
			FITC	FCM	500 µl	<a href="#">21270063</a>	99
					2 ml	21270063X2	199
CD6	HI210	IgG1	purified	FCM	100 µg	<a href="#">21810061</a>	79
					300 µg	21810061X2	159
			FITC	FCM	500 µl	<a href="#">21810063</a>	69
					2 ml	21810063X2	139
			PE	FCM	500 µl	<a href="#">21810064</a>	69
		2 ml	21810064X2	139			
CD6			APC	FCM	500 µl	<a href="#">21810066</a>	69
					2 ml	21810066X2	139
			purified	FCM, IP, WB	100 µg	<a href="#">21270071</a>	99
CD7	MEM-186	IgG1			300 µg	21270071X2	219
			FITC	FCM	500 µl	<a href="#">21270073</a>	99
					2 ml	21270073X2	199
			PE	FCM	500 µl	<a href="#">21270074</a>	99
					2 ml	21270074X2	199
			APC	FCM	500 µl	<a href="#">21270076</a>	79
		2 ml	21270076X2	159			

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>CD7</b>	LT7	IgG2a	purified	FCM, IP	100 µg	<a href="#">21380071</a>	79
					300 µg	21380071X2	159
			FITC	FCM	500 µl	<a href="#">21380073</a>	69
					2 ml	21380073X2	139
			PE	FCM	500 µl	<a href="#">21380074</a>	69
					2 ml	21380074X2	139
<b>CD7</b>	HIT7	IgG1	purified	FCM	100 µg	<a href="#">21810071</a>	79
					300 µg	21810071X2	159
			FITC	FCM	500 µl	<a href="#">21810073</a>	69
					2 ml	21810073X2	139
<b>CD8</b>	MEM-31	IgG2a	purified	func.application	100 µg	<a href="#">21270080</a>	99
					300 µg	21270080X2	199
			purified	FCM, IP	100 µg	<a href="#">21270081</a>	99
					300 µg	21270081X2	199
			Biotin	FCM	50 µg	<a href="#">21270082</a>	79
					150 µg	21270082X2	159
			FITC	FCM	500 µl	<a href="#">21270083</a>	79
					2 ml	21270083X2	159
			PE	FCM	500 µl	<a href="#">21270084</a>	69
					2 ml	21270084X2	139
			APC	FCM	500 µl	<a href="#">21270086</a>	79
		2 ml	21270086X2	159			
		PE/Dy647	FCM	500 µl	<a href="#">21270087</a>	99	
				2 ml	21270087X2	219	
<b>CD8</b>	MEM-87	IgG1	purified	FCM, IP	100 µg	<a href="#">21279081</a>	99
					300 µg	21279081X2	199
<b>CD8</b>	UCHT-4	IgG2a	purified	func.application	100 µg	<a href="#">21620080</a>	79
					300 µg	21620080X2	159
			purified	FCM	100 µg	<a href="#">21620081</a>	79
					300 µg	21620081X2	159
			FITC	FCM	500 µl	<a href="#">21620083</a>	69
					2 ml	21620083X2	139
			PE	FCM	500 µl	<a href="#">21620084</a>	69
					2 ml	21620084X2	139
PerCP	FCM	500 µl	<a href="#">21620085</a>	89			
		2 ml	21620085X2	179			
APC	FCM	500 µl	<a href="#">21620086</a>	69			
		2 ml	21620086X2	139			
<b>CD8</b>	HIT8a	IgG1	purified	FCM, IHC (f/p)	100 µg	<a href="#">21810081</a>	79
					300 µg	21810081X2	159
			FITC	FCM	500 µl	<a href="#">21810083</a>	69
					2 ml	21810083X2	139
			PE	FCM	500 µl	<a href="#">21810084</a>	69
					2 ml	21810084X2	139
			PerCP	FCM	500 µl	<a href="#">21810085</a>	89
					2 ml	21810085X2	179
APC	FCM	500 µl	<a href="#">21810086</a>	69			
		2 ml	21810086X2	139			

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€			
CD9	MEM-61	IgG1	purified	func.application	100 µg	<a href="#">21270090</a>	99			
					300 µg	21270090X2	219			
			purified	FCM, IP, WB	100 µg	<a href="#">21270091</a>	99			
					300 µg	21270091X2	219			
			FITC	FCM	500 µl	<a href="#">21270093</a>	99			
					2 ml	21270093X2	199			
			PE	FCM	500 µl	<a href="#">21270094</a>	99			
					2 ml	21270094X2	199			
			APC	FCM	500 µl	<a href="#">21270096</a>	99			
					2 ml	21270096X2	199			
			CD9	HI9a	IgG1	purified	FCM, IHC (f)	100 µg	<a href="#">21810091</a>	79
								300 µg	21810091X2	159
Biotin	FCM, IHC (f)	50 µg				<a href="#">21810092</a>	79			
		150 µg				21810092X2	159			
FITC	FCM	500 µl				<a href="#">21810093</a>	69			
		2 ml				21810093X2	139			
PE	FCM	500 µl				<a href="#">21810094</a>	69			
		2 ml				21810094X2	139			
APC	FCM	500 µl				<a href="#">21810096</a>	69			
		2 ml				21810096X2	139			
CD10	MEM-78	IgG1				purified	FCM, IP, WB	100 µg	<a href="#">21270101</a>	99
								300 µg	21270101X2	219
			Biotin	FCM, IP	50 µg	<a href="#">21270102</a>	79			
					150 µg	21270102X2	129			
			FITC	FCM	500 µl	<a href="#">21270103</a>	99			
					2 ml	21270103X2	199			
			PE/Dy590	FCM	500 µl	<a href="#">21270107.5</a>	99			
					2 ml	21270107.5X2	219			
CD10	LT10	IgG1	purified	FCM	100 µg	<a href="#">21279101</a>	79			
					300 µg	21279101X2	159			
			FITC	FCM	500 µl	<a href="#">21279103</a>	69			
					2 ml	21279103X2	139			
			PE	FCM	500 µl	<a href="#">21279104</a>	79			
					2 ml	21279104X2	129			
APC	FCM	500 µl	<a href="#">21279106</a>	79						
		2 ml	21279106X2	129						
CD10	HI10a	IgG1	purified	FCM, IHC (f)	100 µg	<a href="#">21810101</a>	79			
					300 µg	21810101X2	159			
			FITC	FCM	500 µl	<a href="#">21810103</a>	69			
					2 ml	21810103X2	139			
			PE	FCM	500 µl	<a href="#">21810104</a>	69			
					2 ml	21810104X2	139			
APC	FCM	500 µl	<a href="#">21810106</a>	69						
		2 ml	21810106X2	139						

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD11a	MEM-25	IgG1	purified	func.application	100 µg	<a href="#">21270110</a>	99
					300 µg	21270110X2	219
			purified	FCM, IP	100 µg	<a href="#">21270111</a>	99
					300 µg	21270111X2	219
			Biotin	FCM, IP	50 µg	<a href="#">21270112</a>	79
					150 µg	21270112X2	159
			FITC	FCM	500 µl	<a href="#">21270113</a>	79
					2 ml	21270113X2	159
			PE	FCM	500 µl	<a href="#">21270114</a>	79
					2 ml	21270114X2	159
APC	FCM	500 µl	<a href="#">21270116</a>	79			
		2 ml	21270116X2	159			
CD11a	DE4	IgG2a	purified	FCM, IP	100 µg	<a href="#">21380111</a>	79
					300 µg	21380111X2	159
CD11a	HI111	IgG1	purified	FCM, IF, IHC (f)	100 µg	<a href="#">21810111</a>	79
					300 µg	21810111X2	159
			FITC	FCM	500 µl	<a href="#">21810113</a>	69
					2 ml	21810113X2	139
			PE	FCM	500 µl	<a href="#">21810114</a>	69
					2 ml	21810114X2	139
APC	FCM	500 µl	<a href="#">21810116</a>	69			
		2 ml	21810116X2	139			
CD11b	MEM-174	IgG2a	purified	func.application	100 µg	<a href="#">21279110</a>	99
					300 µg	21279110X2	219
			purified	FCM, IP	100 µg	<a href="#">21279111</a>	99
					300 µg	21279111X2	219
			Biotin	FCM, IP	50 µg	<a href="#">21279112</a>	79
					150 µg	21279112X2	159
			FITC	FCM	500 µl	<a href="#">21279113</a>	79
					2 ml	21279113X2	159
			PE	FCM	500 µl	<a href="#">21279114</a>	79
					2 ml	21279114X2	159
APC	FCM	500 µl	<a href="#">21279116</a>	79			
		2 ml	21279116X2	159			
CD11b	LT11	IgG1	purified	FCM	100 µg	<a href="#">21389111</a>	79
					300 µg	21389111X2	159
			FITC	FCM	500 µl	<a href="#">21389113</a>	69
					2 ml	21389113X2	139
APC	FCM	500 µl	<a href="#">21389116</a>	69			
		2 ml	21389116X2	139			
CD11b	HI11b	IgG2b	purified	FCM, IHC (f/p)	100 µg	<a href="#">21819111</a>	79
					300 µg	21819111X2	159
			FITC	FCM	500 µl	<a href="#">21819113</a>	69
					2 ml	21819113X2	139
			PE	FCM	500 µl	<a href="#">21819114</a>	69
					2 ml	21819114X2	139
APC	FCM	500 µl	<a href="#">21819116</a>	69			
		2 ml	21819116X2	139			

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD11c	BU15	IgG1			100 µg	<a href="#">21487110</a>	99
			purified	func.application	300 µg	21487110X2	219
					100 µg	<a href="#">21487111</a>	99
			purified	FCM, IP, IHC (f)	300 µg	21487111X2	219
			FITC	FCM	500 µl	<a href="#">21487113</a>	79
					2 ml	21487113X2	159
			PE	FCM	500 µl	<a href="#">21487114</a>	79
					2 ml	21487114X2	159
			APC	FCM	500 µl	<a href="#">21487116</a>	79
					2 ml	21487116X2	159
CD13	WM15	IgG1			100 µg	<a href="#">21270131</a>	99
			purified	FCM, IHC	300 µg	21270131X2	199
			FITC	FCM	500 µl	<a href="#">21270133</a>	99
					2 ml	21270133X2	219
			PE	FCM	500 µl	<a href="#">21270134</a>	99
					2 ml	21270134X2	219
CD14	OFC14D	IgG			100 µg	<a href="#">21450141</a>	59
			purified	FCM	300 µg	21450141X2	119
			FITC	FCM	500 µl	<a href="#">21450143</a>	49
					2 ml	21450143X2	99
			PE	FCM	500 µl	<a href="#">21450144</a>	49
					2 ml	21450144X2	99
CD14	MEM-18	IgG1			500 µl	<a href="#">21450145</a>	59
			PerCP	FCM	2 ml	21450145X2	119
			APC	FCM	500 µl	<a href="#">21450146</a>	49
					2 ml	21450146X2	99
					100 µg	<a href="#">21270140</a>	119
			purified	func.application	100 µg	<a href="#">21270141</a>	119
		500 µl	<a href="#">21270143</a>	109			
		2 ml	21270143X2	219			
		500 µl	<a href="#">21270144</a>	109			
		2 ml	21270144X2	219			
		500 µl	<a href="#">21270146</a>	109			
		2 ml	21270146X2	219			
CD14	MEM-15	IgG1			100 µg	<a href="#">21279140</a>	119
			purified	func.application	100 µg	<a href="#">21279141</a>	119
			purified	FCM, IP	100 µg	<a href="#">21279141</a>	119
			FITC	FCM	500 µl	<a href="#">21279143</a>	109
					2 ml	21279143X2	219
			PE	FCM	500 µl	<a href="#">21279144</a>	109
		2 ml	21279144X2	219			
		500 µl	<a href="#">21279146</a>	109			
		2 ml	21279146X2	219			



# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD14	18D11	IgG1	purified	func.application	100 µg	<a href="#">21620140</a>	79
					300 µg	21620140X2	159
			purified	FCM, IF, IHC (f/p)	100 µg	<a href="#">21620141</a>	79
					300 µg	21620141X2	159
			FITC	FCM	500 µl	<a href="#">21620143</a>	69
					2 ml	21620143X2	139
			PE	FCM	500 µl	<a href="#">21620144</a>	69
					2 ml	21620144X2	139
			PerCP	FCM	500 µl	<a href="#">21620145</a>	89
					2 ml	21620145X2	179
APC	FCM	500 µl	<a href="#">21620146</a>	69			
		2 ml	21620146X2	139			
CD15	MEM-158	IgM	purified	FCM, IP	100 µg	<a href="#">21270151</a>	99
					300 µg	21270151X2	219
			FITC	FCM	500 µl	<a href="#">21270153</a>	69
					2 ml	21270153X2	139
			PE	FCM	500 µl	<a href="#">21270154</a>	69
					2 ml	21270154X2	139
APC	FCM	500 µl	<a href="#">21270156</a>	69			
		2 ml	21270156X2	139			
CD15	HI98	IgM	purified	FCM	100 µg	<a href="#">21810151</a>	79
					300 µg	21810151X2	129
			FITC	FCM	500 µl	<a href="#">21810153</a>	69
					2 ml	21810153X2	139
			PE	FCM	500 µl	<a href="#">21810154</a>	69
					2 ml	21810154X2	139
APC	FCM	500 µl	<a href="#">21810156</a>	69			
		2 ml	21810156X2	139			
CD16	3G8	IgG1	FITC	FCM	500 µl	<a href="#">21278163</a>	119
					2 ml	21278163X2	239
			PE	FCM	500 µl	<a href="#">21278164</a>	129
					2 ml	21278164X2	249
APC	FCM	500 µl	<a href="#">21278166</a>	129			
		2 ml	21278166X2	249			
CD16	LNK16	IgG1	purified	FCM, IHC	100 µg	<a href="#">21279161</a>	69
					300 µg	21279161X2	139
			FITC	FCM	500 µl	<a href="#">21279163</a>	69
					2 ml	21279163X2	139
			APC	FCM	500 µl	<a href="#">21279166</a>	69
					2 ml	21279166X2	139
PE/Dy647	FCM	500 µl	<a href="#">21279167</a>	99			
		2 ml	21279167X2	219			
CD16	5D2	IgG2a	purified	FCM, IF	100 µg	<a href="#">21330161</a>	129

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>CD16</b>	HI16a	IgG1	purified	FCM, IHC (f)	100 µg	<a href="#">21810161</a>	79
					300 µg	21810161X2	159
			FITC	FCM	500 µl	<a href="#">21810163</a>	69
					2 ml	21810163X2	139
			PE	FCM	500 µl	<a href="#">21810164</a>	69
					2 ml	21810164X2	139
			APC	FCM	500 µl	<a href="#">21810166</a>	79
				2 ml	21810163X2	159	
<b>CD16b</b>	MEM-154	IgG1	purified	FCM, IP, WB	100 µg	<a href="#">21270161</a>	99
					300 µg	21270161X2	219
			PE	FCM	500 µl	<a href="#">21270164</a>	99
				2 ml	21270164X2	199	
<b>CD16b</b>	5D7	IgG2a	purified	FCM, IF	100 µg	<a href="#">21339161</a>	129
<b>CD17</b>	MEM-74	IgM	purified	FCM	100 µg	<a href="#">21270171</a>	99
					300 µg	21270171X2	219
<b>CD17</b>	HIP10	IgM	purified	FCM	100 µg	<a href="#">21810171</a>	79
					300 µg	21810171X2	159
			FITC	FCM	500 µl	<a href="#">21810173</a>	69
				2 ml	21810173X2	139	
<b>CD18</b>	MEM-48	IgG1	purified	func. application	100 µg	<a href="#">21270180</a>	99
					300 µg	21270180X2	219
			purified	FCM, IF, IHC, IP, WB	100 µg	<a href="#">21270181</a>	99
					300 µg	21270181X2	219
			Biotin	FCM, IF, IHC, IP, WB	50 µg	<a href="#">21270182</a>	79
					150 µg	21270182X2	159
			FITC	FCM	500 µl	<a href="#">21270183</a>	99
		2 ml	21270183X2	199			
		PE	FCM	500 µl	<a href="#">21270184</a>	89	
				2 ml	21270184X2	179	
<b>CD18</b>	MEM-148	IgG1	purified	func.application	100 µg	<a href="#">21279180</a>	99
					300 µg	21279180X2	219
			purified	FCM, IP, WB	100 µg	<a href="#">21279181</a>	99
					300 µg	21279181X2	219
			APC	FCM	500 µl	<a href="#">21279186</a>	99
				2 ml	21279186X2	199	
<b>CD18</b>	HI18a	IgG1	purified	FCM	100 µg	<a href="#">21810181</a>	79
					300 µg	21810181X2	159
			FITC	FCM	500 µl	<a href="#">21810183</a>	79
				2 ml	21810183X2	159	

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€			
CD19	LT19	IgG1	purified	FCM, IP	100 µg	<a href="#">21270191</a>	79			
					300 µg	21270191X2	159			
			Biotin	FCM, IP	50 µg	<a href="#">21270192</a>	79			
					150 µg	21270192X2	159			
			FITC	FCM	500 µl	<a href="#">21270193</a>	69			
					2 ml	21270193X2	139			
			PE	FCM	500 µl	<a href="#">21270194</a>	69			
					2 ml	21270194X2	139			
			APC	FCM	500 µl	<a href="#">21270196</a>	69			
					2 ml	21270196X2	139			
CD19	HI19a	IgG1	purified	FCM, IHC(f)	100 µg	<a href="#">21810191</a>	79			
					300 µg	21810191X2	159			
			FITC	FCM	500 µl	<a href="#">21810193</a>	69			
					2 ml	21810193X2	139			
			PE	FCM	500 µl	<a href="#">21810194</a>	69			
2 ml	21810194X2	139								
CD20	MEM-97	IgG1	purified	func.application	100 µg	<a href="#">21270200</a>	99			
					300 µg	21270200X2	219			
			purified	FCM, IP	100 µg	<a href="#">21270201</a>	99			
					300 µg	21270201X2	219			
			CD20	LT20	IgG2a	purified	FCM	100 µg	<a href="#">21279201</a>	79
								300 µg	21279201X2	159
						Biotin	FCM	50 µg	<a href="#">21279202</a>	79
								150 µg	21279202X2	159
						FITC	FCM	500 µl	<a href="#">21279203</a>	69
								2 ml	21279203X2	139
PE	FCM	500 µl				<a href="#">21279204</a>	69			
		2 ml				21279204X2	139			
PerCP	FCM	500 µl				<a href="#">21279205</a>	89			
		2 ml				21279205X2	179			
APC	FCM	500 µl	<a href="#">21279206</a>	69						
		2 ml	21279206X2	139						
PE/Dy647	FCM	500 µl	<a href="#">21279207</a>	99						
		2 ml	21279207X2	219						
PE/Dy747	FCM	500 µl	<a href="#">21279207.7</a>	99						
		2 ml	21279207.7X2	219						
CD20	HI47	IgG3	purified	FCM	100 µg	<a href="#">21810201</a>	79			
					300 µg	21810201X2	159			
			FITC	FCM	500 µl	<a href="#">21810203</a>	69			
2 ml	21810203X2	139								
CD20	HI20a	IgG2a	purified	FCM	100 µg	<a href="#">21819201</a>	79			
					300 µg	21819201X2	159			
					FCM	FCM	500 µl	<a href="#">21819203</a>	69	
2 ml	21819203X2	139								

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD21	LT21	IgG1	purified	FCM	100 µg	<a href="#">21270211</a>	79
					300 µg	21270211X2	159
			FITC	FCM	500 µl	<a href="#">21270213</a>	69
					2 ml	21270213X2	139
			PE	FCM	500 µl	<a href="#">21270214</a>	69
					2 ml	21270214X2	139
			APC	FCM	500 µl	<a href="#">21270216</a>	69
		2 ml	21270216X2	139			
CD21	HI21a	IgG2a	purified	FCM, IHC (p)	100 µg	<a href="#">21810211</a>	79
					300 µg	21810211X2	159
			PE	FCM	500 µl	<a href="#">21810214</a>	79
					2 ml	21810214X2	159
CD22	MEM-01	IgG1	purified	FCM, IP, WB	100 µg	<a href="#">21270221</a>	99
					300 µg	21270221X2	199
			Biotin	FCM, IP, WB	50 µg	<a href="#">21270222</a>	79
					150 µg	21270222X2	159
			FITC	FCM	500 µl	<a href="#">21270223</a>	79
					2 ml	21270223X2	129
			PE	FCM	500 µl	<a href="#">21270224</a>	89
		2 ml	21270224X2	179			
CD22	LT22	IgG2a	purified	FCM, IP	100 µg	<a href="#">21380221</a>	79
					300 µg	21380221X2	159
			CD22	HIB22	IgG1	purified	FCM, IHC (f)
		300 µg				21810221X2	159
FITC	FCM	500 µl				<a href="#">21810223</a>	69
		2 ml				21810223X2	139
PE	FCM	500 µl	<a href="#">21810224</a>	79			
		2 ml	21810224X2	159			
APC	FCM	500 µl	<a href="#">21810226</a>	69			
		2 ml	21810226X2	139			
CD23	LT4F1	IgG1	purified	FCM	100 µg	<a href="#">21270231</a>	79
					300 µg	21270231X2	159
CD23	EBVCS-5	IgG1	purified	FCM, IP	100 µg	<a href="#">21279231</a>	129
			APC	FCM	500 µl	<a href="#">21279236</a>	159
CD23	LT23	IgG1	purified	FCM	100 µg	<a href="#">21380231</a>	79
					300 µg	21380231X2	159
CD24	SN3	IgG1	purified	FCM, IHC (f)	100 µg	<a href="#">21270241</a>	119
					300 µg	21270241X2	239
			FITC	FCM	500 µl	<a href="#">21270243</a>	99
					2 ml	21270243X2	219
			PE	FCM	500 µl	<a href="#">21270244</a>	99
					2 ml	21270244X2	219
		APC	FCM	500 µl	<a href="#">21270246</a>	99	
				2 ml	21270246X2	219	

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>CD24</b>	HI45	IgG1	purified	FCM, IHC (f)	100 µg	<a href="#">21810241</a>	79
					300 µg	21810241X2	159
<b>CD25</b>	MEM-181	IgG1	purified	FCM	100 µg	<a href="#">21270251</a>	99
					300 µg	21270251X2	219
			Biotin	FCM	50 µg	<a href="#">21270252</a>	79
					150 µg	21270252X2	159
			FITC	FCM	500 µl	<a href="#">21270253</a>	89
					2 ml	21270253X2	179
			PE	FCM	500 µl	<a href="#">21270254</a>	69
					2 ml	21270254X2	139
			APC	FCM	500 µl	<a href="#">21270256</a>	79
					2 ml	21270256X2	159
PE/Dy647	FCM	500 µl	<a href="#">21270257</a>	99			
		2 ml	21270257X2	219			
Dy647	FCM	500 µl	<a href="#">21270258</a>	99			
		2 ml	21270258X2	199			
<b>CD25</b>	MEM-140	IgM	purified	FCM, IP	100 µg	<a href="#">21279251</a>	99
					300 µg	21279251X2	219
<b>CD25</b>	HI25a	IgG1	purified	FCM, IHC (f/p)	100 µg	<a href="#">21810251</a>	79
					300 µg	21810251X2	159
			FITC	FCM	500 µl	<a href="#">21810253</a>	69
					2 ml	21810253X2	139
			PE	FCM	500 µl	<a href="#">21810254</a>	69
2 ml	21810254X2	139					
APC	FCM	500 µl	<a href="#">21810256</a>	69			
		2 ml	21810256X2	139			
<b>CD26</b>	22C3	IgG1	purified	IF, FCM	100 µg	<a href="#">21330261</a>	129
<b>CD27</b>	LT27	IgG2a	purified	FCM	100 µg	<a href="#">21270271</a>	79
					300 µg	21270271X2	159
			FITC	FCM	500 µl	<a href="#">21270273</a>	69
					2 ml	21270273X2	139
			PE	FCM	500 µl	<a href="#">21270274</a>	69
					2 m	21270274X2	139
			APC	FCM	500 µl	<a href="#">21270276</a>	69
2 m	21270276X2	139					
PE/Dy590	FCM	500 µl	<a href="#">21270277.5</a>	99			
		2 m	21270277.5X2	199			
<b>CD28</b>	CD28.2	IgG1	purified	FCM, IP, IHC (f), ICC, WB	100 µg	<a href="#">21270281</a>	119
					300 µg	21270281X2	239
<b>CD28</b>	'15E8	IgG1	purified	FCM, IF	100 µg	<a href="#">21330281</a>	129

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>CD29</b>	MEM-101A	IgG1	purified	FCM, IP, WB	100 µg	<a href="#">21270291</a>	99
					300 µg	21270291X2	219
			FITC	FCM	500 µl	<a href="#">21270293</a>	79
					2 ml	21270293X2	159
			PE	FCM	500 µl	<a href="#">21270294</a>	99
					2 ml	21270294X2	199
			APC	FCM	500 µl	<a href="#">21270296</a>	99
2 ml	21270296X2	199					
<b>CD29</b>	TR19	IgG2a	purified	FCM, IF	100 µg	<a href="#">21380291</a>	79
					300 µg	21380291X2	159
<b>CD29</b>	HI29a	IgG1	purified	FCM	100 µg	<a href="#">21810291</a>	79
					300 µg	21810291X2	159
			FITC	FCM	500 µl	<a href="#">21810293</a>	79
					2 ml	21810293X2	159
			APC	FCM	500 µl	<a href="#">21810296</a>	69
2 ml	21810296X2	139					
<b>CD30</b>	MEM-268	IgG	purified	FCM	100 µg	<a href="#">21270301</a>	99
					300 µg	21270301X2	219
<b>CD31</b>	MEM-05	IgG1	purified	FCM, WB	100 µg	<a href="#">21270311</a>	99
					300 µg	21270311X2	219
			FITC	FCM	500 µl	<a href="#">21270313</a>	99
					2 ml	21270313X2	199
			PE	FCM	500 µl	<a href="#">21270314</a>	99
					2 ml	21270314X2	199
			APC	FCM	500 µl	<a href="#">21270316</a>	79
2 ml	21270316X2	159					
PE/Dy590	FCM	500 µl	<a href="#">21270317.5</a>	99			
		2 ml	21270317.5X2	219			
<b>CD31</b>	TR17	IgG1	purified	FCM, WB	100 µg	<a href="#">21380311</a>	79
					300 µg	21380311X2	159
<b>CD32</b>	CIKm5	IgG1	purified	FCM, IF	100 µg	<a href="#">21330321</a>	129
					purified	FCM	100 µg
FITC	FCM	300 µg	21270331X2	159			
		PE	FCM	500 µl	<a href="#">21270333</a>	69	
APC	FCM			2 ml	21270333X2	139	
		APC	FCM	500 µl	<a href="#">21270334</a>	69	
APC	FCM			2 ml	21270334X2	139	
		APC	FCM	500 µl	<a href="#">21270336</a>	69	
APC	FCM			2 ml	21270336X2	139	
		<b>CD33</b>	HIM3-4	IgG1	purified	FCM, IF	100 µg
purified	FCM						100 µg
		FITC	FCM	300 µg	21810331X2	159	
FITC	FCM			500 µl	<a href="#">21810333</a>	69	
		FITC	FCM	2 ml	21810333X2	139	

FC= functional application FCM= Flow Cytometry ICC= Immunocytochemistry IF=Immunofluorescence  
IHC= Immunohistochemistry (f=frozen, p=paraffin) IP= Immunoprecipitation WB= Western Blotting

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD34	4H11[APG]	IgG1	purified	func.application	100 µg	<a href="#">21270340</a>	99
					300 µg	21270340X2	219
			purified	FCM, WB, IHC (p)	100 µg	<a href="#">21270341</a>	99
					300 µg	21270341X2	219
			Biotin	FCM	50 µg	<a href="#">21270342</a>	79
					150 µg	21270342X2	159
			FITC	FCM	500 µl	<a href="#">21270343</a>	99
					2 ml	21270343X2	219
			PE	FCM	500 µl	<a href="#">21270344</a>	99
					2 ml	21270344X2	219
			APC	FCM	500 µl	<a href="#">21270346</a>	99
					2 ml	21270346X2	219
PE/Dy647	FCM	500 µl	<a href="#">21270347</a>	99			
		2 ml	21270347X2	219			
CD35	UJ11	IgG1	purified	FCM, IHC, IP, IF, ELISA	100 µg	<a href="#">21220351</a>	79
					300 µg	21220351X2	159
			FITC	FCM	500 µl	<a href="#">21220353</a>	69
					2 ml	21220353X2	139
CD36	TR9	IgG1	purified	FCM	100 µg	<a href="#">21270361</a>	79
					300 µg	21270361X2	159
			FITC	FCM	500 µl	<a href="#">21270363</a>	69
					2 ml	21270363X2	139
			PE	FCM	500 µl	<a href="#">21270364</a>	69
					2 ml	21270364X2	139
APC	FCM	500 µl	<a href="#">21270366</a>	69			
		2 ml	21270366X2	139			
CD37	HH1	IgG1	purified	func.application	100 µg	<a href="#">21620370</a>	79
					300 µg	21620370X2	159
			purified	FCM	100 µg	<a href="#">21620371</a>	79
					300 µg	21620371X2	129
			FITC	FCM	500 µl	<a href="#">21620373</a>	69
					2 ml	21620373X2	139
			PE	FCM	500 µl	<a href="#">21620374</a>	69
					2 ml	21620374X2	139
APC	FCM	500 µl	<a href="#">21620376</a>	69			
		2 ml	21620376X2	139			
CD38	HIT2	IgG1	purified	FCM, IHC (f/p), WB	100 µg	<a href="#">21270381</a>	79
					300 µg	21270381X2	129
			FITC	FCM	500 µl	<a href="#">21270383</a>	69
					2 ml	21270383X2	139
			PE	FCM	500 µl	<a href="#">21270384</a>	69
					2 ml	21270384X2	139
			APC	FCM	500 µl	<a href="#">21270386</a>	69
					2 ml	21270386X2	139
PE/Dy647	FCM	500 µl	<a href="#">21270387</a>	99			
		2 ml	21270387X2	219			
PE/Dy747	FCM	500 µl	<a href="#">21270387.7</a>	99			
		2 ml	21270387.7X2	219			
CD38	HI157	IgG2a	purified	FCM, IHC (f)	100 µg	<a href="#">21810381</a>	79
					300 µg	21810381X2	159

FC= functional application FCM= Flow Cytometry ICC= Immunocytochemistry IF=Immunofluorescence  
IHC= Immunohistochemistry (f=frozen, p=paraffin) IP= Immunoprecipitation WB= Western Blotting

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>CD40</b>	HI40a	IgG1	purified	FCM	100 µg	<a href="#">21270401</a>	79
					300 µg	21270401X2	159
			FITC	FCM	500 µl	<a href="#">21270403</a>	69
					2 ml	21270403X2	139
			PE	FCM	500 µl	<a href="#">21270404</a>	69
					2 ml	21270404X2	139
		APC	FCM	500 µl	<a href="#">21270406</a>	69	
				2 ml	21270406X2	139	
<b>CD41</b>	MEM-06	IgG1	purified	FCM	100 µg	<a href="#">21270411</a>	99
					300 µg	21270411X2	219
			FITC	FCM	500 µl	<a href="#">21270413</a>	99
					2 ml	21270413X2	199
			PE	FCM	500 µl	<a href="#">21270414</a>	99
					2 ml	21270413X2	199
		APC	FCM	500 µl	<a href="#">21270416</a>	99	
				2 ml	21270416X2	199	
<b>CD41</b>	TR8	IgG1	purified	FCM	100 µg	<a href="#">21380411</a>	79
					300 µg	21380411X2	159
			FITC	FCM	500 µl	<a href="#">21380413</a>	69
					2 ml	21380413X2	139
			PE	FCM	500 µl	<a href="#">21380414</a>	69
					2 ml	21380414X2	139
		APC	FCM	500 µl	<a href="#">21380416</a>	69	
				2 ml	21380416X2	139	
<b>CD41</b>	HIP7	IgG2a	purified	FCM	100 µg	<a href="#">21818411</a>	79
					300 µg	21810411X2	159
<b>CD41a</b>	6C9	IgG1	purified	FCM, IF	100 µg	<a href="#">21330411</a>	89
<b>CD41a</b>	HIP8	IgG1	purified	FCM, IHC (f)	100 µg	<a href="#">21810411</a>	79
					300 µg	21810411X2	159
			FITC	FCM	500 µl	<a href="#">21810413</a>	69
					2 ml	21810413X2	139
			PE	FCM	500 µl	<a href="#">21810414</a>	69
					2 ml	21810414X2	139
		APC	FCM	500 µl	<a href="#">21810416</a>	69	
				2 ml	21810416X2	139	
<b>CD41b</b>	HIP2	IgG3	purified	FCM	100 µg	<a href="#">21819411</a>	79
					300 µg	21819411X2	159
<b>CD42b</b>	HIP1	IgG1	purified	FCM, IHC (f)	100 µg	<a href="#">21270421</a>	79
					300 µg	21270421X2	159
			FITC	FCM	500 µl	<a href="#">21270423</a>	69
					2 ml	21270423X2	139
			PE	FCM	500 µl	<a href="#">21270424</a>	79
					2 ml	21270424X2	159
		PerCP	FCM	500 µl	<a href="#">21270425</a>	89	
				2 ml	21270425X2	179	
		APC	FCM	500 µl	<a href="#">21270426</a>	69	
				2 ml	21270426X2	139	

FC= functional application FCM= Flow Cytometry ICC= Immunocytochemistry IF=Immunofluorescence  
IHC= Immunohistochemistry (f=frozen, p=paraffin) IP= Immunoprecipitation WB= Western Blotting



# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€			
<b>CD43</b>	MEM-59	IgG1		func.application	100 µg	<a href="#">21270430</a>	99			
					300 µg	21270430X2	219			
				FCM, IF, IHC, IP, WB	100 µg	<a href="#">21270431</a>	99			
					300 µg	21270431X2	219			
			FITC	FCM	500 µl	<a href="#">21270433</a>	99			
					2 ml	21270433X2	199			
			PE	FCM	500 µl	<a href="#">21270434</a>	99			
					2 ml	21270434X2	199			
			APC	FCM	500 µl	<a href="#">21270436</a>	99			
					2 ml	21270436X2	199			
			<b>CD43</b>	HI161	IgG1		FCM, IHC (f/p)	100 µg	<a href="#">21810431</a>	79
								300 µg	21810431X2	159
FITC	FCM	500 µl				<a href="#">21810433</a>	79			
		2 ml				21810433X2	159			
PE	FCM	500 µl				<a href="#">21810434</a>	79			
		2 ml				21810434X2	159			
<b>CD44</b>	MEM-85	IgG2b		func.application	100 µg	<a href="#">21270440</a>	99			
					300 µg	21270440X2	219			
				FCM, IP, ELISA	100 µg	<a href="#">21270441</a>	99			
					300 µg	21270441X2	219			
			FITC	FCM	500 µl	<a href="#">21270443</a>	79			
					2 ml	21270443X2	159			
			PE	FCM	500 µl	<a href="#">21270444</a>	79			
					2 ml	21270444X2	159			
			APC	FCM	500 µl	<a href="#">21270446</a>	79			
					2 ml	21270446X2	159			
			<b>CD44</b>	HE7	IgG2b	purified	FCM, WB, IP, IF, ELISA	100 µg	<a href="#">21380441</a>	79
								300 µg	21380441X2	159
<b>CD44</b>	HI44a	IgG2a		FCM, IHC(f)	100 µg	<a href="#">21810441</a>	79			
					300 µg	21810441X2	159			
			FITC	FCM	500 µl	<a href="#">21810443</a>	69			
					2 ml	21810443X2	139			
			PE	FCM	500 µl	<a href="#">21810444</a>	69			
					2 ml	21810444X2	139			
<b>CD44</b>	IM7	Rat IgG2b		func.application	100 µg	<a href="#">21850440</a>	79			
					300 µg	21850440X2	159			
				FCM	100 µg	<a href="#">21850441</a>	79			
					300 µg	21850441X2	159			
			FITC	FCM	500 µl	<a href="#">21850443</a>	69			
					2 ml	21850443X2	139			
			PE	FCM	500 µl	<a href="#">21850444</a>	69			
					2 ml	21850444X2	139			
APC	FCM	500 µl	<a href="#">21850446</a>	69						
		2 ml	21850446X2	139						

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>CD45</b>	MEM-28	IgG1	purified	func.application	100 µg	<a href="#">21270450</a>	99
					300 µg	21270450X2	199
			purified	FCM, IP, WB, IF, IHC	100 µg	<a href="#">21270451</a>	99
					300 µg	21270451X2	199
			FITC	FCM, IF, IHC	500 µl	<a href="#">21270453</a>	79
					2 ml	21270453X2	159
			PE	FCM, IF	500 µl	<a href="#">21270454</a>	79
					2 ml	21270454X2	159
			APC	FCM	500 µl	<a href="#">21270456</a>	89
					2 ml	21270454X2	179
PE/Dy647	FCM	500 µl	<a href="#">21270457</a>	79			
		2 ml	21270457X2	159			
<b>CD45</b>	LT45	IgG1	purified	FCM, IP	100 µg	<a href="#">21380451</a>	79
					300 µg	21380451X2	159
<b>CD45</b>	HI30	IgG1	purified	FCM, IHC (f/p)	100 µg	<a href="#">21810451</a>	79
					300 µg	21810451X2	159
			FITC	FCM	500 µl	<a href="#">21810453</a>	69
					2 ml	21810453X2	139
			PE	FCM	500 µl	<a href="#">21810454</a>	69
					2 ml	21810454X2	139
			PerCP	FCM	500 µl	<a href="#">21810455</a>	89
					2 ml	21810455X2	179
APC	FCM	500 µl	<a href="#">21810456</a>	69			
		2 ml	21810456X2	139			
<b>CD45RA</b>	MEM-56	IgG2b	purified	FCM, IP, WB, IF, IHC(p)	100 µg	<a href="#">21279451</a>	99
					300 µg	21279451X2	219
			Biotin	FCM, IP, WB, IF, IHC(p)	50 µg	<a href="#">21279452</a>	79
					150 µg	21279452X2	159
			FITC	FCM	500 µl	<a href="#">21279453</a>	79
					2 ml	21279453X2	159
			PE	FCM	500 µl	<a href="#">21279454</a>	79
					2 ml	21279454X2	159
			APC	FCM	500 µl	<a href="#">21279456</a>	89
					2 ml	21279456X2	179
PE/Dy647	FCM	500 µl	<a href="#">21279457</a>	99			
		2 ml	21279457X2	219			
<b>CD45RA</b>	T6D11	IgG2b	purified	FCM, IP	100 µg	<a href="#">21389451</a>	79
					300 µg	21389451X2	159
<b>CD45RA</b>	HI100	IgG2a	purified	FCM, IHC (f/p)	100 µg	<a href="#">21819451</a>	79
					300 µg	21819451X2	159
			FITC	FCM	500 µl	<a href="#">21819453</a>	69
					2 ml	21819453X2	139
			PE	FCM	500 µl	<a href="#">21819454</a>	79
					2 ml	21819454X2	159
PerCP	FCM	500 µl	<a href="#">21819455</a>	89			
		2 ml	21819455X2	179			
APC	FCM	500 µl	<a href="#">21819456</a>	69			
		2 ml	21819456X2	139			

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD45RB	MEM-55	IgG1	purified	FCM, IP, WB, IF, IHC	100 µg	<a href="#">21278451</a>	99
					300 µg	21278451X2	219
			FITC	FCM	500 µl	<a href="#">21278453</a>	99
					2 ml	21278453X2	199
			PE	FCM	500 µl	<a href="#">21278454</a>	99
					2 ml	21278454X2	199
			APC	FCM	500 µl	<a href="#">21278456</a>	99
2 ml	21278456X2	199					
CD45RO	UCHL1	IgG2a	purified	func.application	100 µg	<a href="#">21336450</a>	99
					300 µg	21336450X2	219
			purified	FCM, IF	100 µg	<a href="#">21336451</a>	99
					300 µg	21336451X2	219
			FITC	FCM	500 µl	<a href="#">21336453</a>	79
					2 ml	21336453X2	159
			PE	FCM	500 µl	<a href="#">21336454</a>	89
2 ml	21336454X2	179					
APC	FCM	500 µl	<a href="#">21336456</a>	89			
		2 ml	21336456X2	179			
CD46	MEM-258	IgG1	purified	func.application	100 µg	<a href="#">21270460</a>	99
					300 µg	21270461X2	219
			purified	FCM, IP, WB	100 µg	<a href="#">21270461</a>	99
					300 µg	21270461X2	219
			Biotin	FCM, IP, WB	50 µg	<a href="#">21270462</a>	79
					150 µg	21270462X2	159
			FITC	FCM	500 µl	<a href="#">21270463</a>	79
2 ml	21270463X2	159					
PE	FCM	500 µl	<a href="#">21270464</a>	99			
		2 ml	21270464X2	199			
APC	FCM	500 µl	<a href="#">21270466</a>	99			
		2 ml	21270466X2	199			
CD47	MEM-122	IgM	purified	FCM, WB, IF, IHC	100 µg	<a href="#">21270471</a>	99
					300 µg	21270471X2	219
			FITC	FCM	500 µl	<a href="#">21270473</a>	99
					2 ml	21270473X2	199
CD47	HIRH47	IgG1	purified	FCM	100 µg	<a href="#">21810471</a>	79
CD48	MEM-102	IgG1	purified	FCM, IP, WB, IF, IHC	100 µg	<a href="#">21270481</a>	99
					FITC	FCM	500 µl
CD49d	BU49	IgG1	purified	FCM, IF, IP	100 µg	<a href="#">21488491</a>	99
					300 µg	21488491X2	219

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>CD49d</b>	PS/2	Rat IgG2b	FITC	FCM	100 µg	<a href="#">21858490</a>	79
					300 µg	21858490X2	159
					100 µg	<a href="#">21858491</a>	79
			PE	FCM	300 µg	21858491X2	159
					500 µl	<a href="#">21858493</a>	69
					2 ml	21858493X2	139
					500 µl	<a href="#">21858494</a>	69
					2 ml	21858494X2	139
					500 µl	<a href="#">21858496</a>	69
2 ml	21858496X2	139					
<b>CD49e</b>	NKI-SAM-1	IgG2b	purified	FCM, IF	100 µg	<a href="#">21336491</a>	129
<b>CD49f</b>	NKI-GoH3	IgG2a	purified	FCM, IF	100 µg	<a href="#">21335491</a>	99
<b>CD50</b>	MEM-171	IgG1	FITC	FCM	100 µg	<a href="#">21270501</a>	99
					300 µg	21270501X2	219
					500 µl	<a href="#">21270503</a>	99
			PE	FCM	2 ml	21270503X2	199
					500 µl	<a href="#">21270504</a>	99
					2 ml	21270504X2	199
					500 µl	<a href="#">21270506</a>	99
2 ml	21270506X2	199					
<b>CD51</b>	NKI-M9	IgG1	purified	FCM, IF	100 µg	<a href="#">21330511</a>	129
<b>CD52</b>	HI186	IgG2b	FITC	FCM	100 µg	<a href="#">21270521</a>	79
					300 µg	21270521X2	159
					500 µl	<a href="#">21270523</a>	69
			PE	FCM	2 ml	21270523X2	139
					500 µl	<a href="#">21270524</a>	89
					2 ml	21270524X2	179
					500 µl	<a href="#">21270526</a>	69
2 ml	21270526X2	139					
<b>CD53</b>	MEM-53	IgG1	FITC	FCM	100 µg	<a href="#">21270531</a>	99
					300 µg	21270531X2	219
			APC	FCM	500 µl	<a href="#">21270533</a>	99
					2 ml	21270533X2	199
<b>CD53</b>	HI29	IgG1	FITC	FCM	100 µg	<a href="#">21810531</a>	79
					300 µg	21810531X2	159
					500 µl	<a href="#">21810533</a>	69
			APC	FCM	2 ml	21810533X2	139
					500 µl	<a href="#">21810536</a>	69
2 ml	21810536X2	139					
<b>CD53</b>	HI36	IgG3	FITC	FCM	100 µg	<a href="#">21819531</a>	79
					300 µg	21819531X2	159
			APC	FCM	500 µl	<a href="#">21819533</a>	69
					2 ml	21819533X2	139
<b>CD54</b>	MEM-111	IgG2a	purified	FCM, IP, WB, ELISA	100 µg	<a href="#">21270541</a>	99
					300 µg	21270541X2	219

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€	
<b>CD54</b>	1H4	IgG2b	purified	FCM, WB, IHC (f/p)	100 µg	<a href="#">21279541</a>	99	
					300 µg	21279541X2	199	
			FITC	FCM	500 µl	<a href="#">21279543</a>	79	
					2 ml	21279543X2	159	
			PE	FCM	500 µl	<a href="#">21279544</a>	99	
					2 ml	21279544X2	199	
			APC	FCM	500 µl	<a href="#">21279546</a>	99	
					2 ml	21279546X2	199	
			PE/Dy647	FCM	500µl	<a href="#">21279547</a>	99	
2 ml	21279547X2	219						
<b>CD55</b>	MEM-118	IgM	purified	FCM, IP	100 µg	<a href="#">21270551</a>	99	
					300 µg	21270551X2	219	
			FITC	FCM	500 µl	<a href="#">21270553</a>	99	
					2 ml	21270553X2	199	
<b>CD55</b>	HI55a	IgG2a	purified	FCM	100 µg	<a href="#">21810551</a>	79	
					300 µg	21810551X2	159	
			FITC	FCM	500 µl	<a href="#">21810553</a>	69	
					2 ml	21810553X2	139	
			PE	FCM	500 µl	<a href="#">21810554</a>	69	
					2 ml	21810554X2	139	
APC	FCM	500 µl	<a href="#">21810556</a>	69				
2 ml	21810556X2	139						
<b>CD56</b>	MEM-188	IgG2a	purified	FCM, IP, WB, IF, IHC	100 µg	<a href="#">21270561</a>	99	
					300 µg	21270561X2	219	
			FITC		FCM	500 µl	<a href="#">21270563</a>	99
						2 ml	21270563X2	199
			PE		FCM	500 µl	<a href="#">21270564</a>	79
						2 ml	21270564X2	159
			APC		FCM	500 µl	<a href="#">21270566</a>	99
2 ml	21270566X2	199						
<b>CD56</b>	LT56	IgG2a	purified	FCM, WB, ELISA	100 µg	<a href="#">21380561</a>	79	
					300 µg	21380561X2	159	
			PE		FCM	500 µl	<a href="#">21380564</a>	79
						2 ml	21380564X2	159
			APC		FCM	500 µl	<a href="#">21380566</a>	79
2 ml	21380566X2	159						
<b>CD56</b>	CKG		purified	FCM	100 µg	<a href="#">21389561</a>	79	
					300 µg	21389561X2	159	
<b>CD56</b>	B-A19	IgG1	purified	FCM	100 µg	<a href="#">21810561</a>	79	
					300 µg	21810561X2	159	
			FITC		FCM	500 µl	<a href="#">21810563</a>	79
						2 ml	21810563X2	159
			PE		FCM	500 µl	<a href="#">21810564</a>	69
						2 ml	21810564X2	139
APC	FCM	500 µl	<a href="#">21810566</a>	69				
2 ml	21810566X2	139						
<b>CD57</b>	NC1	IgM	purified	FCM, IF	100 µg	<a href="#">21330571</a>	129	

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>CD57</b>	HI57a	IgM	purified	FCM	100 µg	<a href="#">21810571</a>	79
					300 µg	21810571X2	159
			FITC	FCM	500 µl	<a href="#">21810573</a>	69
					2 ml	21810573X2	139
			PE	FCM	500 µl	<a href="#">21810574</a>	69
					2 ml	21810574X2	139
<b>CD58</b>	MEM-63	IgG1	purified	func.application	100 µg	<a href="#">21270580</a>	99
					300 µg	21270580X2	219
			purified	FCM, IP, WB	100 µg	<a href="#">21270581</a>	99
					300 µg	21270581X2	219
			FITC	FCM	500 µl	<a href="#">21270583</a>	99
					2 ml	21270583X2	199
<b>CD58</b>	HI58a	IgG1	PE	FCM	500 µl	<a href="#">21270584</a>	99
					2 ml	21270584X2	219
<b>CD58</b>	HI58a	IgG1	purified	FCM, IF	100 µg	<a href="#">21810581</a>	79
					300 µg	21810581X2	159
			FITC	FCM	500 µl	<a href="#">21810583</a>	69
				2 ml	21810583X2	139	
<b>CD59</b>	MEM-43	IgG2a	purified	func.application	100 µg	<a href="#">21270590</a>	99
					300 µg	21270590X2	219
			purified	FCM, IP, WB	100 µg	<a href="#">21270591</a>	99
					100 µg	21270591X2	219
			Biotin	FCM, IP	50 µg	<a href="#">21270592</a>	79
					150 µg	21270592X2	159
			FITC	FCM	500 µl	<a href="#">21270593</a>	99
					2 ml	21270593X2	199
			PE	FCM	500 µl	<a href="#">21270594</a>	99
		2 ml	21270594X2	199			
<b>CD59</b>	MEM-43/5	IgG2b	APC	FCM	500 µl	<a href="#">21270596</a>	99
					2 ml	21270596X2	199
			purified	FCM, IP, WB	100 µg	<a href="#">21279591</a>	99
				300 µg	21279591X2	219	
<b>CD59</b>	EC101		Purified	FCM	100 µg	<a href="#">21380591</a>	79
					300 µg	21380591X2	159
<b>CD61</b>	C17	IgG1	FITC	FCM	500 µl	<a href="#">21330613</a>	79
					2 ml	21330613X2	159
			PE	FCM	500 µl	<a href="#">21330614</a>	79
					2 ml	21330614X2	159
			APC	FCM	500 µl	<a href="#">21330616</a>	79
				2 ml	21330616X2	159	
<b>CD62E</b>	HCD62E	IgG1	purified	func.application	100 µg	<a href="#">21348620</a>	99
					300 µg	21348620X2	219
			purified	FCM, IF	100 µg	<a href="#">21348621</a>	99
				300 µg	21348621X2	219	

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€	
<b>CD62E</b>	HI62E	IgG2a	purified	FCM	100 µg	<a href="#">21818621</a>	79	
					300 µg	21818621X2	159	
			FITC	FCM	500 µl	<a href="#">21818623</a>	79	
					2 ml	21818623X2	159	
<b>CD62L</b>	LT-TD180	IgG1	purified	FCM	100µg	<a href="#">21279621</a>	79	
					300 µg	21279621X2	159	
			FITC	FCM	500 µl	<a href="#">21279623</a>	69	
					2 ml	21279623X2	139	
			PE	FCM	500 µl	<a href="#">21279624</a>	69	
					2 ml	21279624X2	139	
<b>CD62L</b>	HI62L	IgG1	purified	FCM	100 µg	<a href="#">21819621</a>	79	
					300 µg	21819621X2	159	
			FITC	FCM	500 µl	<a href="#">21819623</a>	79	
					2 ml	21819623X2	159	
			PE	FCM	500 µl	<a href="#">21819624</a>	69	
					2 ml	21819624X2	139	
<b>CD62P</b>	HI62P	IgG1	purified	FCM	100 µg	<a href="#">21270621</a>	79	
					300 µg	21270621X2	159	
			FITC	FCM	500 µl	<a href="#">21270623</a>	69	
					2 ml	21270623X2	139	
			PE	FCM	500 µl	<a href="#">21270624</a>	69	
					2 ml	21270624X2	139	
<b>CD62P</b>	C2	IgG1	purified	FCM, IF	100 µg	<a href="#">21330621</a>	129	
				purified	FCM, IP, WB	100 µg	<a href="#">21270631</a>	99
						300 µg	21270631X2	219
				FITC	FCM, IP, WB	500 µl	<a href="#">21270633</a>	99
<b>CD63</b>	MEM-259	IgG1			2 ml	21270633X2	199	
			PE	FCM	500 µl	<a href="#">21270634</a>	99	
					2 ml	21270634X2	199	
			APC	FCM	500 µl	<a href="#">21270636</a>	99	
					2 ml	21270636X2	199	
			<b>CD63</b>	EC33	IgG1	purified	FCM	100 µg
		300 µg				21380631X2	159	
<b>CD64</b>	10.1	IgG1kappa	purified	FCM, ICC, IHC (f/p), WB	100 µg	<a href="#">21270641</a>	79	
					300 µg	21270641X2	159	

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>CD66ade</b> <b>CEACAM1/3/5</b>	18/20	IgG1kappa	purified	FCM, ELISA, IP, WB, IHC (f/p), ICC	100 µg	<a href="#">21605661</a>	89
					300 µg	21605661X2	179
			FITC	FCM	500 µl	<a href="#">21605663</a>	79
					2 ml	21605663X2	159
			PE	FCM	500 µl	<a href="#">21605664</a>	79
					2 ml	21605664X2	159
			APC	FCM	500 µl	<a href="#">21605666</a>	79
		2 ml	21605666X2	159			
<b>CD66adecb</b> <b>CEACAM</b> <b>1/3/5/6/8</b>	6G5j	IgG1kappa	purified	FCM, ELISA, IP, WB, IHC(f/p), ICC	100 µg	<a href="#">21600661</a>	89
					300 µg	21600661X2	179
			FITC	FCM	500 µl	<a href="#">21600663</a>	79
					2 ml	21600663X2	159
			PE	FCM	500 µl	<a href="#">21600664</a>	79
					2 ml	21600664X2	159
			APC	FCM	500 µl	<a href="#">21600666</a>	79
		2 ml	21600666X2	159			
<b>CD66b</b> <b>CEACAM8</b>	B13.9	IgG1	purified	FCM, IF	100 µg	<a href="#">21339661</a>	99
<b>CD66b</b> <b>CEACAM8</b>	6/40c	IgG1kappa	purified	FCM, ELISA, IP, WB, IHC (f/p), ICC	100 µg	<a href="#">21609661</a>	89
					300 µg	21609661X2	179
			FITC	FCM	500 µl	<a href="#">21609663</a>	79
					2 ml	21609663X2	159
			PE	FCM	500 µl	<a href="#">21609664</a>	79
					2 ml	21609664X2	159
			APC	FCM	500 µl	<a href="#">21609666</a>	79
		2ml	21609666X2	159			
<b>CD66c</b> <b>CEACAM6</b>	1H7-4B	IgG1kappa	purified	FCM, ELISA, IP, WB, IHC (f/p), ICC	100 µg	<a href="#">21606661</a>	89
					300 µg	21606661X2	179
			FITC	FCM	500 µl	<a href="#">21606663</a>	79
					2 ml	21606663X2	159
			PE	FCM	500 µl	<a href="#">21606664</a>	79
					2 ml	21606664X2	159
			APC	FCM	500 µl	<a href="#">21606666</a>	79
		2 ml	21606666X2	159			
<b>CD66de</b> <b>CEACAM3/5</b>	c308/3-3	IgG1kappa	purified	FCM, ELISA, IP, WB, IHC (f/p), ICC	100 µg	<a href="#">21602661</a>	89
					300 µg	21602661X2	179
			FITC	FCM	500 µl	<a href="#">21602663</a>	79
					2 ml	21602663X2	159
			PE	FCM	500 µl	<a href="#">21602664</a>	79
					2 ml	21602664X2	159
			APC	FCM	500 µl	<a href="#">21602666</a>	79
		2 ml	21602666X2	159			
<b>CD66e</b> <b>CEACAM5</b>	3E10-3	IgG1kappa	purified	FCM, ELISA, IP, WB, IHC(f/p), ICC	100 µg	<a href="#">21603661</a>	89
					300 µg	21603661X2	179
			FITC	FCM	500 µl	<a href="#">21603663</a>	79
					2 ml	21603663X2	159
			PE	FCM	500 µl	<a href="#">21603664</a>	79
					2 ml	21603664X2	159
			APC	FCM	500 µl	<a href="#">21603666</a>	79
		2 ml	21603666X2	159			

FC= functional application FCM= Flow Cytometry ICC= Immunocytochemistry IF=Immunofluorescence  
IHC= Immunohistochemistry (f=frozen, p=paraffin) IP= Immunoprecipitation WB= Western Blotting



# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>CD66eb</b> <b>CEACAM5/8</b>	5C8C4	IgG1kappa	purified	FCM, ELISA, IP, WB, IHC (f/p), ICC	100 µg	<a href="#">21608661</a>	89
					300 µg	21608661X2	179
			FITC	FCM	500 µl	<a href="#">21608663</a>	79
					2 ml	21608663X2	159
			PE	FCM	500 µl	<a href="#">21608664</a>	79
					2 ml	21608664X2	159
APC	FCM	500 µl	<a href="#">21608666</a>	79			
		2 ml	21608666X2	159			
<b>CD66ecb</b> <b>CEACAM5/6/8</b>	ivi 4/27	IgG1kappa	purified	FCM, ELISA, IP, WB, IHC (f/p), ICC	100 µg	<a href="#">21604661</a>	89
					300 µg	21604661X2	179
			FITC	FCM	500 µl	<a href="#">21604663</a>	79
					2 ml	21604663X2	159
			PE	FCM	500 µl	<a href="#">21604664</a>	79
					2 ml	21604664X2	159
APC	FCM	500 µl	<a href="#">21604666</a>	79			
		2 ml	21604666X2	159			
<b>CD68</b>	Y1/82A	IgG2c	PE	FCM	500 µl	<a href="#">21270684</a>	99
					2 ml	21270684X2	219
<b>CD69</b>	IT2H11	IgG1	purified	IHC	100 µg	<a href="#">21450691</a>	79
					300 µg	21450691X2	159
<b>CD69</b>	IT8G1	IgG1kappa	purified	FCM	100 µg	<a href="#">21459691</a>	69
					300 µg	21459691X2	139
			FITC	FCM	500 µl	<a href="#">21459693</a>	59
					2 ml	21459693X2	119
			PE	FCM	500 µl	<a href="#">21459694</a>	69
					2 ml	21459694X2	139
APC	FCM	500 µl	<a href="#">21459696</a>	69			
		2 ml	21459696X2	139			
<b>CD69</b>	FN50	IgG1kappa	purified	func.application	100 µg	<a href="#">21620690</a>	79
					300 µg	21620690X2	159
			purified	FCM	100 µg	<a href="#">21620691</a>	79
					300 µg	21620691X2	159
			FITC	FCM	500 µl	<a href="#">21620693</a>	69
					2 ml	21620693X2	139
PE	FCM	500 µl	<a href="#">21620694</a>	69			
		2 ml	21620694X2	139			
APC	FCM	500 µl	<a href="#">21620696</a>	69			
		2 ml	21620696X2	139			
<b>CD70</b>	2F2	IgG1	purified	FCM, IF	100 µg	<a href="#">21330701</a>	129
<b>CD70</b>	LT70		purified	FCM	100 µg	<a href="#">21389701</a>	79
					300 µg	21389701X2	159

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€		
<b>CD71</b>	MEM-75	IgG1	purified	FCM, IP	100 µg	<a href="#">21270711</a>	99		
					300 µg	21270711X2	219		
			FITC	FCM	500 µl	<a href="#">21270713</a>	99		
					2 ml	21270713X2	199		
			PE	FCM	500 µl	<a href="#">21270714</a>	99		
					2 ml	21270714X2	199		
			APC	FCM	500 µl	<a href="#">21270716</a>	99		
					2 ml	21270716X2	199		
<b>CD71</b>	LT71	IgG2a	purified	FCM	100 µg	<a href="#">21380711</a>	79		
					300 µg	21380711X2	159		
			HI166	IgG1	purified	FCM, IHC (f)	100 µg	<a href="#">21810711</a>	79
							300 µg	21810711X2	159
					FITC	FCM	500 µl	<a href="#">21810713</a>	69
							2 ml	21810713X2	139
					PE	FCM	500 µl	<a href="#">21810714</a>	69
							2 ml	21810714X2	139
APC	FCM	500 µl	<a href="#">21810716</a>	69					
		2 ml	21810716X2	139					
<b>CD72</b>	3F3	IgG2b	purified	FCM, IP	100 µg	<a href="#">21270721</a>	79		
					300 µg	21270721X2	159		
			FITC	FCM	500 µl	<a href="#">21270723</a>	69		
					2 ml	21270723X2	139		
			PE	FCM	500 µl	<a href="#">21270724</a>	69		
					2 ml	21270724X2	139		
<b>CD72</b>	BU40	IgG2a	purified	FCM, IP, IF, IHC(f)	100 µg	<a href="#">21480721</a>	99		
					300 µg	21480721X2	199		
			FITC	FCM	500 µl	<a href="#">21480723</a>	99		
<b>CD73</b>	AD2	IgG1	FITC	FCM	500 µl	<a href="#">21270733</a>	99		
					2 ml	21270733X2	219		
			PE	FCM	500 µl	<a href="#">21270734</a>	99		
					2 ml	21270734X2	219		
<b>CD74</b>	BU45	IgG1	FITC	FCM	500 µl	<a href="#">21480743</a>	79		
					2 ml	21480743X2	159		
<b>CD79a</b>	HM57	IgG1	purified	FCM, IHC (f/p)	100 µg	<a href="#">21270791</a>	109		
					300 µg	21270791X2	219		
<b>CD80</b>	MEM-233	IgG1	purified	func.application	100 µg	<a href="#">21270800</a>	99		
					300 µg	21270800X2	219		
			purified	FCM, IP, WB	100 µg	<a href="#">21270801</a>	99		
					300 µg	21270801X2	219		
			FITC	FCM	500 µl	<a href="#">21270803</a>	79		
					2 ml	21270803X2	159		
			PE	FCM	500 µl	<a href="#">21270804</a>	69		
					2 ml	21270804X2	139		
<b>CD80</b>			APC	FCM	500 µl	<a href="#">21270806</a>	89		
					2 ml	21270806X2	179		

FC= functional application FCM= Flow Cytometry ICC= Immunocytochemistry IF=Immunofluorescence  
 IHC= Immunohistochemistry (f=frozen, p=paraffin) IP= Immunoprecipitation WB= Western Blotting

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>CD81</b>	M38	IgG1	purified	FCM, IHC (p), IP	100 µg	<a href="#">21270811</a>	119
					300 µg	21270811X2	239
<b>CD86</b>	BU63	IgG1	purified	func.application	100 µg	<a href="#">21480860</a>	99
					300 µg	21480860X2	219
			purified	FCM,IP, IHC (f), WB	100 µg	<a href="#">21480861</a>	99
					300 µg	21480861X2	219
			FITC	FCM	500 µl	<a href="#">21480863</a>	79
					2 ml	21480863X2	159
APC	FCM	500 µl	<a href="#">21480866</a>	69			
		2 ml	21480866X2	139			
<b>CD90</b>	'5E10	IgG1	APC	FCM	500 µl	<a href="#">21270906</a>	99
					2 ml	21270906X2	219
<b>CD95</b>	LT95	IgG1	purified	FCM	100 µg	<a href="#">21278951</a>	79
					300 µg	21278951X3	159
			FITC	FCM	500 µl	<a href="#">21278953</a>	69
					2 ml	21278953X2	139
			PE	FCM	500 µl	<a href="#">21278954</a>	79
					2 ml	21278954X2	159
APC	FCM	500 µl	<a href="#">21278956</a>	69			
		2 ml	21278956X2	139			
<b>CD97</b>	MEM-180	IgG1	purified	FCM, IP	100 µg	<a href="#">21270971</a>	99
					300 µg	21270971X2	219
			FITC	FCM	500 µl	<a href="#">21270973</a>	99
					2 ml	21270973X2	199
<b>CD98</b>	MEM-108	IgG1	purified	func.application	100 µg	<a href="#">21270980</a>	99
					300 µg	21270980X2	219
			purified	FCM, IP	100 µg	<a href="#">21270981</a>	99
					300 µg	21270981X2	219
FITC	FCM	500 µl	<a href="#">21270983</a>	99			
		2 ml	21270983X2	199			
<b>CD99</b>	HI156	IgG2a	purified	FCM, IHC (f/p)	100 µg	<a href="#">21810991</a>	79
					300 µg	21810991X2	159
<b>CD99R</b>	MEM-131	IgM	purified	FCM, IP, WB	100 µg	<a href="#">21270991</a>	99
					300 µg	21270991X2	219
			FITC	FCM	500 µl	<a href="#">21270993</a>	99
					2 ml	21270993X2	199
<b>CD101</b>	BB27	IgG1	purified	FCM, IHC (f), IP, WB	100 µg	<a href="#">21271011</a>	129

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€		
CD105	MEM-226	IgG2a	FITC	FCM	500 µl	<a href="#">21271053</a>	99		
					2 ml	21271053X2	199		
			PE	FCM	500 µl	<a href="#">21271054</a>	99		
					2 ml	21271054X2	199		
			APC	FCM	500 µl	<a href="#">21271056</a>	99		
					2 ml	21271056X2	199		
CD105	MEM-229	IgG2a	purified	FCM, WB	100 µg	<a href="#">26271051</a>	99		
					300 µg	26271051X2	219		
CD106	STA	IgG1kappa	purified	FCM, IF, IHC, IP, ELISA	100 µg	<a href="#">21121061</a>	109		
					300 µg	21121061X2	229		
CD107a	H4A3	IgG1	purified	func.application	100 µg	<a href="#">21271070</a>	129		
			purified	FCM, ICC, IHC (p), WB	100 µg	<a href="#">21271071</a>	129		
CD108	MEM-150	IgM	purified	FCM, IP, WB	100 µg	<a href="#">21271081</a>	99		
					300 µg	21271081X2	219		
					FITC	FCM	500 µl	<a href="#">21271083</a>	89
				2 ml	21271083X2	179			
CD116	4H1	IgG1kappa	purified	FCM, IP, WB, IF, IHC	100 µg	<a href="#">21121161</a>	99		
					300 µg	21121161X2	219		
CD117	104D2	IgG1kappa	purified	FCM, IP, IHC (f), ICC	100 µg	<a href="#">21271171</a>	99		
					300 µg	21271171X2	199		
					PE	FCM	500 µl	<a href="#">21271174</a>	99
							2 ml	21271174X2	219
CD127	A019D5	IgG1kappa	purified	FCM	100 µg	<a href="#">21811271</a>	99		
					300 µg	21811271X2	199		
					FITC	FCM	500 µl	<a href="#">21811273</a>	89
							2 ml	21811273X2	179
CDw131	1C1	IgG1k	purified	FCM, IP, WB	100 µg	<a href="#">21121311</a>	99		
					300 µg	21121311X2	219		
CD137	4B4-1	IgG1	no azide	func.application	100 µg	<a href="#">21271370</a>	119		
			purified	ELISA, IP, FCM	100 µg	<a href="#">21271371</a>	119		
CD138	B-A38	IgG1	FITC	FCM	500 µl	<a href="#">21271383</a>	99		
					2 ml	21271383X2	199		
CD138	1D4	IgG1	purified	FCM, IF	100 µg	<a href="#">21331381</a>	99		
					300 µg	21331381X2	199		
CD139	BU30	IgG1	purified	FCM, IF, IHC (f), IP	100 µg	<a href="#">21481391</a>	99		
					300 µg	21481391X2	199		
					FITC	FCM	500 µl	<a href="#">21481393</a>	79
				2 ml	21481393X2	159			

FC= functional application FCM= Flow Cytometry ICC= Immunocytochemistry IF=Immunofluorescence  
IHC= Immunohistochemistry (f=frozen, p=paraffin) IP= Immunoprecipitation WB= Western Blotting

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD147	MEM-M6/1	IgG1	purified	FCM, IP, WB	100 µg	<a href="#">21271471</a>	99
					300 µg	21271471X2	219
			FITC	FCM	500 µl	<a href="#">21271473</a>	99
					2 ml	21271473X2	199
			PE	FCM	500 µl	<a href="#">21271474</a>	99
					2 ml	21271474X2	219
			APC	FCM	500 µl	<a href="#">21271476</a>	99
		2 ml	21271476X2	199			
CD147 Emmprin	/IT10C5	IgG	purified	WB, ELISA	100 µl	<a href="#">21451471</a>	69
					300 µg	21451471X2	139
CD147	HIM6	IgG1	purified	FCM, IHC(f)	100 µg	<a href="#">21811471</a>	79
					300 µg	21811471X2	159
			FITC	FCM	500 µl	<a href="#">21811473</a>	79
					2 ml	21811473X2	159
			APC	FCM	500 µl	<a href="#">21811476</a>	79
		2 ml	21811473X2	159			
CD162	TC2	IgG1	purified	func.application	100 µg	<a href="#">21271620</a>	79
					300 µg	21271620X2	159
			purified	FCM	100 µg	<a href="#">21271621</a>	79
					300 µg	21271621X2	159
CD163	GHI/61	IgG1	purified	FCM, IHC (f), IP, WB	100 µg	<a href="#">21271631</a>	129
			PE	FCM	500 µl	<a href="#">21271634</a>	159
CD177	MEM-166	IgG1	purified	FCM, IP, WB	100 µg	<a href="#">21271771</a>	99
					300 µg	21271771X2	199
			FITC	FCM	500 µl	<a href="#">21271773</a>	99
					2 ml	21271773X2	199
			PE	FCM	500 µl	<a href="#">21271774</a>	89
					2 ml	21271774X2	179
CD222	MEM-238	IgG1	purified	FCM, WB	100 µg	<a href="#">21272221</a>	99
					300 µg	21272221X2	219
			PE	FCM	500 µl	<a href="#">21272224</a>	99
					2 ml	21272224X2	219
CD235a	AME-1	IgG1	purified	FCM	100 µg	<a href="#">21332351</a>	99
			FITC	FCM	500 µl	<a href="#">21332353</a>	99
CD235a	HI264	IgG2a	purified	FCM	100 µg	<a href="#">21812351</a>	79
					300 µg	21812351X2	159
			FITC	FCM	500 µl	<a href="#">21812353</a>	79
					2 ml	21812353X2	129
			PE	FCM	500 µl	<a href="#">21812354</a>	69
					2 ml	21812354X2	139
		APC	FCM	500µl	<a href="#">21812356</a>	69	
				2 ml	21812356X2	139	

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>CD235ab</b>	HIR2	IgG2b			100 µg	<a href="#">21272351</a>	79
			purified	FCM, WB	300 µg	21272351X2	159
			FITC	FCM	500 µl	<a href="#">21272353</a>	69
					2 ml	21272353X2	139
			PE	FCM	500 µl	<a href="#">21272354</a>	99
					2 ml	21272354X2	199
<b>CD279</b>	EH12.2H7	IgG1	purified	FCM, IHC (f)	100 µg	<a href="#">21272791</a>	129
			PE	FCM	500 µl	<a href="#">21272794</a>	129
<b>CD314</b>	1D11	IgG1	APC	FCM	500 µl	<a href="#">21273146</a>	99
					2 ml	21273146X2	219
<b>CD319</b>	162.1	IgG2bkappa	purified	FCM	100 µg	<a href="#">21813191</a>	99
					300 µg	21813191X2	199

## Antibodies against human antigens:

Albumin, ANCA, BDNF, beta III-Tubulin, Calprotectin (MRP814), Cox-1, Emmprin/CD147, Eotaxin/CCL11, Eotaxin-3/CCL26, Factor H, FGF-b/ FGF-2, Follicular Dendritic Cells, FoxP3, GM-CSF, Granzyme K, HLA-ABC, HLA-Class I, panHLA-Class II, sHLA-G, HLA-DR, HLA-DR+DP, IFN alpha, IFNgamma, IGF-1, IgE, IgG, IgM, IL-1RA/IL1F3, IL-2, IL-4, IL-6, IL-7, IL-8/CXCL8, IL-10, IL-12p40, IL-15, IL-18, IL-25/IL-17E, Kappa chain, KRT18/Cytokeratin18, Lactoferrin, Lambda chain, MCP-1/CCL2, MCP-2/CCL8, MCP-3/CCL7, MCP-4/ CCL13, MDC/CCL22, MIP-1a/CCL-3, MIP-3a/CCL20, MIP-3b/CCL19, MPO, NGF-beta, NT4, NTAL, p53, hu-PrP, Rantes/CCL5, anti-Syk, TCRab, TECK/CCL25, TGF-beta1, TNF-alpha, TNFR/CD120a, TSLP, TSLPR, tTG, VEGF-A, VEGF-C, VEGFR-1/Flt-1, VEGFR-2/KDR, VEGFR-3/Flt-4

## Isotype Controls:

mouse IgG1 Control, mouse IgG2a Control, mouse IgG2b Control, mouse IgG3 Control, mouse IgM Control, rat IgG2b Control

## IT-Box-systems:

several IT-Boxes with fluorescence conjugated antibodies each vial containing 100µl

## Functional antibodies

## Secondary antibodies

## Apoptose

## Streptavidine

## Antibodies against mouse CDantigens and antigens

C3/C3b/iC3b, CD3, CD3e, CD3z(CD247), CD4, CD5, CD8, CD8a, CD9, CD11a, CD11b, CD18, CD19, CD25, CD28, CD29, CD34, CD35/21, CD40L, CD44, CD45, CD45R, CD45RB, CD45RC, CD48, CD49d, CD49f, CD54 (ICAM) CD55(DAF), CD59, CD62L, CD70, CD80 (B7-1), CD81(TAPA-1), CD86, CD90(THY1.1), CD117, CD134, CD134L, CD154, CD161 (NK-cells) dCD247(CD3z), CD252, mCR1/2, Erythoid Cell, FoxP3, GM-CSF, Gr-1, IFNgamma, IL-2, IL-2R, IL-6, IL-12p40, MHCII A-E, NK-cells, TCR α/β, TCR γ/δ, VEGF-C

FC= functional application FCM= Flow Cytometry ICC= Immunocytochemistry IF=Immunofluorescence IHC= Immunohistochemistry (f=frozen, p=paraffin) IP= Immunoprecipitation WB= Western Blotting

# Antibodies against human CD-antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
-------------	-------	---------	--------	-------------	-----	--------	---

## [Antibodies against rat CDantigens and antigens](#)

CD2, CD4, CD5, CD8a, CD8b, CD11a, CD11b/c, CD25, CD43, CD44, CD45, CD45RA/B, CD45RC, CD48, CD54, CD62L, CD71, CD81, CD90(THY1.1), CD152, CD161(NK-cells), CD172a, CD200, Dendritic Cells, Endothelium, Ig kappa chain, T-cells, TCR  $\alpha/\beta$  , TCR  $\gamma/\delta$ , VEGF-C

## [Antibodies against bovine / porcine CDantigens](#)

porcine: CD20, CD21, CD29, CD47, CD58, CD105, Calprotectin (MRP8/14)

bovine: PrP, recombinant PrP, CD20, CD21, CD46, CD54

## [Antibodies against equine antigens](#)

IL-3, IL-17

## [Special offers](#)