

## Antibodies against rat antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>CD2</b>	MRC OX-34	Mouse IgG2a	PE	FCM	500 µl 2 ml	<a href="#">23150024</a> 23150024X2	99 199
				purified	FCM, IHC, IP	100 µg 300 µg	<a href="#">23150041</a> 23150041X2
<b>CD4</b>	W3/25	Mouse IgG1	FITC	FCM	500 µl 2 ml	<a href="#">23150043</a> 23150043X2	99 199
			PE	FCM	500 µl 2 ml	<a href="#">23150044</a> 23150044X2	99 199
<b>CD5</b>	MRC OX-19	Mouse IgG1	FITC	FCM	500 µl 2 ml	<a href="#">23150053</a> 23150053X2	99 199
				purified	FCM, IHC	100 µg 300 µg	<a href="#">23150081</a> 23150081X2
<b>CD8a</b>	MRC OX-8	Mouse IgG1	FITC	FCM	500 µl 2 ml	<a href="#">23150083</a> 23150083X2	99 199
			PE	FCM	500 µl 2 ml	<a href="#">23150084</a> 23150084X2	99 199
				purified	FCM, WB, IP	100 µg 300 µg	<a href="#">23159081</a> 23159081X2
<b>CD8b</b>	3,4,1	Mouse IgG1	FITC	FCM	500 µl 2 ml	<a href="#">23159083</a> 23159083X2	99 199
			PE	FCM	500 µl 2 ml	<a href="#">23159084</a> 23159084X2	99 199
<b>CD11a</b>	WT.1	Mouse IgG2a	FITC	FCM	500 µl 2 ml	<a href="#">23150113</a> 23150113X2	99 199
				purified	FCM, IHC, IP	100 µg 300 µg	<a href="#">23159111</a> 23159111X2
<b>CD11b/c</b>	MRC OX-42	Mouse IgG2a	FITC	FCM	500 µl 2 ml	<a href="#">23159113</a> 23159113X2	99 199
			PE	FCM	500 µl 2 ml	<a href="#">23159114</a> 23159114X2	99 199
<b>CD25</b>	MRC OX-39	Mouse IgG1	FITC	FCM	500 µl 2 ml	<a href="#">23150253</a> 23150253X2	99 199
<b>CD43</b>	W3/13	Mouse IgG1	FITC	FCM	500 µl 2 ml	<a href="#">23150433</a> 23150433X2	99 199
<b>CD44</b>	MRC OX-49	Mouse IgG1	FITC	FCM	500 µl 2 ml	<a href="#">23150443</a> 23150443X2	99 199
<b>CD45</b>	MRC OX-30	Mouse IgG2a	FITC	FCM	500 µl 2 ml	<a href="#">23150453</a> 23150453X2	99 199

## Antibodies against rat antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€	
<b>CD45 RA/B</b>	MRC OX-33	Mouse IgG1		purified	FCM, IHC(p)	100 µg	<a href="#">23158451</a>	99
						300 µg	23158451X2	199
			FITC	FCM	500 µl	<a href="#">23158453</a>	99	
					2 ml	23158453X2	199	
				PE	FCM	500 µl	<a href="#">23158454</a>	99
						2 ml	23158454X2	199
<b>CD45RC</b>	MRC OX-22	Mouse IgG1	PE	FCM	500 µl	<a href="#">23157454</a>	99	
					2 ml	23157454X2	199	
<b>CD48</b>	MRC OX-45	Mouse IgG1		purified	FCM	100 µg	<a href="#">23150481</a>	99
						300 µg	23150481X2	199
			FITC	FCM	500 µl	<a href="#">23150483</a>	99	
					2 ml	23150483X2	199	
				PE	FCM	500 µl	<a href="#">23150484</a>	99
						2 ml	23150484X2	199
<b>CD54</b>	MEM-111	Mouse IgG2a	purified	FCM, IP, WB	100 µg	<a href="#">21270541</a>	99	
					300 µg	21270541X2	219	
<b>CD62L</b>	MRC OX-85	Mouse IgG1	PE	FCM	500 µl	<a href="#">23159624</a>	99	
					2 ml	23159624X2	199	
<b>CD71</b>	MRC OX-26	Mouse IgG2a	FITC	FCM	500 µl	<a href="#">23150713</a>	99	
					2 ml	23150713X2	199	
<b>CD81</b>	Eat2	Hamster IgG		purified	func.application	100 µg	<a href="#">22150810</a>	99
						300 µg	22150810X2	199
				purified	FCM	100 µg	<a href="#">22150811</a>	99
						300 µg	22150811X2	199
			FITC	FCM	500 µl	<a href="#">22150813</a>	99	
						2 ml	22150813X2	199
		PE	FCM	500 µl	<a href="#">22150814</a>	99		
					2 ml	22150814X2	199	
<b>CD90 (Thy 1.1)</b>	MRC OX-7	Mouse IgG1		purified	FCM, IHC(f)	100 µg	<a href="#">22150901</a>	99
						300 µg	22150901X2	199
			FITC	FCM	500 µl	<a href="#">22150903</a>	99	
					2 ml	22150903X2	199	
				PE	FCM	500 µl	<a href="#">22150904</a>	99
					2 ml	22150904X2	199	
<b>CD152</b>	WKH 203	Mouse IgG1		purified	FCM, IHC	100 µg	<a href="#">23151521</a>	99
						300 µg	23151521X2	199
			FITC	FCM	500 µl	<a href="#">23151523</a>	99	
					2 ml	23151523X2	199	

## Antibodies against rat antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>CD161 (NK-cells)</b>	10 – 78	Mouse IgG1	purified	func.application	100 µg	<a href="#">23151610</a>	89
					300 µg	23151610X2	179
			purified	FCM	100 µg	<a href="#">23151611</a>	89
					300 µg	23151611X2	179
			FITC	FCM	500 µl	<a href="#">23151613</a>	79
					2 ml	23151613X2	159
			PE	FCM	500 µl	<a href="#">23151614</a>	79
					2 ml	23151614X2	159
<b>CD172a</b>	MRC OX-41	Mouse IgG2a	FITC	FCM	500 µl	<a href="#">23151723</a>	99
					2 ml	23151723X2	199
<b>CD200</b>	MRC OX-2	Mouse IgG1	FITC	FCM	500 µl	<a href="#">23152003</a>	99
					2 ml	23152003X2	199
<b>Dendritic Cells</b>	MRC OX-62	Mouse IgG1	FITC	FCM	500 µl	<a href="#">23156013</a>	99
					2 ml	2315601X2	199
<b>dsDNA</b>	HpS22	Mouse IgG1	purified	FCM	100 µg	<a href="#">21227771</a>	99
					300 µg	21227771X2	199
			HRP	FCM	100 µg	<a href="#">21227778</a>	99
<b>Endothelium</b>	MRC OX-43	Mouse IgG1	PE	FCM	500 µl	<a href="#">23156044</a>	99
					2 ml	23156044X2	199
<b>Igkappa chain</b>	MRC OX-12	Mouse IgG2a	FITC	FCM	500 µl	<a href="#">23156003</a>	99
					2 ml	23156003X2	199
<b>NK-cells (CD161)</b>	10 – 78	Mouse IgG1	purified	func.application	100 µg	<a href="#">23151610</a>	89
					300 µg	23151610X2	179
			purified	FCM	100 µg	<a href="#">23151611</a>	89
					300 µg	23151611X2	179
			FITC	FCM	500 µl	<a href="#">23151613</a>	79
					2 ml	23151613X2	159
			PE	FCM	500 µl	<a href="#">23151614</a>	79
					2 ml	23151614X2	159
<b>T-Cells</b>	MRC OX-52	Mouse IgG2a	FITC	FCM	500 µl	<a href="#">23156023</a>	99
					2 ml	23156023X2	199
<b>α/β TCR</b>	R73	Mouse IgG1	FITC	FCM	500 µl	<a href="#">23155213</a>	99
					2 ml	23155213X2	199
<b>γ/δ TCR</b>	V65	Mouse IgG1	FITC	FCM	500 µl	<a href="#">23155223</a>	99
					2 ml	23155223X2	199
<b>VEGF-C</b>	#9/G10	IgG2a	purified	ELISA, WB	0.025 mg	<a href="#">2170461P</a>	59
<b>VEGF-C</b>	#107	IgG2a	purified	ELISA, WB	0.025 mg	<a href="#">2170462P</a>	59

# Antibodies against rat antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
<b>VEGF-C</b>	#9E7	IgG2a	purified	IF, IHC	0.025 mg	<a href="#">2170463P</a>	59
<b>VEGF-C</b>	#107/F10	IgG2a	purified	ELISA, WB	0.025 mg	<a href="#">2170464P</a>	59

## [Antibodies against human CDantigens:](#)

CD1a, CD2, C3/C3b/iC3b, CD3, CD4, CD5, CD6, CD7, CD8, CD9, CD10, CD11a, CD11b, CD11c, CD13, CD14, CD15, CD16, CD16b, CD17, CD18, CD19, CD20, CD21, CD22, CD23, CD24, CD25, CD26, CD27, CD28, CD29, CD30, CD31, CD32, CD33, CD34, CD35, CD36, CD37, CD38, CD40, CD41, CD41a, CD42b, CD43, CD44, CD45, CD45RA, CD45RB, CD45RO, CD46, CD47, CD48, CD49d, CD49e, CD49f, CD50, CD51, CD52, CD53, CD54, CD55, CD56, CD57, CD58, CD59, CD61, CD62E, CD62L, CD62P, CD63, CD66ade (CEACAM1/3/5), CD66adecb (CEACAM1/3/5/6/8), CD66b (CEACAM8), CD66c (CEACAM6), CD66de (CEACAM3/5), CD66e (CEACAM5), CD66eb (CEACAM5/8), CD66ecb (CEACAM5/6/8), CD69, CD70, CD71, CD72, CD73, CD74, CD79a, CD80, CD81, CD86, CD90, CD95, CD97, CD98, CD99, CD99R, CD101, CD103, CD105, CD106, CD108, CD116, CD117, CD122, CD127, CDw131, CD138, CD139, CD147/Emmprin, CD162, CD163, CD177, CD195, CD222, CD235a, CD235ab, CD279, CD314, CD319

## [Antibodies against human antigens:](#)

Albumin, ANCA, BDNF, beta III-Tubulin, Calprotectin (MRP814), Cox-1, dsDNA, Emmprin/CD147, Eotaxin/CCL11, Eotaxin-3/CCL26, Factor H, FGF-b/ FGF-2, Follicular Dendritic Cells, FoxP3, GM-CSF, Granzyme K, HLA-ABC, HLA-Class I, panHLA-Class II, sHLA-G, HLA-DR, HLA-DR+DP, IFN alpha, IFNgamma, IGF-1, IgE, IgG, IgM, IL-1RA/IL1F3, IL-2, IL-4, IL-6, IL-7, IL-8/CXCL8, IL-10, IL-12p40, IL-15, IL-18, IL-25/IL-17E, Kappa chain, KRT18/Cytokeratin18, Lactoferrin, Lambda chain, MCP-1/CCL2, MCP-2/CCL8, MCP-3/CCL7, MCP-4/ CCL13, MDC/CCL22, MIP-1a/CCL-3, MIP-3a/CCL20, MIP-3b/CCL19, MPO, NGF-beta, NT4, NTAL, p53, hu-PrP, Rantes/CCL5, anti-Syk, TCRab, TECK/CCL25, TGF-beta1, TNF-alpha, TNFR/CD120a, TSLP, TSLPR, tTG, VEGF-A, VEGF-C, VEGFR-1/Flt-1, VEGFR-2/KDR, VEGFR-3/Flt-4

## [Isotype Controls:](#)

mouse IgG1 Control, mouse IgG2a Control, mouse IgG2b Control, mouse IgG3 Control, mouse IgM Control, rat IgG2b Control

## [IT-Box-systems:](#)

several IT-Boxes with fluorescence conjugated antibodies each vial containing 100µl

## [Functional antibodies](#)

## [Secondary antibodies](#)

## [Apoptose](#)

## [Streptavidine](#)

# Antibodies against rat antigens

for the prices of the small sizes please contact [info@immunotools.de](mailto:info@immunotools.de)

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
-------------	-------	---------	--------	-------------	-----	--------	---

## [Antibodies against mouse CDantigens and antigens](#)

C3/C3b/iC3b, CD3, CD3e, CD3z(CD247), CD4, CD5, CD8, CD8a, CD9, CD11a, CD11b, CD18, CD19, CD25, CD28, CD29, CD34, CD35/21, CD40L, CD44, CD45, CD45R, CD45RB, CD45RC, CD48, CD49d, CD49f, CD54 (ICAM) CD55(DAF), CD59, CD62L, CD70, CD80 (B7-1), CD81(TAPA-1), CD86, CD90(THY1.1), CD117, CD134, CD134L, CD154, CD161 (NK-cells) dCD247(CD3z), CD252, mCR1/2, dsDNA, Erythroid Cell, FoxP3, GM-CSF, Gr-1, IFNgamma, IL-2, IL-2R, IL-6, IL-12p40, MHCII A-E, NK-cells, TCR  $\alpha/\beta$ , TCR  $\gamma/\delta$ , VEGF-C

## [Antibodies against bovine / porcine CDantigens](#)

porcine: CD20, CD21, CD29, CD47, CD58, CD105, Calprotectin (MRP8/14)  
bovine: PrP, recombinant PrP, CD20, CD21, CD46, CD54

## [Antibodies against equine antigens](#)

IL-3, IL-17

## [Special offers](#)