

Antibodies against murine CD antigens and antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
Antibodies against murine CD-antigens							
C3/C3b/iC3b	6C9	IgG1	purified	FCM	100 µg	21158031	119
			FITC	FCM	500 µl	21158033	99
C3/C3b/iC3b	10C7	IgG1	FITC	FCM	500 µl	21157033	99
CD3	DaA3	Hamster IgG1k	purified	FCM, WB, IHC, IP, Stimulation	100 µg	22220031	79
					300 µg	22220031X2	159
			FITC	FCM	500 µl	22220033	69
					2 ml	22220033X2	139
CD3ε	145-2C11	Hamster IgG	purified	func. application	100 µg	22150030	79
					300 µg	22150030X2	159
			purified	FCM, IP, WB	100 µg	22150031	79
			FITC	FCM	300 µg	22150031X2	159
					500 µl	22150033	69
					2 ml	22150033X2	139
			PE	FCM	500 µl	22150034	69
					2 ml	22150034X2	139
		APC	FCM	500 µl	22150036	69	
				2 ml	22150036X2	139	
CD3z (CD247)	H146-968	Hamster IgG	purified	FCM	100 µg	22159031	99
					300 µg	22159031X2	199
			FITC	FCM	500 µl	22159033	99
					2 ml	22159033X2	199
			PE	FCM	500 µl	22159034	99
				2 ml	22159034X2	199	
CD4	YTS 191.1.2	Rat IgG2b	purified	func. application	100 µg	22150040	89
					300 µg	22150040X2	179
			purified	FCM, WB, Depletion	100 µg	22150041	89
			FITC	FCM,	300 µg	22150041X2	179
					500 µl	22150043	69
					2 ml	22150043X2	139
			PE	FCM	500 µl	22150044	79
					2 ml	22150044X2	159
		APC	FCM	500 µl	22150046	79	
				2 ml	22150046X2	159	
CD4	PJP6	Rat IgG2bk	PE	FCM	500 µl	22220044	69
					2 ml	22220044X2	139
			APC	FCM	500 µl	22220046	79
				2 ml	22220046X2	159	

Antibodies against murine CD antigens and antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD4	GK1.5	Rat IgG2b	purified	func. application	100 µg	22850040	79
					300 µg	22850040X2	159
			purified	FCM	100 µg	22850041	79
					300 µg	22850041X2	159
			FITC	FCM	500 µl	22850043	69
					2 ml	22850043X2	139
			PE	FCM	500 µl	22850044	69
					2 ml	22850044X2	139
			APC	FCM	500 µl	22850046	69
					2 ml	22850046X2	139
CD5	CG16	Mouse IgG2b	purified	FCM	100 µg	22150051	99
					300 µg	22150051X2	199
CD8	Ssa1	Rat IgG2ak	purified	FCM	100 µg	22220081	79
					300 µg	22220081X2	159
			FITC	FCM	500 µl	22220083	69
					2 ml	22220083X2	139
CD8a	YTS 169,4	Rat IgG2b	purified	FCM, IHC (f/p)	100 µg	22150081	89
					300 µg	22150081X2	179
			FITC	FCM	500 µl	22150083	69
					2 ml	22150083X2	139
			PE	FCM	500 µl	22150084	79
					2 ml	22150084X2	159
APC	FCM	500 µl	22150086	69			
		2 ml	22150086X2	139			
CD9	EM-04	Rat IgG1	purified	FCM, IP, ICC, WB	100 µg	22270091	99
					300 µg	22270091X2	199
			FITC	FCM	500 µl	22270093	69
					2 ml	22270093X2	139
CD11a	M17/4	Rat IgG2a	purified	func. application	100 µg	22850110	79
					300 µg	22850110X2	159
			purified	FCM	100 µg	22850111	79
					300 µg	22850111X2	159
			FITC	FCM	500 µl	22850113	69
					2 ml	22850113X2	139
			PE	FCM	500 µl	22850114	69
					2 ml	22850114X2	139
APC	FCM	500 µl	22850116	69			
		2 ml	22850116X2	139			

Antibodies against murine CD antigens and antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD11b	M1/70.15	Rat IgG2b	purified	func. application	100 µg	22159110	79
					300 µg	22159110X2	159
			purified	FCM, IHC, WB, IP,IF	100 µg	22159111	79
					300 µg	22159111X2	159
			FITC	FCM	500 µl	22159113	69
					2 ml	22159113X2	139
			PE	FCM	500 µl	22159114	69
					2 ml	22159114X2	139
			APC	FCM	500 µl	22159116	69
					2 ml	22159116X2	139
CD18	M18/2	Rat IgG2a	purified	func. application	100 µg	22850180	79
					300 µg	22850180X2	159
			purified	FCM	100 µg	22850181	79
					300 µg	22850181X2	159
			FITC	FCM	500 µl	22850183	69
					2 ml	22850183X2	139
			PE	FCM	500 µl	22850184	69
					2 ml	22850184X2	139
CD19	PeCa1	Rat IgG2a	FITC	FCM	500 µl	22220193	69
					2 ml	22220193X2	139
			PE	FCM	500 µl	22220194	69
					2 ml	22220194X2	139
			APC	FCM	500 µl	22220196	69
					2 ml	22220196X2	139
CD19	1D3	Rat IgG2a	purified	func. application	100 µg	22270190	79
					300 µg	22270190X2	159
			purified	FCM, IHC (frozen)	100 µg	22270191	79
					300 µg	22270191X2	159
			FITC	FCM	500 µl	22270193	69
					2 ml	22270193X2	139
			PE	FCM	500 µl	22270194	69
					2 ml	22270194X2	139
			APC	FCM	500 µl	22270196	69
					2 ml	22270196X2	139
CD25 (IL-2R)	PC61.5.3	Rat IgG1	purified	func. application	100 µg	22150250	79
					300 µg	22150250X2	159
			purified	FCM	100 µg	22150251	79
					300 µg	22150251X2	159
			FITC	FCM	500 µl	22150253	69
					2 ml	22150253X2	139
			PE	FCM	500 µl	22150254	69
					2 ml	22150254X2	139
			APC	FCM	500 µl	22150256	69
					2 ml	22150256X2	139

Antibodies against murine CD antigens and antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD25 (IL-2R)	JAA	Rat IgM	purified	FCM	100 µg	22220251	69
					300 µg	22220251X2	139
			FITC	FCM	500 µl	22220253	69
					2 ml	22220253X2	139
CD28	37.51	Hamster IgG	purified	func. application	100 µg	22270280	119
					300 µg	22270280X2	229
			purified	FCM, IHC(f), ICC,	100 µg	22270281	119
					300 µg	22270281X2	229
CD29	MEM-101A	IgG1	purified	FCM,IHC,WB, IF	100 µg	21270291	99
					300 µg	21270291X2	219
			FITC	FCM	500 µl	21270293	79
					2 ml	21270293X2	159
			PE	FCM	500 µl	21270294	99
					2 ml	21270294X2	199
CD34	MEC14.7	IgG2a	purified	FCM,IHC, WB, IF	100 µg	22150341	99
					300 µg	22150341X2	199
			PE	FCM	500 µl	22150344	99
					2 ml	22150344X2	199
CD35/21	Z3C	Rat IgG2b	purified	WB, ELISA	100 µg	22220351	79
					300 µg	22220351X2	159
CD40L (CD154)	MR-1	Rat IgG2b	purified	func. application	100 µg	22859400	79
					300 µg	22859400X2	159
			purified	FCM	100 µg	22859401	79
					300 µg	22859401X2	159
		FITC	FCM	500 µl	22859403	69	
				2ml	22859403X2	139	
CD44	KM81	Rat IgG2a	purified	FCM	100 µg	22150441	89
					300 µg	22150441X2	179
			FITC	FCM	500 µl	22150443	69
					2 ml	22150443X2	139
			PE	FCM	500 µl	22150444	69
					2 ml	22150444X2	139
		APC	FCM	500 µl	22150446	79	
				2 ml	22150446X2	159	

Antibodies against murine CD antigens and antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€				
CD44	IM7	Rat IgG2b	FITC	FCM	100 µg	21850440	79				
					300 µg	21850440X2	159				
					100 µg	21850441	79				
					300 µg	21850441X2	159				
					500 µl	21850443	69				
					2 ml	21850443X2	139				
			PE	FCM	500 µl	21850444	69				
					2 ml	21850444X2	139				
					APC	FCM	500 µl	21850446	69		
							2 ml	21850446X2	139		
							purified	func.application	100 µg	22150450	99
									300 µg	22150450X2	199
purified	FCM, IHC, IP, IF	100 µg	22150451	99							
		300 µg	22150451X2	199							
		FITC	FCM	500 µl	22150453	79					
				2 ml	22150453X2	159					
				PE	FCM	500 µl	22150454	79			
						2 ml	22150454X2	159			
APC	FCM					500 µl	22150456	79			
						2 ml	22150456X2	159			
		CD45	IBL-5/25			Rat IgG1	FITC	FCM	100 µg	22270451	99
									300 µg	22270451X2	199
				FITC	FCM				500 µl	22270453	69
									2 ml	22270453X2	139
purified	FCM, IP, WB, IHC								100 µg	22159451	99
									300 µg	22159451X2	199
		FITC	FCM			500 µl	22159453	79			
						2 ml	22159453X2	159			
				PE	FCM	500 µl	22159454	99			
						2 ml	22159454X2	199			
CD45R	RA3-6B2					Rat IgG2a	FITC	FCM	100 µg	22158453	99
									300 µg	22158453X2	199
		FITC	FCM, IHC, IP, IF						500 µl	22158453	99
									2 ml	22158453X2	199
				PE	FCM				500 µl	22157451	99
									2 ml	22157451X2	199
CD 45RB	16A					Rat IgG2a	FITC	FCM, IHC, IP, IF	500 µl	22157453	99
									2 ml	22157453X2	199
		purified	FCM, IHC, IP, IF						100 µg	22157451	99
									300 µg	22157451X2	199
				FITC	FCM				500 µl	22157453	99
									2 ml	22157453X2	199
PE	FCM					500 µl	22157454	99			
						2 ml	22157454X2	199			
		CD45RC	IBL-8			Rat IgG1	FITC	FCM	100 µg	22157451	99
									300 µg	22157451X2	199
				FITC	FCM				500 µl	22157453	99
									2 ml	22157453X2	199
PE	FCM								500 µl	22157454	99
									2 ml	22157454X2	199

Antibodies against murine CD antigens and antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€				
CD48	HM48-1	Hamster IgG	FITC	func.application	100 µg	22850480	79				
					300 µg	22850480X2	159				
				purified	FCM	100 µg	22850481	79			
						300 µg	22850481X2	159			
				2 ml	FCM	500 µl	22850483	69			
						2 ml	22850483X2	139			
			PE	FCM	500 µl	22850484	69				
					2 ml	22850484X2	139				
			APC	FCM	500 µl	22850486	69				
					2 ml	22850486X2	139				
			CD49d	R1-2	Rat IgG2b	FITC	purified	100 µg	22157491	99	
								300 µg	22159491X2	199	
2 ml	FCM	500 µl					22157493	99			
		2 ml					22157493X2	199			
PE	FCM	500 µl					22157494	99			
		2 ml					22157494X2	199			
APC	FCM	500 µl				22157496	99				
		2 ml				22157496X2	199				
CD49d	PS/2	Rat IgG2b				FITC	purified	100 µg	21858490	79	
								300 µg	21858490X2	159	
							purified	FCM	100 µg	21858491	79
									300 µg	21858491X2	159
			2 ml	FCM	500 µl		21858493	69			
					2 ml		21858493X2	139			
			PE	FCM	500 µl	21858494	69				
					2 ml	21858494X2	139				
			APC	FCM	500 µl	21858496	69				
					2 ml	21858496X2	139				
			CD49f	NKI-GoH3	Rat IgG2a	purified	FCM	100 µg	21335491	99	
			CD54 (ICAM)	YNI.7.4	Rat IgG2b	purified	func. application	100 µg	22270540	89	
purified	FCM,IHC(f),WB,IP,ICC	100 µg						22270541	89		
FITC	FCM	500 µl						22270543	69		
2 ml	FCM	2 ml				22270543X2	139				
		500 µl				22270544	69				
PE	FCM	2 ml				22270544X2	139				
		500 µl				22270546	69				
APC	FCM	2 ml				22270546X2	139				
		CD55 (DAF)				RIKO-3	Hamster IgG	PE	FCM	500 µl	22150554
					2 ml	22150554X2	199				
CD59	MEM-43/5	IgG2b	purified	FCM,IP, WB	100 µg	21279591	99				
					300 µg	21279591X2	219				

Antibodies against murine CD antigens and antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
CD62L	MEL-14	Rat IgG2a	purified	func.application	100 µg	22159620	99
					300 µg	22159620X2	199
			purified	FCM, IHC, IP, IF	100 µg	22159621	99
					300 µg	22159621X2	199
			FITC	FCM	500 µl	22159623	79
					2 ml	22159623X2	159
			PE	FCM	500 µl	22159624	79
					2 ml	22159624X2	159
			APC	FCM	500 µl	22159626	79
					2 ml	22159626X2	159
CD70	FR70	Rat IgG2b	purified	func. application	100 µg	22850700	89
					100 µg	22850701	89
			FITC	FCM	500 µl	22850703	69
					2 ml	22850703X2	139
CD80 (B7-1)	16-10A1	Hamster IgG2	purified	func. application	100 µg	22850800	79
					300 µg	22850800X2	159
			purified	FCM	100 µg	22850801	79
					300 µg	22850801X2	159
			FITC	FCM	500 µl	22850803	69
					2 ml	22850803X2	139
			PE	FCM	500 µl	22850804	69
					2 ml	22850804X2	139
			APC	FCM	500 µl	22850806	69
					2 ml	22850806X2	139
CD81 (TAPA-1)	Eat2	Hamster IgG	purified	func. application	100 µg	22150810	99
					300 µg	22150810X2	199
			purified	FCM	100 µg	22150811	99
					300 µg	22150811X2	199
			FITC	FCM	500 µl	22150813	99
					2 ml	22150813X2	199
			PE	FCM	500 µl	22150814	99
					2 ml	22150814X2	199
CD86	MHD2	Rat IgG2ak	purified	FCM, IHC, IP	100 µg	22220861	79
					300 µg	22220861X2	159
CD86	GL-1	Rat IgG2a	purified	func. application	100 µg	22270860	79
					300 µg	22270860X2	159
			purified	FCM, IHC(f), IP, ICC	100 µg	22270861	79
					300 µg	22270861X2	159
			FITC	FCM	500 µl	22270863	69
					2 ml	22270863X2	139
			APC	FCM	500 µl	22270866	69
					2 ml	22270866X2	139

Antibodies against murine CD antigens and antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€	
CD90 (Thy 1.1)	MRC OX-7	Mouse IgG1			100 µg	22150901	99	
				purified	FCM, IHC (f)	300 µg	22150901X2	199
			FITC	FCM	500 µl	22150903	99	
					2 ml	22150903X2	199	
			PE	FCM	500 µl	22150904	99	
					2 ml	22150904X2	199	
CD117	ACK4	Rat IgG2a			100 µg	22151171	99	
				purified	FCM, IHC (f)	300 µg	22151171X2	199
			FITC	FCM	500 µl	22151173	99	
					2 ml	22151173X2	199	
			PE	FCM	500 µl	22151174	99	
					2 ml	22151174X2	199	
CD134	OX-86	Rat IgG1			100 µg	22151341	99	
				purified	FCM	300 µg	22151341X2	199
			FITC	FCM	500 µl	22151343	99	
					2 ml	22151343X2	199	
			PE	FCM	500 µl	22151344	99	
					2 ml	22151344X2	199	
CD134L (CD252)	RM 134L	Rat IgG2b	purified	func. application	100 µg	22852520	89	
			purified	FCM, IP	100 µg	22852521	89	
CD154 (CD40L)	MR-1	Rat IgG2b			100 µg	22859400	79	
				purified	FCM	300 µg	22859400X2	159
				purified	FCM	100 µg	22859401	79
					300 µg	22859401X2	159	
			FITC	FCM	500 µl	22859403	69	
					2 ml	22859403X2	139	
CD161 (NK-cells)	PK136	Mouse IgG2a			100 µg	22155250	79	
				purified	func. application	300 µg	22155250X2	159
				purified	FCM	100 µg	22155251	79
					300 µg	22155251X2	159	
			FITC	FCM	500 µl	22155253	69	
					2 ml	22155253X2	139	
			PE	FCM	500 µl	22155254	69	
					2 ml	22155254X2	139	
			APC	FCM	500 µl	22155256	69	
		2 ml	22155256X2	139				
CD161 (NK-cells)	R5	Mouse IgG2a	purified	WB, ELISA	100 µg	22225251	79	
					300 µg	22225251X2	159	

Antibodies against murine CD antigens and antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
dCD247 (CD3z)	H146-968	Hamster IgG			100 µg	22159031	99
			purified	FCM	300 µg	22159031X2	199
			FITC	FCM	500 µl	22159033	99
					2 ml	22159033X2	199
			PE	FCM	500 µl	22159034	99
					2 ml	22159034X2	199
CD252 (CD134L)	RM 134L	Rat IgG2b	purified	func. application	100 µg	22852520	89
			purified	FCM, IP	100 µg	22852521	89

Antibodies against murine antigens

B7-1 (CD80)	16-10A1	Hamster IgG2			100 µg	22850800	79
			purified	func. application	300 µg	22850800X2	159
			purified	FCM	100 µg	22850801	79
			FITC	FCM	300 µg	22850801X2	159
					500 µl	22850803	69
					2 ml	22850803X2	139
mCR1/2 (CD35/21)	Z3C	Rat IgG2b			100µg	22220351	79
			purified	WB, ELISA	300 µg	22220351X2	159
					100 µg	21227771	99
			purified	FCM	300 µg	21227771X2	199
			HRP	FCM	100 µg	21227778	99
					100 µg	22155231	99
Erythroid Cell	TER-119	Rat IgG2b		FCM, IP, WB, IF, IHC	300 µg	22155231X2	199
			purified		500 µl	22155233	99
			FITC	FCM	2 ml	22155233X2	199
					500 µl	22155234	99
			PE	FCM	2 ml	22155234X2	199
					500 µl	21276104	119
FoxP3	3G3	Mouse IgG1	PE	FCM	2 ml	21276104X2	199
					500 µl	21276106	119
			APC	FCM	2 ml	21276106X2	199
					100 µg	22853120	79
GM-CSF	MP1-22E9	Rat IgG2a	purified	func.application	300 µg	22853120X2	159
					100 µg	22853121	79
			purified	FCM, ELISA, Neutralizing	300 µg	22853121X2	159

Antibodies against murine CD antigens and antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
Gr-1	RB6-8C5	Rat IgG2b	purified	func.application	100 µg	22155240	99
					300 µg	22155241X2	199
			purified	FCM, WB	100 µg	22155241	79
					300 µg	22155241X2	159
			FITC	FCM	500 µl	22155243	79
					2 ml	22155243X2	159
			PE	FCM	500 µl	22155244	79
					2 ml	22155244X2	159
			APC	FCM	500 µl	22155246	79
					2 ml	22155246X2	159
IFNgamma	R4-6A2	Rat IgG1	purified	func. application	100 µg	22853530	89
			purified	ELISA, Neutralizing	100 µg	22853531	89
IFNgamma	XMG1.2	Rat IgG1	purified	func. application	100 µg	22853630	89
			purified	FCM	100 µg	22853631	89
IL-2	mIL-2	Rat IgG2a	purified	Blocking	100 µg	22170021	99
					300 µg	22170021X2	199
IL-2	67De1	Rat IgG2ak	purified	FCM, WB, Neutr.	100 µg	22229021	79
					300 µg	22229021X2	159
IL-2R (CD25)	PC-61.5.3	Rat IgG1	purified	func. application	100 µg	22150250	79
					300 µg	22150250X2	159
			purified	FCM	100 µg	22150251	79
					300 µg	22150251X2	159
			FITC	FCM	500 µl	22150253	69
					2 ml	22150253X2	139
			PE	FCM	500 µl	22150254	69
					2 ml	22150254X2	139
			APC	FCM	500 µl	22150256	69
					2 ml	22150256X2	139
IL-2R CD25	JAA	Rat IgM	purified	FCM	100 µg	22220251	69
					300 µg	22220251X2	139
			FITC	FCM	500 µl	22220253	69
					2 ml	22220253X2	139
IL-6	IT1G2	Rat IgG	purified	WB, ELISA	100 µg	22450061	69
					300 µg	22450061X2	139
IL-12p40	mIL-12p40	Rat IgG2a	purified	ELISA, WB, IP	100 µg	22170121	99
					300 µg	22170121X2	199
MHCII A-E	AmA77	Rat IgG2bk	purified	FCM, IHC	100 µg	22227761	79
					300 µg	22227761X2	159

Antibodies against murine CD antigens and antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
NK-cells (CD161)	PK136	Mouse IgG2a	purified	func. application	100 µg	22155250	79
					300 µg	22155250X2	159
			purified	FCM	100 µg	22155251	79
					300 µg	22155251X2	159
			FITC	FCM	500 µl	22155253	69
					2 ml	22155253X2	139
			PE	FCM	500 µl	22155254	69
					2 ml	22155254X2	139
			APC	FCM	500 µl	22155256	69
					2 ml	22155256X2	139
NK-cells (CD161)	IR5	Mouse IgG2a	purified	WB, ELISA	100 µg	22225251	79
					300 µg	22225251X2	159
TCR α/β	H57-597	Hamster IgG	purified	FCM, IP, IHC, WB	100 µg	22155211	99
					300 µg	22155211X2	199
			FITC	FCM	500 µl	22155213	79
					2 ml	22155213X2	159
			PE	FCM	500 µl	22155214	79
					2 ml	22155214X2	159
TCR γ/δ	GL-3	Hamster IgG	purified	FCM, IHC(f)	100 µg	22155221	99
					300 µg	22155221X2	199
			FITC	FCM	500 µl	22155223	79
					2 ml	22155223X2	159
			PE	FCM	500 µl	22155224	99
					2 ml	22155224X2	199
VEGF-C	#9/G10	IgG2a	purified	ELISA, WB	0.025 mg	2170461P	59
VEGF-C	#107	IgG2a	purified	ELISA, WB	0.025 mg	2170462P	59
VEGF-C	#9E7	IgG2a	purified	IF, IHC	0.025 mg	2170463P	59
VEGF-C	#107/F10	IgG2a	purified	ELISA, WB	0.025 mg	2170464P	59
VLA-4 (CD49d)	PS/2	Rat IgG2b	purified	func. application	100 µg	21858490	79
					300 µg	21858490X2	159
			purified	FCM	100 µg	21858491	79
					300 µg	21858491X2	159
			FITC	FCM	500 µl	21858493	69
					2 ml	21858493X2	139
			PE	FCM	500 µl	21858494	69
					2 ml	21858494X2	139
			APC	FCM	500 µl	21858496	69
					2 ml	21858496X2	139

Antibodies against murine CD antigens and antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
-------------	-------	---------	--------	-------------	-----	--------	---

Antibodies against human CDantigens:

CD1a, CD2, C3/C3b/iC3b, CD3, CD4, CD5, CD6, CD7, CD8, CD9, CD10, CD11a, CD11b, CD11c, CD13, CD14, CD15, CD16, CD16b, CD17, CD18, CD19, CD20, CD21, CD22, CD23, CD24, CD25, CD26, CD27, CD28, CD29, CD30, CD31, CD32, CD33, CD34, CD35, CD36, CD37, CD38, CD40, CD41, CD41a, CD42b, CD43, CD44, CD45, CD45RA, CD45RB, CD45RO, CD46, CD47, CD48, CD49d, CD49e, CD49f, CD50, CD51, CD52, CD53, CD54, CD55, CD56, CD57, CD58, CD59, CD61, CD62E, CD62L, CD62P, CD63, CD66ade (CEACAM1/3/5), CD66adech (CEACAM1/3/5/6/8), CD66b (CEACAM8), CD66c (CEACAM6), CD66de (CEACAM3/5), CD66e (CEACAM5), CD66eb (CEACAM5/8), CD66ech (CEACAM5/6/8), CD69, CD70, CD71, CD72, CD73, CD74, CD79a, CD80, CD81, CD86, CD90, CD95, CD97, CD98, CD99, CD99R, CD101, CD103, CD105, CD106, CD108, CD116, CD117, CD122, CD127, CDw131, CD138, CD139, CD147/Emmprin, CD162, CD163, CD177, CD195, CD222, CD235a, CD235ab, CD279, CD314, CD319

Antibodies against human antigens:

Albumin, ANCA, BDNF, beta III-Tubulin, Calprotectin (MRP814), Cox-1, dsDNA, Emmprin/CD147, Eotaxin/CCL11, Eotaxin-3/CCL26, Factor H, FGF-b/ FGF-2, Follicular Dendritic Cells, FoxP3, GM-CSF, Granzyme K, HLA-ABC, HLA-Class I, panHLA-Class II, sHLA-G, HLA-DR, HLA-DR+DP, IFN alpha, IFNgamma, IGF-1, IgE, IgG, IgM, IL-1RA/IL1F3, IL-2, IL-4, IL-6, IL-7, IL-8/CXCL8, IL-10, IL-12p40, IL-15, IL-18, IL-25/IL-17E, Kappa chain, KRT18/Cytokeratin18, Lactoferrin, Lambda chain, MCP-1/CCL2, MCP-2/CCL8, MCP-3/CCL7, MCP-4/ CCL13, MDC/CCL22, MIP-1a/CCL-3, MIP-3a/CCL20, MIP-3b/CCL19, MPO, NGF-beta, NT4, NTAL, p53, hu-PrP, Rantes/CCL5, anti-Syk, TCRab, TECK/CCL25, TGF-beta1, TNF-alpha, TNFR/CD120a, TSLP, TSLPR, tTG, VEGF-A, VEGF-C, VEGFR-1/Flt-1, VEGFR-2/KDR, VEGFR-3/Flt-4

Isotype Controls:

mouse IgG1 Control, mouse IgG2a Control, mouse IgG2b Control, mouse IgG3 Control, mouse IgM Control, rat IgG2b Control

IT-Box-systems:

several IT-Boxes with fluorescence conjugated antibodies each vial containing 100µl

Functional antibodies

Secondary antibodies

Apoptose

Streptavidine

Antibodies against rat CDantigens and antigens

CD2, CD4, CD5, CD8a, CD8b, CD11a, CD11b/c, CD25, CD43, CD44, CD45, CD45RA/B,CD45RC, CD48, CD54, CD62L, CD71, CD81, CD90(THY1.1), CD152, CD161(NK-cells), CD172a, CD200, Dendritic Cells, dsDNA, Endothelium, Ig kappa chain, T-cells, TCR α/β , TCR γ/δ , VEGF-C

Antibodies against bovine / porcine CDantigens

porcine: CD20, CD21, CD29, CD47, CD58, CD105, Calprotectin (MRP8/14)

bovine: PrP, recombinant PrP, CD20, CD21, CD46, CD54

Antibodies against equine antigens

[HOME](#)

Antibodies against murine CD antigens and antigens

for the prices of the small sizes please contact info@immunotools.de

Specificity	Clone	Isotype	Format	Application	vol	Cat.No	€
-------------	-------	---------	--------	-------------	-----	--------	---

IL-3, IL-17

[Special offers](#)